# Problem set 7.: Permutations, variations, combinations

#### Question 1.

In how many ways can you arrange 1, 2, 3 or 5 distinct characters, respectively, into order?

### Question 2.

- (a) At a literary event 5 different poems are presented. In how many different orders can the poems be read out?
- (b) In how many different orders can 6 people be seated along a bench?
- (c) 12 students have agreed to have a meeting. In how many different orders can they arrive at the meeting if we assume that they all arrive at different times?
- (d) How does the answer to question (b) change if instead of a bench, the 6 people are seated around a round table?

### Question 3.

Into how many different orders can you arrange

- (a) 3 red, 1 blue and 1 white
- (b) 3 red, 2 blue and 1 white

balls?

### Question 4.

A box contains 16 balls: 10 white, 4 red and 2 blue balls. We take the balls out of the box one-by-one. In how many different orders can the balls be removed from the box, if we do not distinguish between the balls of the same colour?

#### Question 5.

How many different 5-digit numbers can be formed using exactly the digits

- (a) 1, 2, 3, 4, 5?
- (b) 1, 1, 2, 3, 4?
- (c) 1, 1, 2, 2, 2?

(Each digit has to be used exactly as many times as many times it appears in the list.)

#### Question 6.

15 students are taking part in a running race. How many different outcomes are possible for the first three places, if we assume that there are no equal finishes?

### Question 7.

In how many different ways can we distribute 6 different books among six pupils if everyone can get at most one book?

#### Question 8.

How many different 5-digit numbers can be formed out of the digits 1, 2, 3, 4, 5, 6, 7, 8 if

- (a) each digit can be used at most once?
- (b) any digit can be used more than once?

### Question 9.

How many 6-digit numbers exist consisting of pairwise distinct digits in the

(a) base-10 (b) base-8 (c) base-12 number system?

### Question 10.

How many different outcomes are possible when

(a) flipping a coin 10 times, (b) rolling a die 10 times,

if the order of the results matters?

#### Question 11.

A multiple choice test consists of 30 questions. For each question 5 possible answers are provided, out of which exactly one answer needs to be selected. In how many different ways can the test be completed?

### Question 12.

In how many different ways can we distribute 6 identical books among 20 students, if each student can be given *at most* one book?

#### Question 13.

In how many different ways can 4 cards be handed out to a player from a deck of 32 cards? (It does not matter, what order the 4 cards are handed out.)

#### Question 14.

Hányféleképpen lehet kitölteni egy ötöslottó-szelvényt?

## Question 15.

Consider the set  $A = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}.$ 

- (a) How many 3-element subsets does A have?
- (b) How many 5-element subsets does A have which contains 7?
- (c) How many 4-element subsets does A have which contains only odd numbers?
- (d) How many subsets does A have in total?

#### Question 16.

We draw 6 cards from a deck of 32 cards (without replacement). How many different outcomes are possible

- (a) if the order in which the cards are drawn matters?
- (b) if the order in which the cards are drawn does not matter?

#### Question 17.

In how many different ways can we distribute 4 apples among 28 children, if any child can receive more than one apple?

#### Question 18.

In a post office 12 types of cards are sold. In how many different ways can we purchase 5 cards (we assume that the post office has at least 5 copies of each card in stock)?

### Question 19.

In how many different orders can 4 couples sit along a bench if each person would like to sit next to his/her partner?

#### Question 20.

A company of 8 people would like to sit down at a round table. In how many different orders can they sit around the table, if two particular members of the group: Anna and Ignatious would like to sit next to each other?

### Question 21.

Given that the number of permutations of n + 2 (distinct) element equals 20 times the number of permutations of n (distinct) elements, find the value of n.