Version 3.0

Jan 07, 2019

TEAM MEMBERS:		
REGAN KACI		
PATRIK SIMIXHIU		
JUSILD KADRI		
ARBI DEDJA		
REI PACKOLLI		
PAOLO ZENELAK		

Table of Contents

1. EXECUTIVE SUMMARY	3
PROJECT OVERVIEW	3
PURPOSE AND SCOPE OF THIS SPECIFICATION	3
2. PRODUCT/SERVICE DESCRIPTION	3
PRODUCT CONTEXT	3
USER CHARACTERISTICS	3
ASSUMPTIONS	3
CONSTRAINTS	3
DEPENDENCIES	4
3. REQUIREMENTS	4
FUNCTIONAL REQUIREMENTS	5
NON-FUNCTIONAL REQUIREMENTS	
User Interface Requirements	
Usability	5
Performance	
Manageability/Maintainability	
System Interface/Integration	
Security	
Data Management	8
Standards Compliance	
Portability	
Other Non-Functional Requirements	
DOMAIN REQUIREMENTS	
4. USER SCENARIOS/USE CASES	9
APPENDIX	10
APPENDIX A.	
DEFINITIONS, ACRONYMS, AND ABBREVIATIONS	10
APPENDIX B.	
REFERENCES	10
APPENDIX C.	
REQUIREMENTS TRACEABILITY MATRIX	10
Appendix D.	

Organizing the Requirements	2

1. Executive Summary

Project Overview

Following the current political events in Albania we want to revolutionize our voting system which has been accused for years to be manipulatable. "Voting is not only our right — it is our power." So what we are doing is making Albanians more powerful by creating a platform to ensure a more reliable voting system. Our platform is based on DRE - Voting System and it has its advantages:

☐ The speed of vote counting will be increased
\square As it will be easy to use the number of irregular votes will decrease
\Box It will provide a more secure voting process then the actual one.

Purpose and Scope of this Specification

The purpose of this project is to offer a more secure voting system in order to assure that each vote will be counted correctly and there will be no manipulation of the votes. Also a lot of the votes are declared invalid for various reasons and this will be avoided using our platform, solving problems from the past elections like in 2011. Another problem is also the time required to finish the whole voting and counting process which will decrease significantly.

2. Product/Service Description

This project will offer three software based applications that will be interconnected with each other and a website that will give detailed information pre, during and post elections. The software applications will serve for different users. One is for the voter who will give as an input his vote for one of the candidates, another application will be for the supervisor who will insert the personal information of the voter and will give access to the voter to use its application and the third application will be for the administrator of the voting process. The website will serve for polls, to make visible the results in real time and to offer different notifications about the voting process.

This platform is related with the elections in Albania and its voters. It will require to be connected with the database of the citizens of Albania. Apart of that it is not dependent on any other platform or service thus it relates only to its own implementation.

User Characteristics There are Voter Every person who wants to vote and satisfies all the requirements asked by the administrators of the elections. Supervisor Supervisor are the persons selected from the candidates and the administrators to help the ongoing of the voting process. Admin Admin is the organization responsible for holding the elections and it can add or remove candidates.

Assumptions

It is assumed that the administrators will offer devices to make the implementation of the platform possible.

It is assumed that supervisors will be available during the voting and counting process.

	•	
nstr	MIN	tc
	ull	LI

The system will be potentially constrained by:
☐ The need to have the devices connected to the internet.
☐ The need to have the devices battery powered in case of a power outage.
☐ The fact that supervisors should be trained on how to use the platform.

Dependencies

Dependencies that affect the requirements are:

- $\hfill\Box$ This platform requires internet connection.
- $\ \square$ Availability of the supervisors.

3. Requirements

Functional Requirements

The scheme for the requirement numbering is BR_##

Req#	Requirement	Comments	Prior ity	Dat e Rv wd	SME Revie wed / Appro ved
BR_01	The platform should have a software application with which voters can interact	This will give the voters the possibility to check the list of candidates	3	30/03/ 20 19	Regan Kaci/ Patrik Simixhiu
BR_02	The platform should have a software application with which supervisors can interact	This will be used by the supervisors to assure the ongoing of the process	3	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu

		ystem Requirements specific	Jacon		
BR_03	The platform should have a software application with which administrators can interact.	This will be used from the administrators to monitor the election process	3	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_04	The platform should have a website which is accessible from every person	This will be used to check different notifications about the elections	2	30/03/ 20 19	Regan Kaci/ Patrik Simixhiu
BR_05	The platform should provide admins with the ability to register new candidates	This will be done in the admin software application	3	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_06	admins with the ability to register new voting centers	This will be done in the admin software application	3	30/03/ 20 19	Regan Kaci/ Patrik Simixhiu
BR_07	The platform should provide supervisors to insert personal information about the voter	This will be done in the supervisor software application	3	30/03/ 20 19	Regan Kaci/ Patrik Simixhiu

Req#	Requirement	Comments	Prior ity	Dat e Rv wd	SME Revie wed / Appro ved
BR_08	The platform should provide the voters to vote for a specific candidate	This will be done in the voters software application	3	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_09	Voters app should be eligible only when given access from supervisor app	Voters can only use their application once the supervisor has given them access to do so. Using TCP connection (Security reasons)	3	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_10	The current number of votes tor each candidate should be stored locally in every device	Then the votes on each device for each candidate are counted. (Security reasons)	2	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_11	Once an eligible voter has voted he should be removed from the list of available voters	So that there are no duplicate votes for a person.	3	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_12	Every voting machine should have its own queue of voters	So that the supervisors can continue their process no matter how much time the voter requires.	2	30/03/ 20 19	Regan Kaci/ Patrik Simixhiu
BR_13	Every voting machine should be linked to one group of supervisors computer.	Implementation reasons	"	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_14	The website should organize polls and allow visitors to vote.	This will be implemented in the website.	1	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu

BR_15	Every IP address that visits the website can only vote once in a poll.	implemented in the website	1	30/03/ 20 19	Regan Kaci/ Patrik Simixhiu
BR_16	Every device should be battery powered	So in case of power outage the process should go on.	2	30/03/ 20 19	Regan Kaci/ Patrik Simixhiu
BR_17	Admins can start and end the voting process	Meaning that admins can have access on supervisior software	2	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_18	The voters app should not allow voters to vote multiple candidates and should not allow the insertion of invalid votes	This will be implemented in the Yoters application	3	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_19	Supervisor's application should be connected with the database of the voters	This will serve to check if a voter has voted or not or if he is eligible to vote	3	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu
BR_20	Every vote should not be mapped with the voter to assure privacy	This is done for privacy reasons	3	30/03/ 20 19	Regan Kacı/ Patrık Sımıxhıu

Non-Functional Requirements

User Interface Requirements

The three applications will be desktop applications which will be installed in specific computers. The first application which is the Admin App will have a sign in form to be completed and if the sign in credentials will be correct the user will be prompted to the admin interface where he will have the possibility to add and remove candidates and voting centers. Also the admin can start and end the elections.

The other application which is the Supervisor App, will get permission to operate once the admin starts the elections. It will have a form to be completed from the supervisor with the personal information of the voter. On the other hand once the supervisor submits the information and it is verified as correct, it will grant the permission to the voter to use its app to vote. The voter will have its own application which will have the list of the candidates and he will be able to select the one he wants to vote.

Then the web app will have a news tab where the user can read the latest news regarding the article. On the right side it will have a poll where the user can vote. And there will be different options regarding the elections such as history, statistics in a particular area etc.

Learnability

☐ All of the applications are user-friendly and anyone can use them without any difficulty.
☐ Web app is very simple to use.
☐ Error messages will be displayed if a specific condition is not met or an error
happens
Performance
The overall performance of the platform will be high as there is no need for high resources. The performance will be dependent on:
☐ Database transaction efficiency
□ Voting center's internet connection speed
☐ Servers hardware capabilities

March 19, 2019 Page 10 o f 11

\square OS installed in the PCs ☐ Frameworks used to implement the application **Capacity** All of the repositories of the applications including: web and desktop application are going to be stored on a server that is going to need to have a minimum of 250 MB of size for all of these modules. The database is going to be moderate in complexity with approximately 25 tables in total. If the number of businesses and users registered in the application is going to be large than it is going to be somewhat large in size of data. **Availability** \square Admin application is going to be running 24/7 ☐ Supervisor application is going to be running when given access from admin application. □ Voting application is going to be running when given access from supervisor application \square Web application is going to be running 24/7 \Box It is going to cover all voting centers Latency Latency of software and web application depends on: ☐ Internet connection strength ☐ Size of db ☐ Latency for transactions to happen ☐ Latency depending on the distance to the server ☐ Login should open for 100ms

E-Voting System Requirements Specification ☐ Mobile should open for at most 1.5 secs ☐ All modules of web application should load for at most 250 ms

Manageability/Maintainability

Monitoring

If admins declare the voting process opened then the supervisor application will be available. If a supervisor enters the personal information of a voter and they are correct when confirmed with the database than the voter will be given access to use the voting app. If the information will not be correct then it will show a message explaining why. When a voter submits the vote a message will be shown that confirms if that the voting has been successfully or alerts the user that there was a problem and invites them to vote again. The connection between the two software will be a TCP connection. For every interaction that is done with the database, everything is going to be validated before and if they do not match than the changes are not going to be made.

Maintenance

If a system crash happens the core application is going to restart. While being in this process we are either going to use the other backup server or show to the page the message that for the moment our page is in maintenance until the moment that the server is up and running again. If restart or backup does not happen correctly than the whole server is going to be restarted. We will use servers of Google and that is why we are about 100% sure that it is going to be reliable and as fast as possible.

Operations

O	operations required by the user are:
	☐ Vote for a specific candidate. (Voter)
_	☐ Enter the personal information of a voter. (Supervisor)
	☐ Add or remove candidates and voting centers. (Admin)
	☐ CRUD functionalities

3.2.5 System Interface/Integration

March 19, 2019 Page 12 o f 11

Access in database is restricted to only the persons authorized to it that belong to the IT department. Users are only allowed to make changes in the db that are offered to them encapsulated in graphical user interface.

3.2.5.1 Network and Hardware Interfaces

We want a secure and reliable packet transferring so we are going to use TCP connection.

Security

The voters can only vote once a permission is granted from the supervisor which will be connected with TCP connection. The information that is kept in our database is considered sensitive information. Every personal information or information considered private will be encoded so that it will be difficult to be hacked. Admins and Supervisors should also be careful with the information that they have for the voters.

Protection

Protection will serve to check the validity of the data inserted. All the personal information will be verified and in case of invalid or empty information the submission should be prevented.

March 19, 2019 Page 13 o f 11

Authorization and Authentication

The admin should login with his correct login credentials and also the Voter's App will be authorized to operate once given permission from the Supervisor which also needs the authorization of the Administrators.

Data Management

In the database should be stored all the personal information of the voters

Standards Compliance

The standards compliance will be based on the government's laws. There will

be obligatory and compulsory field to be filled and also the relationship
between the tables will be defined
Entity that are likely to be stored in the database are:
☐ Full name
□ Passport ID
☐ Birthdate
☐ City of residence
☐ Street Address
□ Etc
Portability

Other Non-Functional Requirements

There is no much space needed for these applications. They are highly efficient. Anyway the platform is organizational and human dependent meaning that the speed of the process depends in the personal skill of the supervisor and even in the time asked by each voter to vote.

3.3 Domain Requirements

The PC's should be battery powered in case a power outage occurs so that the voting process can go on. Each time a supervisor completes the form with the personal data of the voter.

Number	User Story Name	Description
1.	App Successful Login	App user successfully logs in with email and password
2.	App Failed Login	App user fails to login with his/her credentia ls
3.	Administrator successful long in	App user successfully logs in with email and password
4.	Supervisor successful long in	Supervisor successfully long in with email and password
5.	Supervisor allows the user to vote	Supervisor gives the user the ability to vote
6.	The user now can vote	The user choses its favorite party
7.	User now opens the app	The user now opens the app and goes to the filling form
8.	User can see the parties	The user now can see all the parties
9.	Picks his party	The user picks his favourite party

E-Voting System Requirements Specification			

	The user fills the form ing System Requirements Specificate	The user now need to fill the form about its own private information
11.	The user can gives feedback or opinions	The user now can give feedbacks or opinions about its own party
12.	The user submits the form	After finishing everything the user submits the form
13.	Administrator checks the form	Administrator checks the form that the user submited
14.	Administrator approves the form	Administrator agrees that the form doesn't violate any of the rules and it approves it
15.		Administrator thinks the form violates the rules so he returns it back and messages the user
16.	Administrator blocks the user	If the user violates the form it gets blocked from the administrator
17.	Internal Affairs opens an employee profile	Internal Affairs Officer selects the Employees Dashboard and
		views the profile.

18.	Internal Affairs Officer starts an investigation through his dashboard	The Internal Affairs Officer can put an employee under investigation.
19.	Internal Affairs Officer gets notified about complaints	The Internal Affairs Officer will be notified about employee's complaints.
20.	Internal Affairs Officer suspends an employee	On his employee list, the officer can decide to suspend an employee.

Use Cases/Scenarios Extended

1. Admin App Successful Login

- Write username that is in DataBase
- Write password corresponding to the username
- Type sign in button
- The credentials are ok and you are granted access

2. App Failed Login

- Write username that is in DataBase
- Write password corresponding to the username
- Type sign in button
- The credentials are wrong and you are not granted access

3. User Votes

• User selects candidate

March 19, 2019 Page 18 o f 11

- User types submit button
- User submits vote

4. Supervisor allows citizen to vote

- Supervisor writes citizen's name and surname
- Supervisor searches citizen
- Supervisor checks the citizen's information
- Supervisor grants permission to citizen to vote

5. Administrator starts the voting

- Administrator logins with his credentials
- Administrator goes to information tab
- Administrator types Start Voting Button to start the voting process

6. App Failed Login

- Write username that is in DataBase
- Write password corresponding to the username
- Type sign in button
- The credentials are wrong and you are not granted access

7. Administrator adds candidate

- Write username and password that is in DataBase
- Go to Manage Candidate
- Add the information for the candiate
- Add the new candidate

8. Administrator adds supervisor

- Write username and password that is in DataBase
- Go to Manage Supervisor
- Add the information for the supervissor
- Add the new supervisor

9. Administrator adds voting center

- Write username and password that is in DataBase
- Go to Manage Centers
- Add the information for the voting center
- Add the new voting center

10. Administrator removes voting center

- Write username and password that is in DataBase
- Go to Manage Centers
- Add the information for the voting center
- Remove the voting center

11. Administrator removes supervisor

- Write username and password that is in DataBase
- Go to Manage Supervisor
- Add the information for the supervissor
- Remove the supervisor

12. Administrator adds candidate

- Write username and password that is in DataBase
- Go to Manage Candidate

- Add the information for the candiate
- Remove the candidate

13. Administrator modifies candidate

- Write username and password that is in DataBase
- Go to Manage Candidate
- Add the information for the candiate
- Modify the candidate

14. Administrator modifies supervisor

- Write username and password that is in DataBase
- Go to Manage Supervisor
- Add the information for the supervissor
- Modify the supervisor

15. Administrator modifies voting center

- Write username and password that is in DataBase
- Go to Manage Centers
- Add the information for the voting center
- Modify the voting center

Appendix D. Organizing the Requirements

This section is for information only as an aid in preparing the requirements document.

Detailed requirements tend to be extensive. Give careful consideration to your organization scheme. Some examples of organization schemes are described below:

By System Mode

Some systems behave quite differently depending on the mode of operation. For example, a control system may have different sets of functions depending on its mode: training, normal, or emergency.

By User Class

Some systems provide different sets of functions to different classes of users. For example, an elevator control system presents different capabilities to passengers, maintenance workers, and fire fighters.

By Objects

Objects are real-world entities that have a counterpart within the system. For example, in a patient monitoring system, objects include patients, sensors, nurses, rooms, physicians, medicines, etc. Associated with each object is a set of attributes (of that object) and functions (performed by that object). These functions are also called services, methods, or processes. Note that sets of objects may share attributes and services. These are grouped together as classes.

By Feature

A feature is an externally desired service by the system that may require a sequence of inputs to affect the desired result. For example, in a telephone system, features include local call, call forwarding, and conference call. Each feature is generally described in a sequence of stimulus-response pairs, and may include validity checks on inputs, exact sequencing of operations, responses to abnormal situations, including error handling and recovery, effects of parameters, relationships of inputs to outputs, including input/output sequences and formulas for input to output.

By Stimulus

Some systems can be best organized by describing their functions in terms of stimuli. For example, the functions of an automatic aircraft landing system may be organized into sections for loss of power, wind shear, sudden change in roll, vertical velocity excessive, etc.

By Response

Some systems can be best organized by describing all the functions in support of the generation of a response. For example, the functions of a personnel system may be organized into sections corresponding to all functions associated with generating paychecks, all functions associated with generating a current list of employees, etc.

By Functional Hierarchy

March 19, 2019 Page 22 o f 11

When none of the above organizational schemes prove helpful, the overall functionality can be organized into a hierarchy of functions organized by common inputs, common outputs, or common internal data access. Data flow diagrams and data dictionaries can be used to show the relationships between and among the functions and data.


Additional Comments

Whenever a new Requirements Specification is contemplated, more than one of the organizational techniques given above may be appropriate. In such cases, organize the specific requirements for multiple hierarchies tailored to the specific needs of the system under specification.

There are many notations, methods, and automated support tools available to aid in the documentation of requirements. For the most part, their usefulness is a function of organization. For example, when organizing by mode, finite state machines or state charts may prove helpful; when organizing by object, object-oriented analysis may prove helpful; when organizing by feature, stimulus-response sequences may prove helpful; and when organizing by functional hierarchy, data flow diagrams and data dictionaries may prove helpful


March 19, 2019 Page 23 of 11

ACTIVITY DIAGRAM




Text


CLASS DIAGRAM




COLLABORATION DIAGRAM




COMPONENT DIAGRAM (Next page)







DATA FLOW DIAGRAM




DATABASE SCHEMA DIAGRAM







March 19, 2019



OBJECT DIAGRAM




SEQUENCE DIAGRAM




Supervisor Voting System Voter Admin Approval entersCredentials() Gives confirmation to vote requestPosition() Assigns to a specific unit getInformation()


STATE DIAGRAM

Admin State Diagram







Supervisor Sate Diagram		
W. G. A. D.		
Voter State Diagram		




Use Case Diagram

ADMINISTRATOR







Voter




	E-voling System Re	quirements specific	auon	
Apendix A. Sketches.				
Admin Sketch.				







Supervisor Sketch

Web Sondazhi.







Admin GUI App.

