Coefficient-Based Flux Maps: Complete Group Atlas

Flux Map Research Study

24 October 2026

Both stator flux components are shown for every group and applicable model. Figure titles identify training, validation-refit, independent excitation test and upper-boundary cases. Upper-boundary reconstruction is unavailable outside the physical training range.

The d-flux 3D view exchanges displayed d/q axes. Error maps retain physical d/q order. Scales are shared within a dataset. Reference surfaces preserve source-triangle gaps; signed errors use common support across methods. Display grids do not replace point-based metrics. The intersection can also mask finite coefficient-model predictions, including training boundary slices where the raster LUT has no complete interpolation cells.

Dataset 4 has unverified acquisition provenance and two temperature bands. It is a processed-reference implementation exercise with spatial holdout, not independent temperature-validation evidence.

Dataset 1, RBF, group 1

Set1 | RBF | Nominal excitation 2 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 1

Set1 | Spline | Nominal excitation 2 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 1

Set1 | LUT | Nominal excitation 2 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 1

Set1 | kA | Nominal excitation 2 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 1

Set1 | kB | Nominal excitation 2 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 1

Set1 | kC | Nominal excitation 2 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 1

Set1 | kE | Nominal excitation 2 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 1

Set1 | kF | Nominal excitation 2 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 1

Set1 | kG | Nominal excitation 2 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 2

Set1 | RBF | Nominal excitation 5 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 2

Set1 | Spline | Nominal excitation 5 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 2

Set1 | LUT | Nominal excitation 5 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 2

Set1 | kA | Nominal excitation 5 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 2

Set1 | kB | Nominal excitation 5 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 2

Set1 | kC | Nominal excitation 5 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 2

Set1 | kD | Nominal excitation 5 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 2

Set1 | kE | Nominal excitation 5 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 2

Set1 | kF | Nominal excitation 5 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 2

Set1 | kG | Nominal excitation 5 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 3



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 3

Set1 | Spline | Nominal excitation 8 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 3

Set1 | LUT | Nominal excitation 8 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 3

Set1 | kA | Nominal excitation 8 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 3



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 3

Set1 | kC | Nominal excitation 8 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 3

Set1 | kD | Nominal excitation 8 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 3

Set1 | kE | Nominal excitation 8 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 3

Set1 | kF | Nominal excitation 8 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 3

Set1 | kG | Nominal excitation 8 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 4



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 4

Set1 | Spline | Nominal excitation 11 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 4

Set1 | LUT | Nominal excitation 11 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 4

Set1 | kA | Nominal excitation 11 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 4

Set1 | kB | Nominal excitation 11 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 4

Set1 | kC | Nominal excitation 11 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 4

Set1 | kD | Nominal excitation 11 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 4

Set1 | kE | Nominal excitation 11 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 4

Set1 | kF | Nominal excitation 11 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 4

Set1 | kG | Nominal excitation 11 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 5

Set1 | RBF | Nominal excitation 14 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 5

Set1 | Spline | Nominal excitation 14 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 5

Set1 | LUT | Nominal excitation 14 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 5

Set1 | kA | Nominal excitation 14 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 5

Set1 | kB | Nominal excitation 14 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 5

Set1 | kC | Nominal excitation 14 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 5

Set1 | kD | Nominal excitation 14 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 5

Set1 | kE | Nominal excitation 14 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 5

Set1 | kF | Nominal excitation 14 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 5

Set1 | kG | Nominal excitation 14 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 6

Set1 | RBF | Nominal excitation 17 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 6



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 6

Set1 | LUT | Nominal excitation 17 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 6

Set1 | kA | Nominal excitation 17 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 6

Set1 | kB | Nominal excitation 17 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 6

Set1 | kC | Nominal excitation 17 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 6

Set1 | kD | Nominal excitation 17 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 6

Set1 | kE | Nominal excitation 17 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 6

Set1 | kF | Nominal excitation 17 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 6

Set1 | kG | Nominal excitation 17 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 7

Set1 | RBF | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 7

Set1 | Spline | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 7

Set1 | LUT | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 7

Set1 | kA | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 7

Set1 | kB | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 7

Set1 | kC | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 7

Set1 | kD | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 7

Set1 | kE | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 7

Set1 | kF | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 7

Set1 | kG | Nominal excitation 20 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 8

Set1 | RBF | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 8

Set1 | Spline | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 8

Set1 | LUT | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 8

Set1 | kA | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 8

Set1 | kB | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 8

Set1 | kC | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 8

Set1 | kD | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 8

Set1 | kE | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 8

Set1 | kF | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 8

Set1 | kG | Nominal excitation 23 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 9

Set1 | RBF | Nominal excitation 26 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 9

Set1 | Spline | Nominal excitation 26 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 9

Set1 | LUT | Nominal excitation 26 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 9

Set1 | kA | Nominal excitation 26 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 9

Set1 | kB | Nominal excitation 26 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 9

Set1 | kC | Nominal excitation 26 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 9

Set1 | kD | Nominal excitation 26 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 9

Set1 | kE | Nominal excitation 26 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 9

Set1 | kF | Nominal excitation 26 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 9

Set1 | kG | Nominal excitation 26 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 10

Set1 | RBF | Nominal excitation 29 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 10

Set1 | Spline | Nominal excitation 29 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 10

Set1 | LUT | Nominal excitation 29 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 10

Set1 | kA | Nominal excitation 29 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 10

Set1 | kB | Nominal excitation 29 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 10

Set1 | kC | Nominal excitation 29 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 10

Set1 | kD | Nominal excitation 29 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 10

Set1 | kE | Nominal excitation 29 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 10

Set1 | kF | Nominal excitation 29 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 10

Set1 | kG | Nominal excitation 29 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 11

Set1 | RBF | Nominal excitation 32 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 11

Set1 | Spline | Nominal excitation 32 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 11

Set1 | LUT | Nominal excitation 32 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 11

Set1 | kA | Nominal excitation 32 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 11

Set1 | kB | Nominal excitation 32 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 11

Set1 | kC | Nominal excitation 32 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 11

Set1 | kD | Nominal excitation 32 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 11

Set1 | kE | Nominal excitation 32 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 11

Set1 | kF | Nominal excitation 32 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 11

Set1 | kG | Nominal excitation 32 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 12

Set1 | RBF | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 12

Set1 | Spline | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 12

Set1 | LUT | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 12

Set1 | kA | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 12

Set1 | kB | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 12

Set1 | kC | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 12

Set1 | kD | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 12

Set1 | kE | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 12

Set1 | kF | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 12

Set1 | kG | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, RBF, group 13

Set1 | RBF | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, Spline, group 13

Set1 | Spline | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, LUT, group 13

Set1 | LUT | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kA, group 13

Set1 | kA | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kB, group 13

Set1 | kB | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kC, group 13

Set1 | kC | Nominal excitation 40 A | upper boundary: outside training range









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kD, group 13

Set1 | kD | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kE, group 13

Set1 | kE | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kF, group 13

Set1 | kF | Nominal excitation 40 A | upper boundary: outside training range









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 1, kG, group 13

Set1 | kG | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 1

Set2 | RBF | Nominal excitation 0 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 1

Set2 | Spline | Nominal excitation 0 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 1

Set2 | LUT | Nominal excitation 0 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 1

Set2 | kA | Nominal excitation 0 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 1

Set2 | kD | Nominal excitation 0 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 1

Set2 | kE | Nominal excitation 0 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 1

Set2 | kG | Nominal excitation 0 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 2

Set2 | RBF | Nominal excitation 2 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 2

Set2 | Spline | Nominal excitation 2 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 2

Set2 | LUT | Nominal excitation 2 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 2

Set2 | kA | Nominal excitation 2 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 2

Set2 | kB | Nominal excitation 2 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 2

Set2 | kC | Nominal excitation 2 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 2

Set2 | kD | Nominal excitation 2 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 2

Set2 | kE | Nominal excitation 2 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 2

Set2 | kF | Nominal excitation 2 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 2

Set2 | kG | Nominal excitation 2 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 3

Set2 | RBF | Nominal excitation 5 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 3

Set2 | Spline | Nominal excitation 5 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 3

Set2 | LUT | Nominal excitation 5 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 3

Set2 | kA | Nominal excitation 5 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 3

Set2 | kB | Nominal excitation 5 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 3

Set2 | kC | Nominal excitation 5 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 3

Set2 | kD | Nominal excitation 5 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 3

Set2 | kE | Nominal excitation 5 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 3

Set2 | kF | Nominal excitation 5 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 3

Set2 | kG | Nominal excitation 5 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 4

Set2 | RBF | Nominal excitation 8 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 4

Set2 | Spline | Nominal excitation 8 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 4

Set2 | LUT | Nominal excitation 8 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 4

Set2 | kA | Nominal excitation 8 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 4

Set2 | kB | Nominal excitation 8 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 4

Set2 | kC | Nominal excitation 8 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 4

Set2 | kD | Nominal excitation 8 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 4

Set2 | kE | Nominal excitation 8 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 4

Set2 | kF | Nominal excitation 8 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 4

Set2 | kG | Nominal excitation 8 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 5

Set2 | RBF | Nominal excitation 11 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 5

Set2 | Spline | Nominal excitation 11 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 5

Set2 | LUT | Nominal excitation 11 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 5

Set2 | kA | Nominal excitation 11 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 5

Set2 | kB | Nominal excitation 11 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 5

Set2 | kC | Nominal excitation 11 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 5

Set2 | kD | Nominal excitation 11 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 5

Set2 | kE | Nominal excitation 11 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 5

Set2 | kF | Nominal excitation 11 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 5

Set2 | kG | Nominal excitation 11 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 6

Set2 | RBF | Nominal excitation 14 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 6

Set2 | Spline | Nominal excitation 14 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 6

Set2 | LUT | Nominal excitation 14 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 6

Set2 | kA | Nominal excitation 14 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 6

Set2 | kB | Nominal excitation 14 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 6

Set2 | kC | Nominal excitation 14 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 6

Set2 | kD | Nominal excitation 14 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 6

Set2 | kE | Nominal excitation 14 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 6

Set2 | kF | Nominal excitation 14 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 6

Set2 | kG | Nominal excitation 14 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 7

Set2 | RBF | Nominal excitation 17 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 7

Set2 | Spline | Nominal excitation 17 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 7

Set2 | LUT | Nominal excitation 17 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 7

Set2 | kA | Nominal excitation 17 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 7

Set2 | kB | Nominal excitation 17 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 7

Set2 | kC | Nominal excitation 17 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 7

Set2 | kD | Nominal excitation 17 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 7

Set2 | kE | Nominal excitation 17 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 7

Set2 | kF | Nominal excitation 17 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 7

Set2 | kG | Nominal excitation 17 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 8

Set2 | RBF | Nominal excitation 20 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 8

Set2 | Spline | Nominal excitation 20 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 8

Set2 | LUT | Nominal excitation 20 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 8

Set2 | kA | Nominal excitation 20 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 8

Set2 | kB | Nominal excitation 20 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 8

Set2 | kC | Nominal excitation 20 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 8

Set2 | kD | Nominal excitation 20 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 8

Set2 | kE | Nominal excitation 20 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 8

Set2 | kF | Nominal excitation 20 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 8

Set2 | kG | Nominal excitation 20 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 9

Set2 | RBF | Nominal excitation 23 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 9

Set2 | Spline | Nominal excitation 23 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 9

Set2 | LUT | Nominal excitation 23 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 9

Set2 | kA | Nominal excitation 23 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 9

Set2 | kB | Nominal excitation 23 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 9

Set2 | kC | Nominal excitation 23 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 9

Set2 | kD | Nominal excitation 23 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 9

Set2 | kE | Nominal excitation 23 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 9

Set2 | kF | Nominal excitation 23 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 9

Set2 | kG | Nominal excitation 23 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 10

Set2 | RBF | Nominal excitation 26 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 10

Set2 | Spline | Nominal excitation 26 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 10

Set2 | LUT | Nominal excitation 26 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 10

Set2 | kA | Nominal excitation 26 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 10

Set2 | kB | Nominal excitation 26 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 10

Set2 | kC | Nominal excitation 26 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 10

Set2 | kD | Nominal excitation 26 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 10

Set2 | kE | Nominal excitation 26 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 10

Set2 | kF | Nominal excitation 26 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 10

Set2 | kG | Nominal excitation 26 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 11

Set2 | RBF | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 11

Set2 | Spline | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 11

Set2 | LUT | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 11

Set2 | kA | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 11

Set2 | kB | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 11

Set2 | kC | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 11

Set2 | kD | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 11

Set2 | kE | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 11

Set2 | kF | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 11

Set2 | kG | Nominal excitation 29 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 12

Set2 | RBF | Nominal excitation 32 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 12

Set2 | Spline | Nominal excitation 32 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 12

Set2 | LUT | Nominal excitation 32 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 12

Set2 | kA | Nominal excitation 32 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 12

Set2 | kB | Nominal excitation 32 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 12

Set2 | kC | Nominal excitation 32 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 12

Set2 | kD | Nominal excitation 32 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 12

Set2 | kE | Nominal excitation 32 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 12

Set2 | kF | Nominal excitation 32 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 12

Set2 | kG | Nominal excitation 32 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 13

Set2 | RBF | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 13

Set2 | Spline | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 13

Set2 | LUT | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 13

Set2 | kA | Nominal excitation 36 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 13

Set2 | kB | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 13

Set2 | kC | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 13

Set2 | kD | Nominal excitation 36 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 13

Set2 | kE | Nominal excitation 36 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 13

Set2 | kF | Nominal excitation 36 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 13

Set2 | kG | Nominal excitation 36 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, RBF, group 14

Set2 | RBF | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, Spline, group 14

Set2 | Spline | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, LUT, group 14

Set2 | LUT | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kA, group 14

Set2 | kA | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kB, group 14

Set2 | kB | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kC, group 14

Set2 | kC | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kD, group 14

Set2 | kD | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kE, group 14

Set2 | kE | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kF, group 14

Set2 | kF | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 2, kG, group 14

Set2 | kG | Nominal excitation 40 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 1

Set3 | RBF | Nominal excitation 3 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 1

Set3 | Spline | Nominal excitation 3 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 1

Set3 | LUT | Nominal excitation 3 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 1



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 1

Set3 | kG | Nominal excitation 3 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 2

Set3 | RBF | Nominal excitation 6 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 2

Set3 | Spline | Nominal excitation 6 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 2

Set3 | LUT | Nominal excitation 6 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 2

Set3 | kA | Nominal excitation 6 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 2

Set3 | kB | Nominal excitation 6 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 2

Set3 | kC | Nominal excitation 6 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 2

Set3 | kD | Nominal excitation 6 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 2

Set3 | kE | Nominal excitation 6 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 2

Set3 | kF | Nominal excitation 6 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 2

Set3 | kG | Nominal excitation 6 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 3



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 3

Set3 | Spline | Nominal excitation 9 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 3



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 3

Set3 | kA | Nominal excitation 9 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 3

Set3 | kB | Nominal excitation 9 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 3



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 3

Set3 | kD | Nominal excitation 9 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 3

Set3 | kE | Nominal excitation 9 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 3



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 3

Set3 | kG | Nominal excitation 9 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 4

Set3 | RBF | Nominal excitation 12 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 4

Set3 | Spline | Nominal excitation 12 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 4

Set3 | LUT | Nominal excitation 12 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 4

Set3 | kA | Nominal excitation 12 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 4

Set3 | kB | Nominal excitation 12 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 4

Set3 | kC | Nominal excitation 12 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 4

Set3 | kD | Nominal excitation 12 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 4

Set3 | kE | Nominal excitation 12 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 4

Set3 | kF | Nominal excitation 12 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 4

Set3 | kG | Nominal excitation 12 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 5



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 5



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 5

Set3 | LUT | Nominal excitation 15 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 5

Set3 | kA | Nominal excitation 15 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 5

Set3 | kB | Nominal excitation 15 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 5

Set3 | kC | Nominal excitation 15 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 5

Set3 | kD | Nominal excitation 15 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 5

Set3 | kE | Nominal excitation 15 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 5

Set3 | kF | Nominal excitation 15 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 5

Set3 | kG | Nominal excitation 15 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 6

Set3 | RBF | Nominal excitation 18 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 6

Set3 | Spline | Nominal excitation 18 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 6

Set3 | LUT | Nominal excitation 18 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 6

Set3 | kA | Nominal excitation 18 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 6

Set3 | kB | Nominal excitation 18 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 6

Set3 | kC | Nominal excitation 18 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 6

Set3 | kD | Nominal excitation 18 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 6

Set3 | kE | Nominal excitation 18 A | validation group, included in final refit



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 6

Set3 | kF | Nominal excitation 18 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 6

Set3 | kG | Nominal excitation 18 A | validation group, included in final refit









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 7



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 7



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 7

Set3 | LUT | Nominal excitation 21 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 7

Set3 | kA | Nominal excitation 21 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 7

Set3 | kB | Nominal excitation 21 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 7

Set3 | kC | Nominal excitation 21 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 7

Set3 | kD | Nominal excitation 21 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 7

Set3 | kE | Nominal excitation 21 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 7

Set3 | kF | Nominal excitation 21 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 7

Set3 | kG | Nominal excitation 21 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 8

Set3 | RBF | Nominal excitation 24 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 8



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 8

Set3 | LUT | Nominal excitation 24 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 8

Set3 | kA | Nominal excitation 24 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 8

Set3 | kB | Nominal excitation 24 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 8

Set3 | kC | Nominal excitation 24 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 8

Set3 | kD | Nominal excitation 24 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 8

Set3 | kE | Nominal excitation 24 A | held-out excitation group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 8

Set3 | kF | Nominal excitation 24 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 8

Set3 | kG | Nominal excitation 24 A | held-out excitation group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 9



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 9

Set3 | Spline | Nominal excitation 27 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 9



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 9

Set3 | kA | Nominal excitation 27 A | training group









Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 9

Set3 | kB | Nominal excitation 27 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 9

Set3 | kC | Nominal excitation 27 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 9

Set3 | kD | Nominal excitation 27 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 9



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 9

Set3 | kF | Nominal excitation 27 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 9

Set3 | kG | Nominal excitation 27 A | training group



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, RBF, group 10



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, Spline, group 10

Set3 | Spline | Nominal excitation 30 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, LUT, group 10



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kA, group 10

Set3 | kA | Nominal excitation 30 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kB, group 10



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kC, group 10



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kD, group 10



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kE, group 10

Set3 | kE | Nominal excitation 30 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kF, group 10



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 3, kG, group 10

Set3 | kG | Nominal excitation 30 A | upper boundary: outside training range



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 4, RBF, group 1

Temperature fixture | RBF | Temperature band 30 deg C | spatial tiles; no held-out temperature band



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 4, Spline, group 1

Temperature fixture | Spline | Temperature band 30 deg C | spatial tiles; no held-out temperature band



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 4, LUT, group 1

Temperature fixture | LUT | Temperature band 30 deg C | spatial tiles; no held-out temperature band



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 4, RBF, group 2



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 4, Spline, group 2

Temperature fixture | Spline | Temperature band 70 deg C | spatial tiles; no held-out temperature band



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.

Dataset 4, LUT, group 2

Temperature fixture | LUT | Temperature band 70 deg C | spatial tiles; no held-out temperature band



Blue: reference; orange: reconstruction. Signed errors in mVs. White regions have no common numerical support. Dataset 4 is a processed temperature fixture.