ValueError at /staff_report/

The view main.views.staff report didn't return an HttpResponse object. It returned None instead.

Request Method: GET

Request URL: http://127.0.0.1:8000/staff report/

Django Version: 3.1.7 Exception Type: ValueError

Exception Value: The view main.views.staff_report didn't return an HttpResponse object. It returned None instead.

Exception Location: C:\Users\MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-

packages\django\core\handlers\base.py, line 309, in check_response

Python Executable: C:\Users\MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\9\python.exe

Python Version: 3.9.2

'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\python39.zip',

'C:\\Users\\MD.KHADEMUL '

'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\DLLs',

'C:\\Users\\MD.KHADEMUL '

 $\label{local\Programs\Python\Python39} \\ \label{local\Programs\Python39} \\ \label{local\Programs} \\ \label{local\Progra$

'C:\\Users\\MD.KHADEMUL ISLAM\\AppData\\Local\\Programs\\Python\\Python39', 'C:\\Users\\MD.KHADEMUL '

 $\verb|'ISLAM/AppData/Local/Programs/Python/Python39/lib/\site-packages'||$

Server time: Fri, 18 Jun 2021 13:52:23 +0000

Traceback Switch to copy-and-paste view

 $\verb|C:\USers\MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\exception.py, \\ \begin{tabular}{ll} \textbf{Ine 47, in} \\ \textbf{Ine 47, in}$

47. response = get response(request)

C:\Users\MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\base.py, line 188, in _get_response

self.check response (response, callback)

► Local vars

C:\Users\MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\base.py, line 309, in check_response

309. raise ValueError(

▶ Local vars

Request information

USER AnonymousUser

GET No GFT data

POST No POST data

FILES No FILES data

COOKIES No cookie data

META

Variable	Value
ACLOCAL_PATH	('C:\\Program Files\\Git\\mingw64\\share\\aclocal;C:\\Program ' 'Files\\Git\\usr\\share\\aclocal')
ALLUSERSPROFILE	'C:\\ProgramData'
APPDATA	'C:\\Users\\MD.KHADEMUL ISLAM\\AppData\\Roaming'
CHROME_CRASHPAD_PIPE_NAME	'\\\.\\pipe\\crashpad_4708_DXLTOFNEZKEJPIBF'
COLORTERM	'truecolor'
COMMONPROGRAMFILES	'C:\\Program Files\\Common Files'
COMMONPROGRAMFILES (X86)	'C:\\Program Files (x86)\\Common Files'
COMMONPROGRAMW6432	'C:\\Program Files\\Common Files'
COMPUTERNAME	'DESKTOP-8T15MIV'
COMSPEC	'C:\\Windows\\system32\\cmd.exe'
CONFIG_SITE	'C:/Program Files/Git/mingw64/etc/config.site'
CONTENT_LENGTH	TT .
CONTENT_TYPE	'text/plain'
DISPLAY	'needs-to-be-defined'
DJANGO_SETTINGS_MODULE	'hotel_core.settings'

```
Variable
                                 Value
EXEPATH
                                 'C:\\Program Files\\Git\\bin'
FPS BROWSER APP PROFILE STRING
                                'Internet Explorer'
FPS BROWSER_USER_PROFILE_STRING 'Default'
GATEWAY INTERFACE
                                 'CGT/1.1'
GIT ASKPASS
HOME
                                 'C:\\Users\\MD.KHADEMUL ISLAM'
                                 10.1
HOMEDRIVE
HOMEPATH
                                '\\Users\\MD.KHADEMUL ISLAM'
HOSTNAME
                                'DESKTOP-8T15MIV'
HTTP ACCEPT
                                'text/html,application/xhtml+xml,application/xml;q=0.9, */*; q=0.8'
HTTP ACCEPT ENCODING
                                'gzip'
                                'en-US, *'
HTTP ACCEPT LANGUAGE
                                'Keep-Alive'
HTTP CONNECTION
HTTP HOST
                                '127.0.0.1:8000'
HTTP_USER_AGENT
                                 ('Mozilla/5.0 (Windows NT 6.2; Win64; x64) AppleWebKit/534.34 (KHTML, like '
                                  'Gecko) wkhtmltopdf Safari/534.34')
INFOPATH
                                 ('C:\\Program Files\\Git\\usr\\local\\info;C:\\Program '
                                 'Files\\Git\\usr\\share\\info;C:\\Program Files\\Git\\usr\\info;C:\\Program '
                                 'Files\\Git\\share\\info')
LOCALAPPDATA
                                 'C:\\Users\\MD.KHADEMUL ISLAM\\AppData\\Local'
LOGONSERVER
                                 '\\\DESKTOP-8T15MIV'
MANPATH
                                 ('C:\\Program Files\\Git\\mingw64\\local\\man;C:\\Program '
                                  'Files\\Git\\mingw64\\share\\man;C:\\Program '
                                 'Files\\Git\\usr\\local\\man;C:\\Program
                                 'Files\\Git\\usr\\share\\man;C:\\Program Files\\Git\\usr\\man;C:\\Program '
                                 'Files\\Git\\share\\man')
MEMU PATH
                                 'C:\\Program Files (x86)\\Microvirt'
MINGW CHOST
                                 'x86 64-w64-mingw32'
MINGW PACKAGE PREFIX
                                 'mingw-w64-x86 64'
MINGW PREFIX
                                 'C:/Program Files/Git/mingw64'
MSYSTEM
                                 'MINGW64'
MSYSTEM CARCH
                                 'x86 64'
MSYSTEM CHOST
                                 'x86 64-w64-mingw32'
MSYSTEM PREFIX
                                 'C:/Program Files/Git/mingw64'
                                141
NUMBER OF PROCESSORS
ONEDRIVE
                                'C:\\Users\\MD.KHADEMUL ISLAM\\OneDrive'
ORIGINAL_PATH
                                 ('C:\\Program Files\\Git\\mingw64\\bin;C:\\Program '
                                  'Files\\Git\\usr\\bin;C:\\Users\\MD.KHADEMUL
                                 'ISLAM\\bin;C:\\Users\\MD.KHADEMUL
                                 'ISLAM\\AppData\\Local\\Programs\\Python\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                 'ISLAM\\AppData\\Local\\Programs\\Python\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                 'ISLAM\\AppData\\Local\\Programs\\Python\Python39;C:\\Users\\MD.KHADEMUL '
                                 'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                 'ISLAM\\AppData\\Local\\Programs\\Microsoft VS Code\\bin')
ORIGINAL TEMP
                                 'C:/Users/MD944D~1.KHA/AppData/Local/Temp'
ORIGINAL TMP
                                 'C:/Users/MD944D~1.KHA/AppData/Local/Temp'
ORIGINAL XDG CURRENT DESKTOP
                                 'undefined'
                                 'Windows NT'
PATH
                                 ('D;D:\\Final '
                                  'project\\Hotel_reservation_project\\env\\Scripts;C:\\Users\\MD.KHADEMUL '
                                 'ISLAM\\bin;C:\\Program Files\\Git\\mingw64\\bin;C:\\Program
                                 'Files\\Git\\usr\\local\\bin;C:\\Program Files\\Git\\usr\\bin;C:\\Program '
                                 'Files\\Git\\usr\\bin;C:\\Program Files\\Git\\mingw64\\bin;C:\\Program
                                 'Files\\Git\\usr\\bin;C:\\Users\\MD.KHADEMUL
                                 'ISLAM\\bin;C:\\Users\\MD.KHADEMUL
                                 'ISLAM\\AppData\\Local\\Programs\\Python\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                 'ISLAM\\AppData\\Local\\Programs\\Python\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                 'ISLAM\\AppData\\Local\\Programs\\Python\\Python39;C:\\Users\\MD.KHADEMUL'
                                 'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                 \verb|'ISLAM\AppData\Local\Programs\Microsoft VS Code\bin; C:\Program '|
                                 'Files\\Git\\usr\\bin\\vendor_perl;C:\\Program '
                                 'Files\\Git\\usr\\bin\\core_perl')
PATHEXT
                                 '.COM; .EXE; .BAT; .CMD; .VBS; .VBE; .JS; .JSE; .WSF; .WSH; .MSC'
```

'/staff report/'

PATH INFO

Variable	Value
PKG CONFIG PATH	('C:\\Program Files\\Git\\mingw64\\lib\\pkgconfig;C:\\Program '
	'Files\\Git\\mingw64\\share\\pkgconfig')
PLINK_PROTOCOL	'ssh'
PROCESSOR_ARCHITECTURE	'AMD64'
PROCESSOR_IDENTIFIER	'Intel64 Family 6 Model 142 Stepping 9, GenuineIntel'
PROCESSOR_LEVEL	161
PROCESSOR_REVISION	'8e09'
PROGRAMDATA	'C:\\ProgramData'
PROGRAMFILES	'C:\\Program Files'
PROGRAMFILES (X86)	'C:\\Program Files (x86)'
PROGRAMW6432	'C:\\Program Files'
PS1	('(env) \\[\\033]0;\$TITLEPREFIX:\$PWD\\007\\]\\n\\[\\033[32m\\]\\u@\\h ' '\\[\\033[35m\\]\$M\$YSTEM ' '\\[\\033[33m\\]\\w\\[\\033[36m\\]`git_ps1`\\[\\033[0m\\]\\n\$ ')
PSMODULEPATH	'C:\\Windows\\system32\\WindowsPowerShell\\v1.0\\Modules\\'
PUBLIC	'C:\\Users\\Public'
PWD	'D:/aaa/Hotel_Resevation'
QUERY_STRING	TI CONTRACTOR OF THE CONTRACTO
REMOTE_ADDR	'127.0.0.1'
REMOTE_HOST	TI CONTRACTOR OF THE CONTRACTO
REQUEST_METHOD	'GET'
RUN MAIN	'true'
SCRIPT NAME	TI CONTRACTOR OF THE CONTRACTO
SERVER NAME	'DESKTOP-8T15MIV'
SERVER PORT	'8000'
SERVER PROTOCOL	'HTTP/1.1'
SERVER SOFTWARE	'WSGIServer/0.2'
SESSIONNAME	'Console'
SHELL	'C:\\Program Files\\Git\\usr\\bin\\bash.exe'
SHLVL	'1'
SSH_ASKPASS	!*************************************
SYSTEMDRIVE	'C:'
SYSTEMROOT	'C:\\Windows'
TEMP	'C:\\Users\\MD944D~1.KHA\\AppData\\Local\\Temp'
TERM	'cygwin'
TERM PROGRAM	'vscode'
TERM PROGRAM VERSION	'1.57.1'
TMP	'C:\\Users\\MD944D~1.KHA\\AppData\\Local\\Temp'
TMPDIR	'C:\\Users\\MD944D~1.KHA\\AppData\\Local\\Temp'
USERDOMAIN	'DESKTOP-8T15MIV'
USERDOMAIN_ROAMINGPROFILE	'DESKTOP-8T15MIV'
USERNAME	'MD.KHADEMUL ISLAM'
USERPROFILE	'C:\\Users\\MD.KHADEMUL ISLAM'
VIRTUAL_ENV	'D:\\Final project\\Hotel_reservation_project\\env'
VSCODE_GIT_ASKPASS_MAIN	
VSCODE_GIT_ASKPASS_NODE	*************
VSCODE_GIT_IPC_HANDLE	'\\\.\\pipe\\vscode-git-a2e27abee2-sock'
WINDIR	'C:\\Windows'
_	'C:/Users/MD.KHADEMUL ISLAM/AppData/Local/Programs/Python/Python39/python'
wsgi.errors	<_io.TextIOWrapper name=' <stderr>' mode='w' encoding='utf-8'></stderr>
wsgi.file_wrapper	<pre><class 'wsgiref.util.filewrapper'=""></class></pre>
wsgi.input	<pre><django.core.handlers.wsgi.limitedstream 0x000000a0dbde00a0="" at="" object=""></django.core.handlers.wsgi.limitedstream></pre>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Using settings module hotel_core.settings

Setting	Value	
ABSOLUTE_URL_OVERRIDES	{}	
ADMINS		
ALLOWED_HOSTS	['127.0.0.1', 'Localhost']	
APPEND_SLASH	True	
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']	
AUTH_PASSWORD_VALIDATORS	!**********	
AUTH_USER_MODEL	'main.CustomUser'	
BASE_DIR	<pre>WindowsPath('D:/aaa/Hotel_Resevation')</pre>	
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}	
CACHE_MIDDLEWARE_ALIAS	'default'	

```
Setting
                                  Value
                                  *************
CACHE MIDDLEWARE KEY PREFIX
CACHE MIDDLEWARE SECONDS
CSRF COOKIE AGE
                                  31449600
CSRF COOKIE DOMAIN
                                  None
CSRF COOKIE HTTPONLY
                                  False
CSRF COOKIE NAME
                                  'csrftoken'
                                  1/1
CSRF COOKIE PATH
                                  'Lax'
CSRF COOKIE SAMESITE
CSRF COOKIE SECURE
                                 False
CSRF FAILURE VIEW
                                  'django.views.csrf.csrf failure'
CSRF HEADER NAME
                                  'HTTP X CSRFTOKEN'
CSRF TRUSTED ORIGINS
                                 []
CSRF USE SESSIONS
                                  False
DATABASES
                                  {'default': {'ATOMIC REQUESTS': False,
                                                'AUTOCOMMIT': True,
                                                'CONN_MAX_AGE': 0,
                                               'ENGINE': 'django.db.backends.sqlite3', 'HOST': '',
                                                'NAME': 'D:\\aaa\\Hotel_Resevation\\db.sqlite3',
                                               'OPTIONS': {},
'PASSWORD': '*******************
                                                'PORT': '',
                                                'TEST': {'CHARSET': None,
                                                         'COLLATION': None,
                                                         'MIGRATE': True,
                                                         'MIRROR': None,
                                                        'NAME': None},
                                                'TIME ZONE': None,
                                                'USER': ''}}
DATABASE ROUTERS
DATA UPLOAD MAX MEMORY SIZE
                                  2621440
DATA UPLOAD MAX NUMBER FIELDS
                                  1000
DATETIME FORMAT
                                  'N j, Y, P'
DATETIME INPUT FORMATS
                                  ['%Y-%m-%d %H:%M:%S',
                                    '%Y-%m-%d %H:%M:%S.%f',
                                   '%Y-%m-%d %H:%M'
                                   '%m/%d/%Y %H:%M:%S'
                                   '%m/%d/%Y %H:%M:%S.%f',
                                   '%m/%d/%Y %H:%M',
                                   '%m/%d/%y %H:%M:%S'
                                   '%m/%d/%y %H:%M:%S.%f',
                                   '%m/%d/%y %H:%M']
DATE FORMAT
                                  'N j, Y'
DATE INPUT FORMATS
                                  ['%Y-%m-%d',
                                    '%m/%d/%Y',
                                   '%m/%d/%y',
                                   '%b %d %Y'
                                   '%b %d, %Y',
                                   '%d %b %Y',
                                   '%d %b, %Y',
                                   '%B %d %Y',
                                   '%B %d, %Y',
                                   '%d %B %Y',
                                   '%d %B, %Y']
DEBUG
                                  True
DEBUG PROPAGATE EXCEPTIONS
                                  False
DECIMAL SEPARATOR
                                  1.1
DEFAULT AUTO FIELD
                                  'django.db.models.BigAutoField'
DEFAULT CHARSET
                                  'utf-8'
DEFAULT_EXCEPTION_REPORTER
                                  'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT FILE STORAGE
                                  'django.core.files.storage.FileSystemStorage'
DEFAULT FROM EMAIL
                                  'webmaster@localhost'
DEFAULT HASHING ALGORITHM
                                  'sha256'
DEFAULT_INDEX_TABLESPACE
DEFAULT_TABLESPACE
DISALLOWED USER AGENTS
                                  []
EMAIL BACKEND
                                  'django.core.mail.backends.smtp.EmailBackend'
                                  'localhost'
EMAIL HOST
                                  !*****************
EMAIL HOST PASSWORD
EMAIL HOST USER
EMAIL PORT
EMAIL SSL CERTFILE
EMAIL_SSL_KEYFILE
EMAIL SUBJECT PREFIX
                                  '[Django] '
EMAIL TIMEOUT
                                  None
```

```
Setting
                                                                 Value
EMAIL USE LOCALTIME
                                                                 False
EMAIL USE SSL
                                                                 False
EMAIL_USE_TLS
                                                                 False
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
                                                                 ['django.core.files.uploadhandler.MemoryFileUploadHandler',
FILE UPLOAD HANDLERS
                                                                  'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE UPLOAD MAX MEMORY SIZE
                                                                2621440
FILE UPLOAD PERMISSIONS
                                                                 420
FILE UPLOAD TEMP DIR
                                                                None
FIRST DAY OF WEEK
FIXTURE DIRS
                                                                 []
FORCE SCRIPT NAME
                                                                None
FORMAT MODULE PATH
FORM RENDERER
                                                                 'django.forms.renderers.DjangoTemplates'
IGNORABLE 404 URLS
                                                                 []
INSTALLED APPS
                                                                 ['django.contrib.admin',
                                                                    'django.contrib.auth',
                                                                   'django.contrib.contenttypes',
                                                                   'django.contrib.sessions',
                                                                   'django.contrib.messages'
                                                                   'django.contrib.staticfiles',
                                                                   'main',
                                                                   'django_countries']
INTERNAL IPS
                                                                 [('af', 'Afrikaans'),
  ('ar', 'Arabic'),
LANGUAGES
                                                                   ('ar-dz', 'Algerian Arabic'),
('ast', 'Asturian'),
('az', 'Azerbaijani'),
('bg', 'Bulgarian'),
                                                                   ('be', 'Belarusian'), ('bn', 'Bengali'),
                                                                   ('bn', 'Bengall'),
('br', 'Breton'),
('bs', 'Bosnian'),
('ca', 'Catalan'),
('cs', 'Czech'),
('cy', 'Welsh'),
('da', 'Danish'),
                                                                    ('de', 'German'),
                                                                   ('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
                                                                   ('en-au', 'Australian English'),
('en-gb', 'British English'),
                                                                   ('eo', 'Esperanto'),
('es', 'Spanish'),
                                                                   ('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-ni', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
                                                                   ('et', 'Estonian'),
('eu', 'Basque'),
('fa', 'Persian'),
('fi', 'Finnish'),
                                                                   ('fr', 'French'),
('fr', 'Frisian'),
('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
                                                                   ('gd', 'Scottish Gaelic')
('gl', 'Galician'),
('he', 'Hebrew'),
('hi', 'Hindi'),
('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
('hy', 'Armenian'),
('id', 'Interlingua'),
('id', 'Indonesian'),
                                                                    ('ig', 'Igbo'),
('io', 'Ido'),
                                                                   ('is', 'Icelandic'),
('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian'),
                                                                   ('kab', 'Kabyle'),
('kk', 'Kazakh'),
('km', 'Khmer'),
('km', 'Khmer'),
('ko', 'Korean'),
                                                                   ('kg', 'Korean'),
('ky', 'Kyrgyz'),
('lb', 'Luxembourgish'),
('lt', 'Lithuanian'),
('lv', 'Latvian'),
('mk', 'Macedonian'),
```

```
Váluel', 'Malayalam'), ('mn', 'Mongolian'),
Setting
                                             ('mr', 'Marathi'),
                                             ('my', 'Burmese'),
                                             ('my', 'Burmese'),
('nb', 'Norwegian Bokmål'),
('ne', 'Nepali'),
('nl', 'Dutch'),
('nn', 'Norwegian Nynorsk'),
('os', 'Ossetic'),
('pa', 'Punjabi'),
('pl', 'Polish'),
('pt', 'Portuguese'),
                                             ('pt-br', 'Brazilian Portuguese'),
                                             ('ro', 'Romanian'),
('ru', 'Russian'),
                                             ('sk', 'Slovak'),
('sl', 'Slovenian'),
('sq', 'Albanian'),
('sr', 'Serbian'),
                                             ('sr-latn', 'Serbian Latin'),
                                             ('sv', 'Swedish'),
('sw', 'Swahili'),
('ta', 'Tamil'),
                                             ('te', 'Telugu')
                                             ('te', 'Telugu'),

('tg', 'Tajik'),

('th', 'Thai'),

('tk', 'Turkmen'),

('tr', 'Turkish'),

('tt', 'Tatar'),
                                             ('udm', 'Udmurt'),
('uk', 'Ukrainian'),
('ur', 'Urdu'),
('uz', 'Uzbek'),
('vi', 'Vietnamese'),
                                             ('zh-hans', 'Simplified Chinese'), ('zh-hant', 'Traditional Chinese')]
                                           ['he', 'ar', 'ar-dz', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE_CODE
                                           'en-us'
LANGUAGE COOKIE AGE
                                           None
LANGUAGE COOKIE DOMAIN
                                           None
LANGUAGE COOKIE HTTPONLY
                                           False
LANGUAGE COOKIE NAME
                                           'django_language'
LANGUAGE COOKIE PATH
LANGUAGE COOKIE SAMESITE
                                           None
LANGUAGE COOKIE SECURE
                                           False
LOCALE PATHS
                                           []
LOGGING
                                           {}
LOGGING CONFIG
                                           'logging.config.dictConfig'
LOGIN_REDIRECT_URL
                                           '/accounts/profile/'
LOGIN URL
                                           '/accounts/login/'
LOGOUT REDIRECT URL
                                           None
MANAGERS
MEDIA_ROOT
                                           WindowsPath('D:/aaa/Hotel_Resevation/media')
MEDIA URL
                                           '/media/'
MESSAGE STORAGE
                                           'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE
                                            \hbox{['django.middleware.security.SecurityMiddleware',}\\
                                             'django.contrib.sessions.middleware.SessionMiddleware',
                                             'django.middleware.common.CommonMiddleware',
                                             'django.middleware.csrf.CsrfViewMiddleware'
                                             'django.contrib.auth.middleware.AuthenticationMiddleware',
                                             'django.contrib.messages.middleware.MessageMiddleware',
                                             'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
                                           {}
MONTH DAY FORMAT
                                           'F j'
NUMBER_GROUPING
PASSWORD_HASHERS
                                           !****************
                                           *********
PASSWORD RESET TIMEOUT
                                           *********
PASSWORD RESET TIMEOUT DAYS
PREPEND_WWW
                                           False
ROOT_URLCONF
                                           'hotel_core.urls'
SECRET KEY
SECURE_BROWSER_XSS_FILTER
                                           False
SECURE_CONTENT_TYPE_NOSNIFF
                                           True
SECURE HSTS INCLUDE SUBDOMAINS
                                           False
SECURE HSTS PRELOAD
                                           False
SECURE HSTS SECONDS
                                           0
SECURE PROXY SSL HEADER
                                           None
SECURE REDIRECT EXEMPT
                                           []
SECURE REFERRER POLICY
                                           'same-origin'
```

Cotting	Value
Setting	None
SECURE_SSL_HOST	
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	1/1
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'hotel_core.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	
STATICFILES_DIRS	(WindowsPath('D:/aaa/Hotel_Resevation/static'),)
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	None
STATIC_URL	'/static/'
TEMPLATES	<pre>[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug',</pre>
	'django.template.context_processors.request',
	'django.contrib.auth.context_processors.auth',
	'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	1,1
TIME_FORMAT	יףי
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE TZ	True
USE X FORWARDED HOST	False
USE X FORWARDED PORT	False
WSGI APPLICATION	'hotel core.wsgi.application'
X FRAME OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have <code>DEBUG = True</code> in your Django settings file. Change that to <code>False</code>, and Django will display a standard page generated by the handler for this status code.