ValueError at /staff_report

The view main.views.staff_report didn't return an HttpResponse object. It returned None instead.

Request Method: GET

Request URL: http://127.0.0.1:8000/staff_report

Django Version: 3.1.7 Exception Type: ValueError

Exception Value: The view main.views.staff_report didn't return an HttpResponse object. It returned None instead.

Exception Location: C:\Users\MD.KHADEMUL | ISLAM\AppData\Local\Programs\Python\Python39\lib\site-

packages\django\core\handlers\base.py, line 309, in check_response

Python Executable: C:\Users\MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\9\python39\python.exe

Python Version: 3.9.2

Python Path: ['D:\\aaa\\Hotel_Resevation',

'C:\\Users\\MD.KHADEMUL '

 $\verb|'ISLAM\\triangle| \arrowvertex| Python \end{| Python39 \end{| python39.zip',} \\$

'C:\\Users\\MD.KHADEMUL

'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\DLLs',

'C:\\Users\\MD.KHADEMUL '

'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\lib',

'C:\\Users\\MD.KHADEMUL ISLAM\\AppData\\Local\\Programs\\Python\\Python39',

'C:\\Users\\MD.KHADEMUL '

'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\lib\\site-packages']

Server time: Sun, 06 Jun 2021 20:00:21 +0000

Traceback Switch to copy-and-paste view

47. response = get_response(request)

► Local vars

C:\Users\MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\base.py, line 188, in _get_response

188. self.check_response(response, callback)

▶ Local vars

 $\verb|C:\USers\MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\handlers\base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\site-packages\django\core\Python39\lib\Base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python39\lib\Base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python\Python39\lib\Base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python39\lib\Base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python39\lib\Base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python39\lib\Base.py, \cite{MD.KHADEMUL ISLAM\AppData\Local\Programs\Python39\lib\Base.py, \cite{MD.KHADEMUL ISLAM\AppData\AppD$

309. raise ValueError(

► Local vars

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES No cookie data

META

Variable	Value
ACLOCAL_PATH	('C:\\Program Files\\Git\\mingw64\\share\\aclocal;C:\\Program ' 'Files\\Git\\usr\\share\\aclocal')
ALLUSERSPROFILE	'C:\\ProgramData'
APPDATA	'C:\\Users\\MD.KHADEMUL ISLAM\\AppData\\Roaming'
CHROME_CRASHPAD_PIPE_NAME	'\\\.\\pipe\\crashpad 8464 JSGMKUZSLZTNGLLK'
COLORTERM	'truecolor'
COMMONPROGRAMFILES	'C:\\Program Files\\Common Files'
COMMONPROGRAMFILES (X86)	'C:\\Program Files (x86)\\Common Files'
COMMONPROGRAMW6432	'C:\\Program Files\\Common Files'
COMPUTERNAME	'DESKTOP-8T15MIV'
COMSPEC	'C:\\Windows\\system32\\cmd.exe'
CONFIG_SITE	'C:/Program Files/Git/mingw64/etc/config.site'
CONTENT_LENGTH	TI .
CONTENT TYPE	'text/plain'

```
Variable
                                                                    Value
DISPLAY
                                                                    'needs-to-be-defined'
DJANGO SETTINGS MODULE
                                                                    'hotel_core.settings'
EXEPATH
                                                                    'C:\\Program Files\\Git\\bin'
GATEWAY INTERFACE
                                                                    'CGI/1.1'
GIT ASKPASS
                                                                    'C:\\Users\\MD.KHADEMUL ISLAM'
HOMEDRIVE
HOMEPATH
                                                                    '\\Users\\MD.KHADEMUL ISLAM'
HOSTNAME
                                                                    'DESKTOP-8T15MIV'
HTTP ACCEPT
                                                                   'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP ACCEPT ENCODING
                                                                   'azip'
HTTP ACCEPT LANGUAGE
                                                                   'en-US, *'
HTTP CONNECTION
                                                                   'Keep-Alive'
HTTP HOST
                                                                    '127.0.0.1:8000'
HTTP USER AGENT
                                                                    ('Mozilla/5.0 (Windows NT 6.2; Win64; x64) AppleWebKit/534.34 (KHTML, like '
                                                                      'Gecko) wkhtmltopdf Safari/534.34')
TNFOPATH
                                                                    ('C:\\Program Files\\Git\\usr\\local\\info;C:\\Program '
                                                                      'Files\\Git\\usr\\share\\info;C:\\Program Files\\Git\\usr\\info;C:\\Program '
                                                                      \verb|'Files\Git\share\info'||
LANG
                                                                    'en US.UTF-8'
LOCALAPPDATA
                                                                    'C:\\Users\\MD.KHADEMUL ISLAM\\AppData\\Local'
LOGONSERVER
                                                                    '\\\DESKTOP-8T15MIV'
MANPATH
                                                                    ('C:\\Program Files\\Git\\mingw64\\local\\man;C:\\Program '
                                                                      'Files\\Git\\mingw64\\share\\man;C:\\Program '
                                                                      'Files\\Git\\usr\\local\\man;C:\\Program
                                                                      'Files\\Git\\usr\\share\\man;C:\\Program Files\\Git\\usr\\man;C:\\Program '
                                                                      'Files\\Git\\share\\man')
MEMU PATH
                                                                   'C:\\Program Files (x86)\\Microvirt'
MINGW_CHOST
                                                                   'x86_64-w64-mingw32'
MINGW PACKAGE PREFIX
                                                                   'mingw-w64-x86_64'
MINGW PREFIX
                                                                   'C:/Program Files/Git/mingw64'
MSYSTEM
                                                                   'MINGW64'
MSYSTEM CARCH
                                                                   'x86 64'
MSYSTEM CHOST
                                                                   'x86 64-w64-mingw32'
MSYSTEM PREFIX
                                                                   'C:/Program Files/Git/mingw64'
NUMBER OF PROCESSORS
                                                                   '4'
ONEDRIVE
                                                                   'C:\\Users\\MD.KHADEMUL ISLAM\\OneDrive'
ORIGINAL PATH
                                                                    ('C:\\Program Files\\Git\\mingw64\\bin;C:\\Program '
                                                                      'Files\\Git\\usr\\bin;C:\\Users\\MD.KHADEMUL
                                                                      'ISLAM\\bin;C:\\Users\\MD.KHADEMUL '
                                                                    'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                                                    \verb|'ISLAM\\triangle| \appData\Local\Programs\Python\Python39\Scripts; C:\Users\MD.KHADEMUL | \appData\Local\Programs\Python\Python39\Scripts; C:\Users\MD.KHADEMUL | \appData\Local\Programs\Python\Python39\Noripts; C:\Noripts\Python\Python39\Noripts; C:\Noripts\Python\Python39\Noripts\Python\Python39\Noripts\Python\Python39\Noripts\Python\Python39\Noripts\Python\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts\Python39\Noripts
                                                                      'ISLAM\\AppData\\Local\\Programs\\Python\Python39;C:\\Users\\MD.KHADEMUL'
                                                                    'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                                                     'ISLAM\\AppData\\Local\\Programs\\Microsoft VS Code\\bin')
ORIGINAL TEMP
                                                                   'C:/Users/MD944D~1.KHA/AppData/Local/Temp'
ORIGINAL TMP
                                                                    'C:/Users/MD944D~1.KHA/AppData/Local/Temp'
ORIGINAL XDG CURRENT DESKTOP 'undefined'
OS
                                                                    'Windows NT'
PATH
                                                                    ('D;D:\\Final
                                                                       'project\\Hotel_reservation_project\\env\\Scripts;C:\\Users\\MD.KHADEMUL '
                                                                      'ISLAM\\bin;C:\\Program Files\\Git\\mingw64\\bin;C:\\Program '
                                                                      'Files\\Git\\usr\\local\\bin;C:\\Program Files\\Git\\usr\\bin;C:\\Program '
                                                                      'Files\\Git\\usr\\bin;C:\\Program Files\\Git\\mingw64\\bin;C:\\Program
                                                                      'Files\\Git\\usr\\bin;C:\\Users\\MD.KHADEMUL
                                                                      'ISLAM\\bin;C:\\Users\\MD.KHADEMUL
                                                                    'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                                                    'ISLAM\\AppData\\Local\\Programs\\Python\\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                                                      'ISLAM\\AppData\\Local\\Programs\\Python\Python39;C:\\Users\\MD.KHADEMUL'
                                                                    'ISLAM\\AppData\\Local\\Programs\\Python\Python39\\Scripts;C:\\Users\\MD.KHADEMUL
                                                                      \verb|'ISLAM/\AppData/\Local/\Programs/Microsoft VS Code/\bin; C:/\Program 'ISLAM/\AppData/\Local/\Program 'ISLAM/\AppData/\Docal/\Program 'ISLAM/\AppData/\Docal/\Docal/\Program 'ISLAM/\AppData/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/\Docal/
                                                                      'Files\\Git\\usr\\bin\\vendor_perl;C:\\Program '
                                                                      'Files\\Git\\usr\\bin\\core_perl')
```

'.COM; .EXE; .BAT; .CMD; .VBS; .VBE; .JS; .JSE; .WSF; .WSH; .MSC'

PATHEXT

Variable	Value
PATH INFO	'/staff report'
_	
PKG_CONFIG_PATH	('C:\\Program Files\\Git\\mingw64\\lib\\pkgconfig;C:\\Program ' 'Files\\Git\\mingw64\\share\\pkgconfig')
PLINK_PROTOCOL	'ssh'
PROCESSOR_ARCHITECTURE	'AMD64'
PROCESSOR_IDENTIFIER	'Intel64 Family 6 Model 142 Stepping 9, GenuineIntel'
PROCESSOR_LEVEL	'6'
PROCESSOR_REVISION	'8e09'
PROGRAMDATA	'C:\\ProgramData'
PROGRAMFILES	'C:\\Program Files'
PROGRAMFILES (X86)	'C:\\Program Files (x86)'
PROGRAMW6432	'C:\\Program Files'
PS1	('(env) \\[\\033]0;\$TITLEPREFIX:\$PWD\\007\\]\\n\\[\\033[32m\\]\\u@\\h ' '\\[\\033[35m\\]\$MSYSTEM ' '\\[\\033[33m\\]\\w\\[\\033[36m\\]`_git_ps1`\\[\\033[0m\\]\\n\$ ')
PSMODULEPATH	<pre>'C:\\Windows\\system32\\WindowsPowerShell\\v1.0\\Modules\\'</pre>
PUBLIC	'C:\\Users\\Public'
PWD	'D:/aaa/Hotel_Resevation'
QUERY_STRING	TI .
REMOTE_ADDR	'127.0.0.1'
REMOTE HOST	11
REQUEST METHOD	'GET'
RUN MAIN	'true'
SCRIPT NAME	11
SERVER NAME	'DESKTOP-8T15MIV'
SERVER PORT	'8000'
SERVER PROTOCOL	'HTTP/1.1'
SERVER SOFTWARE	'WSGIServer/0.2'
SESSIONNAME	'Console'
SHELL	'C:\\Program Files\\Git\\usr\\bin\\bash.exe'
SHLVL	'1'
SSH ASKPASS	!*************************************
SYSTEMDRIVE	'C:'
SYSTEMROOT	'C:\\Windows'
TEMP	'C:\\Users\\MD944D~1.KHA\\AppData\\Local\\Temp'
TERM	'cygwin'
TERM PROGRAM	'vscode'
TERM PROGRAM VERSION	'1.56.2'
TMP	'C:\\Users\\MD944D~1.KHA\\AppData\\Local\\Temp'
TMPDIR	'C:\\Users\\MD944D~1.KHA\\AppData\\Local\\Temp'
USERDOMAIN	'DESKTOP-8T15MIV'
USERDOMAIN ROAMINGPROFILE	'DESKTOP-8T15MIV'
USERNAME	'MD.KHADEMUL ISLAM'
USERPROFILE	'C:\\Users\\MD.KHADEMUL ISLAM'
VIRTUAL ENV	'D:\\Final project\\Hotel reservation project\\env'
VSCODE GIT ASKPASS MAIN	*******************************
VSCODE GIT ASKPASS NODE	!*************************************
VSCODE GIT IPC HANDLE	'\\\.\\pipe\\vscode-git-d4d5c3aa23-sock'
WINDIR	'C:\\Windows'
	'C:/Users/MD.KHADEMUL ISLAM/AppData/Local/Programs/Python/Python39/python'
- wsgi.errors	<pre>< io.TextIOWrapper name='<stderr>' mode='w' encoding='utf-8'></stderr></pre>
wsgi.file wrapper	<pre><class 'wsgiref.util.filewrapper'=""></class></pre>
wsgi.input	<pre><django.core.handlers.wsgi.limitedstream 0x000000ee798abd60="" at="" object=""></django.core.handlers.wsgi.limitedstream></pre>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run once	False
wsgi.url scheme	'http'
wsgi.version	(1, 0)
MOAT • ACTOTOII	(±/ ∪/

Settings

Using settings module hotel_core.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	
ALLOWED_HOSTS	['127.0.0.1', 'Localhost']
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	****************
AUTH_USER_MODEL	'main.CustomUser'

```
Setting
                                  Value
BASE DIR
                                  WindowsPath('D:/aaa/Hotel Resevation')
CACHES
                                  {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE MIDDLEWARE ALIAS
                                  'default'
CACHE MIDDLEWARE KEY PREFIX
                                  **************
CACHE MIDDLEWARE SECONDS
                                 600
CSRF COOKIE AGE
                                 31449600
CSRF COOKIE DOMAIN
                                 None
CSRF COOKIE HTTPONLY
                                 False
CSRF COOKIE NAME
                                  'csrftoken'
CSRF COOKIE PATH
CSRF COOKIE SAMESITE
                                 'Lax'
CSRF COOKIE SECURE
                                 False
CSRF FAILURE VIEW
                                 'django.views.csrf.csrf failure'
CSRF HEADER NAME
                                 'HTTP X CSRFTOKEN'
CSRF TRUSTED ORIGINS
                                 []
CSRF USE SESSIONS
                                 False
DATABASES
                                  {'default': {'ATOMIC REQUESTS': False,
                                               'AUTOCOMMIT': True,
                                               'CONN MAX AGE': 0,
                                               'ENGINE': 'django.db.backends.sqlite3',
'HOST': '',
                                               'NAME': 'D:\\aaa\\Hotel_Resevation\\db.sqlite3',
                                               'OPTIONS': {},
'PASSWORD': '****************
                                               'PORT': '',
                                               'TEST': {'CHARSET': None,
                                                        'COLLATION': None,
                                                        'MIGRATE': True,
                                                        'MIRROR': None,
                                                       'NAME': None},
                                               'TIME_ZONE': None,
                                               'USER': ''}}
DATABASE ROUTERS
                                  []
DATA UPLOAD MAX MEMORY SIZE
                                 2621440
DATA UPLOAD MAX NUMBER FIELDS
                                 1000
DATETIME FORMAT
                                  'N j, Y, P'
DATETIME INPUT FORMATS
                                  ['%Y-%m-%d %H:%M:%S',
                                   '%Y-%m-%d %H:%M:%S.%f',
                                   '%Y-%m-%d %H:%M',
                                   '%m/%d/%Y %H:%M:%S'
                                   '%m/%d/%Y %H:%M:%S.%f',
                                   '%m/%d/%Y %H:%M',
                                   '%m/%d/%y %H:%M:%S'
                                   '%m/%d/%y %H:%M:%S.%f',
                                   '%m/%d/%y %H:%M']
DATE FORMAT
                                  'N j, Y'
                                  ['%Y-%m-%d',
DATE INPUT FORMATS
                                   '%m/%d/%Y',
                                   '%m/%d/%y',
                                   '%b %d %Y',
                                   '%b %d, %Y',
                                   '%d %b %Y',
                                   '%d %b, %Y',
                                   '%B %d %Y',
                                   '%B %d, %Y',
                                   '%d %B %Y',
                                   '%d %B, %Y']
DEBUG
                                  True
DEBUG PROPAGATE EXCEPTIONS
                                 False
                                 1.1
DECIMAL SEPARATOR
DEFAULT AUTO FIELD
                                 'django.db.models.BigAutoField'
DEFAULT CHARSET
                                  'utf-8'
DEFAULT EXCEPTION REPORTER 'django.views.debug.ExceptionReporter'
DEFAULT EXCEPTION REPORTER FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT FILE STORAGE
                            'django.core.files.storage.FileSystemStorage'
DEFAULT FROM EMAIL
                                 'webmaster@localhost'
                               'sha256'
DEFAULT HASHING ALGORITHM
DEFAULT INDEX TABLESPACE
DEFAULT TABLESPACE
DISALLOWED_USER_AGENTS
EMAIL BACKEND
                                 'django.core.mail.backends.smtp.EmailBackend'
                                 'localhost'
EMAIL HOST
                                 *************
EMAIL_HOST_PASSWORD
                                  . .
EMAIL HOST USER
EMAIL PORT
                                  25
```

```
Setting
                                                                    Value
EMAIL_SSL_CERTFILE
                                                                    ****************
EMAIL SSL KEYFILE
EMAIL SUBJECT PREFIX
                                                                    '[Django] '
EMAIL TIMEOUT
                                                                    None
EMAIL USE LOCALTIME
                                                                    False
EMAIL USE SSL
                                                                    False
EMAIL USE TLS
                                                                    False
FILE UPLOAD DIRECTORY PERMISSIONS None
                                                                    ['django.core.files.uploadhandler.MemoryFileUploadHandler',
FILE UPLOAD HANDLERS
                                                                      'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE UPLOAD MAX MEMORY SIZE
                                                                   2621440
FILE UPLOAD PERMISSIONS
                                                                   420
FILE UPLOAD TEMP DIR
                                                                   None
FIRST DAY OF WEEK
                                                                    Ω
FIXTURE_DIRS
                                                                    []
FORCE SCRIPT NAME
                                                                    None
FORMAT MODULE PATH
                                                                    None
FORM RENDERER
                                                                    \verb|'django.forms.renderers.DjangoTemplates'|\\
IGNORABLE 404 URLS
                                                                    ['django.contrib.admin',
INSTALLED APPS
                                                                       'django.contrib.auth',
                                                                       'django.contrib.contenttypes',
                                                                       'django.contrib.sessions',
                                                                       'django.contrib.messages',
                                                                       'django.contrib.staticfiles',
                                                                       'main',
                                                                      'django countries']
INTERNAL IPS
                                                                    [('af', 'Afrikaans'),
  ('ar', 'Arabic'),
LANGUAGES
                                                                     ('ar', 'Arabic'),
('ar-dz', 'Algerian Arabic'),
('ast', 'Asturian'),
('az', 'Azerbaijani'),
('bg', 'Bulgarian'),
('be', 'Belarusian'),
('bn', 'Bengali'),
('br', 'Breton'),
('bs', 'Bosnian'),
('ca', 'Catalan'),
('cs', 'Czech'),
('cy', 'Welsh'),
('da', 'Danish'),
('de', 'German'),
                                                                      ('da', 'German'),
('ds', 'German'),
('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
                                                                      ('en-au', 'Australian English'),
('en-gb', 'British English'),
('eo', 'Esperanto'),
('es', 'Spanish'),
                                                                      ('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-ni', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
                                                                       ('et', 'Estonian'),
                                                                      ('et', 'Estonian'),
('eu', 'Basque'),
('fa', 'Persian'),
('fi', 'Finnish'),
('fr', 'French'),
('fy', 'Frisian'),
('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
                                                                     ('gd', 'Scottish Gaelic'),
('gd', 'Scottish Gaelic'),
('gl', 'Galician'),
('he', 'Hebrew'),
('hi', 'Hindi'),
('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
('hy', 'Armenian'),
('id', 'Interlingua'),
('id', 'Indonesian'),
('ig', 'Igbo'),
('io', 'Ido'),
('is', 'Icelandic'),
('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian'),
('kab', 'Kabyle'),
('kk', 'Kazakh'),
```

```
Valuem', 'Khmer'),

('kn', 'Kannada'),

('ko', 'Korean'),

('ky', 'Kyrgyz'),

('lb', 'Luxembourgish'),

('lt', 'Lithuanian'),

('mk', 'Macedonian'),

('ml', 'Malayalam'),

('mn', 'Mongolian'),

('mr', 'Marathi'),

('my', 'Burmese'),

('nb', 'Norwegian Bokmål'),

('ne', 'Nepali'),

('nl', 'Dutch'),

('nn', 'Ossetic'),
Setting
                                                    ('os', 'Ossetic'),
('pa', 'Punjabi'),
('pl', 'Polish'),
('pt', 'Portuguese'),
                                                    ('pt-br', 'Brazilian Portuguese'),
                                                    ('ro', 'Romanian'),
('ru', 'Russian'),
('sk', 'Slovak'),
('sl', 'Slovenian'),
                                                    ('sq', 'Albanian'),
('sr', 'Serbian'),
                                                    ('sr-latn', 'Serbian Latin'),
                                                    ('sv', 'Swedish'),
('sw', 'Swahili'),
                                                    ('sw', 'Swanil'),
('ta', 'Tamil'),
('te', 'Telugu'),
('tg', 'Tajik'),
('th', 'Thai'),
('tk', 'Turkmen'),
                                                    ('tr', 'Turkish'),
('tr', 'Turkish'),
('tt', 'Tatar'),
('udm', 'Udmurt'),
('uk', 'Ukrainian'),
('ur', 'Urdu'),
                                                    ('uz', 'Uzbek'),
('vi', 'Vietnamese'),
                                                  ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
['he', 'ar', 'ar-dz', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE CODE
                                                   'en-us'
LANGUAGE COOKIE AGE
                                                  None
LANGUAGE COOKIE DOMAIN
                                                  None
LANGUAGE COOKIE HTTPONLY
                                                  False
LANGUAGE COOKIE NAME
                                                  'django_language'
                                                  1/1
LANGUAGE COOKIE PATH
LANGUAGE COOKIE SAMESITE
                                                  None
LANGUAGE COOKIE SECURE
                                                  False
LOCALE PATHS
                                                   []
LOGGING
LOGGING_CONFIG
                                                   'logging.config.dictConfig'
                                                   '/accounts/profile/'
LOGIN REDIRECT URL
LOGIN_URL
                                                   '/accounts/login/'
LOGOUT REDIRECT URL
                                                  None
MANAGERS
MEDIA ROOT
                                                  WindowsPath('D:/aaa/Hotel Resevation/media')
MEDIA URL
                                                   '/media/'
MESSAGE STORAGE
                                                   'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE
                                                   ['django.middleware.security.SecurityMiddleware',
                                                    'django.contrib.sessions.middleware.SessionMiddleware',
                                                    'django.middleware.common.CommonMiddleware',
                                                    'django.middleware.csrf.CsrfViewMiddleware',
                                                    'django.contrib.auth.middleware.AuthenticationMiddleware',
                                                    'django.contrib.messages.middleware.MessageMiddleware',
                                                    'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
MONTH DAY FORMAT
                                                   'F j'
NUMBER GROUPING
PASSWORD HASHERS
                                                   **************
PASSWORD RESET TIMEOUT
                                                   ************
                                                   *************
PASSWORD RESET TIMEOUT DAYS
PREPEND WWW
ROOT URLCONF
                                                  'hotel core.urls'
SECRET KEY
```

Setting	Value
SECURE BROWSER XSS FILTER	False
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	
SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE SSL REDIRECT	False
SERVER EMAIL	'root@localhost'
SESSION CACHE ALIAS	'default'
SESSION COOKIE AGE	1209600
SESSION COOKIE DOMAIN	None
SESSION COOKIE HTTPONLY	True
SESSION COOKIE NAME	'sessionid'
SESSION COOKIE PATH	1/1
SESSION COOKIE SAMESITE	' 'Lax'
SESSION COOKIE SECURE	False
SESSION COOKIE_SECORE SESSION ENGINE	'django.contrib.sessions.backends.db'
_	
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'hotel_core.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	
STATICFILES_DIRS	(WindowsPath('D:/aaa/Hotel_Resevation/static'),)
STATICFILES_FINDERS	<pre>['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']</pre>
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC ROOT	None
STATIC URL	'/static/'
TEMPLATES	<pre>[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug',</pre>
	'django.template.context_processors.request',
	'django.contrib.auth.context_processors.auth',
	'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS	
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	1,1
TIME_FORMAT	'p'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE X FORWARDED HOST	False
USE X FORWARDED PORT	False
WSGI APPLICATION	'hotel core.wsgi.application'
-	'DENY'
X FRAME OPTIONS	

You're seeing this error because you have <code>DEBUG = True</code> in your Django settings file. Change that to <code>False</code>, and Django will display a standard page generated by the handler for this status code.