PENTESTER ACADEMYTOOL BOX PENTESTING

PENTESTER ACADEMYTOOL BOX PENTESTING

PATV RED TEAM LABS ATTACKDEFENSE LABS

RTRAINING COURSES ACCESS POINT PENTESTER

TEAM LABS PENTEST TO LOUS FENSE LOUBOX

ACCESS POLYTHOLOGO TO LOUS FENSE LOUBOX

ACCESS POLYTHOLOGO TO LOUS FENSE LOUBOX

ACCESS POLYTHOLOGO TO LOUS FRAINING

WORLD-CLASS TRAINING COLLES FRAINING

THACKDEFENSE LABS TRAINING COLLES FENSE LOUBOX

PENTESTED ACAPEUT ALLOS FENSE RECEIVACESS

PENTESTED ACAPEUT ALLOS FENSE LABS

TOOL BOX

TOOL BOX

TOOL BOX

PENTESTER ACADEMYATTACKDEFENSE LABS

TOOL BOX

WORLD-CLASS TRAINERS TRAINING HACKER

TOOL BOX

TRAINING

TRAINING

PENTESTER ACADEMYATTACKDEFENSE LABS

TRAINING

TRAINING

TRAINING

TRAINING

PENTESTER ACADEMY

TOOL BOX

TRAINING

Name	Special Request
URL	https://attackdefense.com/challengedetails?cid=2302
Туре	AWS Cloud Security : S3

**Important Note:** This document illustrates all the important steps required to complete this lab. This is by no means a comprehensive step-by-step solution for this exercise. This is only provided as a reference to various commands needed to complete this exercise and for your further research on this topic. Also, note that the IP addresses and domain names might be different in your lab.

## Solution:

**Step 1:** Configure AWS CLI with the given AWS access credentials.

## Access Credentials to your AWS lab Account

Login URL	https://287538029051.signin.aws.amazon.com/console
Region	US East (N. Virginia) us-east-1
Username	student
Password	Ad1sgZr48hOybr2T
Access Key ID	AKIAUF4U2EH5ZLON7EUH
Secret Access Key	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

Command: aws configure

Step 2: Check S3 buckets.

Command: aws s3api list-buckets

Step 3: Check objects present in S3 bucket.

Command: aws s3api list-objects --bucket <bucket-name>

Flag present in s3 bucket.

Step 4: Check bucket policy.

**Command:** aws s3api get-bucket-policy --bucket <bucket-name> --output text | python -m json.tool

```
File Actions Edit View Help

**root@Kali***

**root@Kali***

**statement*: [

**Action*: *s3:GetBucketPolicy*,

*Effect*: *Allow*,

*Principal*: {

*Action*: *s3:GetBucketPolicy*,

*Effect*: *Rallow*,

*Principal*: {

*Action*: *s3:GetBucketPolicy*,

*Resource*: *arn:aws:s3:::s3-special-request-287538029051**

},

*Action*: *s3:GetBucketPolicy*,

*Condition*: {

*Action*: *s3:GetBucketPolicy*,

*Condition*: {

*Action*: *s3:GetBucketPolicy*,

*Condition*: {

**StringLike*: {

*aws:UserAgent*: *Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/4**

},

*Effect*: *Allow*,

*Principal*: {

*AwS: **

},

*Resource*: *arn:aws:s3:::s3-special-request-287538029051/flag*

},

*Version*: *2012-10-17**

**Stroot@Kali***

**Principal*: {

*Version*: *2012-10-17**

**Stroot@Kali***

**Provincipal*: {

**Version*: *2012-10-17**

**Stroot@Kali***

**Principal*: {

**Version*: *2012-10-17**

**Provincipal*: {

**Version*: *2012-10-17**

**Ver
```

The bucket policy only allows access using a specified user agent.

**Step 5:** Send a simple curl request to access the bucket.

Command: curl http://<bucket-name>.s3.amazonaws.com

Access denied because curl's default user agent is not allowed to access the bucket.

**Step 6:** Use the user agent specified in the bucket policy to access the flag.

**Command:** curl -H "User-Agent: <user-agent in bucket policy>" http://<bucket-name>.s3.amazonaws.com/flag

FLAG: e7250534af256d12d69b28d6a4d7858d

Successfully retrieved flag.

## References:

1. AWS CLI (https://docs.aws.amazon.com/cli/latest/reference/)