Praktikum Mobile Computing

18.09. - 29.09.2017

RK,

18. September 2017

Inhaltsverzeichnis

1	Que	lltextbeispiele	4
	1.1	Unterüberschrift	4
	1.2	Beispiel Quelltext	4

Mapbox GPS-App

1 Quelltextbeispiele

1.1 Unterüberschrift

1.2 Beispiel Quelltext

```
package com.example.android.helplearntolearn;
    import android.annotation.SuppressLint;
     import android.support.v7.app.ActionBar;
import android.support.v7.app.AppCompatActivity;
     import android.os.Bundle;
     import android.os.Handler;
     import android.view.MotionEvent;
     import android.view.View;
10
11
      * An example full-screen activity that shows and hides the system UI (i.e. * status bar and navigation/system bar) with user interaction.
12
15
     {\tt public \ class} \ {\tt FullscreenActivity \ extends} \ {\tt AppCompatActivity \ } \{
         /**

* Whether or not the system UI should be auto-hidden after

* {@link #AUTO_HIDE_DELAY_MILLIS} milliseconds.
16
17
18
19
           private static final boolean AUTO_HIDE = true;
21
          /**
 * If {@link #AUTO_HIDE} is set, the number of milliseconds to wait after
 * user interaction before hiding the system UI.
22
23
24
25
           private static final int AUTO_HIDE_DELAY_MILLIS = 3000;
```