

Merging Datasets Open Ended Assignment

Robert Thomas Kohn

10/10/25

Broadway 3 & 4 Merging

```
Broadway3 <- read.csv("Broadway3.csv")
Broadway3_clean <- Broadway3 %>% select(Show, TonyNomination, StyleOfShow, CriticReview, TypeOfShow, Num
Broadway4 <- read.csv("Broadway4.csv")
Broadway4_clean <- Broadway4 %>% select(NameofShow, TimeBWay, ShowType, TonyNoms, Genre, Past, YearOpened)
Broadway3_clean <- Broadway3_clean %>% mutate(Show = str_trim(Show))
Broadway4_clean <- Broadway4_clean %>% mutate(Show = str_trim(Show))
head(Broadway3_clean)
```

```
##                               Show TonyNomination StyleOfShow CriticReview
## 1 Beautiful: The Carole King Musical              7      Musical         Pos
## 2                Play Me A Country Song            0      Musical         Neg
## 3                      Angel Street                0        Play         Mix
## 4          They're Playing Our Song                4      Musical         Mix
## 5                      Damn Yankees                9      Musical         Mix
## 6                Anyone Can Whistle                1      Musical         Mix
##   TypeOfShow NumberOfPerform
## 1      Ori             2416
## 2      Ori              1
## 3      Ori             1295
## 4      Ori             1082
## 5      Ori             1019
## 6      Ori              9
```

```
head(Broadway4_clean)
```

```
##           Show TimeBWay ShowType TonyNoms  Genre      Past YearOpened
## 1      Mamma Mia    168  Musical      5 Comedy    New      2001
## 2    A Chorus Line   180  Musical     12  Drama    New      1975
## 3      Spongebob    24  Musical     12 Comedy Adaptation 2016
## 4      Avenue Q     72  Musical      6 Comedy    New      2003
## 5      Deathtrap    48    Play      4 Comedy    New      1978
## 6 The Glass Menagerie 17    Play      0  Drama    New      1945
```

```
Broadway_combined <- Broadway3_clean %>% inner_join(Broadway4_clean, by = "Show")
head(Broadway_combined)
```


```
##           Show TonyNomination StyleOfShow CriticReview TypeOfShow
## 1 Anyone Can Whistle          1      Musical         Mix      Ori
## 2           The Wiz           8      Musical         Mix      Ori
## 3    A Chorus Line          10      Musical         Pos      Ori
## 4           Evita           10      Musical         Pos      Ori
```

##	NumberOfPerform	TimeBway	ShowType	TonyNoms	Genre	Past	YearOpened
## 1	9	1	Musical	1	Comedy	New	1964
## 2	1672	48	Musical	8	Drama Adaptation		1975
## 3	6137	180	Musical	12	Drama	New	1975
## 4	1567	48	Musical	3	Drama	New	1978

Question: How do Tony nominations relate to show run time and genre?


I plan to make a scatter plot of TimeBway vs TonyNomination, colored by Genre

```
gf_point(TimeBway ~ TonyNomination, data = Broadway_combined, color = ~Genre)
```



```
# Revised
Broadway_filtered <- Broadway_combined %>% filter(TimeBway <= 100) # outliers

gf_point(TimeBway ~ TonyNomination, data = Broadway_filtered, color = ~Genre, size = 3, alpha = 0.7) %>%
  gf_abline(slope = 5, intercept = 0, color = "black", linetype = "dashed") %>% gf_labs(x = "Tony Nominations")
```



As per usual, I dislike using the merging commands and sorting data but I managed to make relatively quick work of this. I was hoping to do something more extravagant but the majority of points got lost due to not having matching columns. As such, I got a final graph with 3 total points which tells me nothing at all but I did refine it from the original one. I thought in the final it would be nice to remove outliers and add a general trend line.