



UNIVERSITY OF AMSTERDAM

ASSIGNMENT 4

Semantic Analysis

March 4, 2021

Students:

René Kok

13671146

Aram Mutlu

13574116

Lecturer:

Dhr. dr. C.U. Grelck

Course:

Compiler Construction

Course code:

5062COMP6Y

1 Introduction

2 Scoping and symbol tables

Consider the following CiviC nested function definition:

```
int d = 2;

int foo(int a) {
    int b = 1;
    int c;

    int f(int x) {
        int b = x + b;
        return b;
    }


    int g(int x) {
        c = f(x - b);
        return c + a;
    }

    c = c + g(d - b);
    return c;
}
```

a). What is the value of `foo(8)`, and, more importantly, why?

aaaaa

b). Mark every occurrence of a variable identifier in statement position by an arrow to the declaration



c). Annotate each scope (level) with its symbol table.

baaa

d). Annotate each variable identifier in statement position by a number indicating the relative scope distance to the corresponding declaration.

aaaa

3 Lambda lifting

Manually apply the lambda lifting transformation to the code example of Assignment 4.1.

```
int d = 2;

int f(int x, int b) {
    int b = x + b;
    return b;
}

int g(int x, int a, int b, int *c) {
    *c = f(x - b);
    return *c + a;
}

int foo(int a, int d) {
    int b = 1;
    int c;

    c = c + g(d - b, *c, b, a);
    return c;
}
```

4 Function overloading

Assume we would extend CiviC by function overloading. Describe how this extension would affect semantic analysis in the CiviC compiler in general, and how you would solve the corresponding problems in detail.

The compiler wouldn't be able to distinguish similarly named functions. The determination of which function to use for a particular call should be resolved at compile time by adding the name of the parameter types to the function name as shown in // TODO: FIGURE.