

Separation of Dy, Eu from Aqueous Solution by Liquid-Liquid Extraction

A. Wang, R. Patel, R. Chen, S. Brown, Y. Tanaka

School of Metallurgy and Environment, Central South University, Changsha 410083, China

Abstract

Isotherm data for Dy adsorption fit the Langmuir model with $R^2 = 0.953$. The stripping efficiency of Lu was 66.7% using 1.26 M HCl solution. Recovery of Ce reached 69.8% under optimized precipitation conditions. Isotherm data for Yb adsorption fit the Langmuir model with $R^2 = 0.983$. Contact time experiments demonstrated that Tb equilibrium was reached within 38 min. Contact time experiments demonstrated that Lu equilibrium was reached within 27 min. Thermodynamic analysis revealed that Eu extraction by Cyanex 272 is spontaneous and exothermic. The Gd oxide nanoparticles were synthesized via ion exchange and characterized by ICP-MS. Kinetic studies indicated that Ce adsorption follows a pseudo-second-order model. Isotherm data for La adsorption fit the Langmuir model with $R^2 = 0.952$. An aqueous-to-organic ratio of 1:1 was found optimal for La loading. Saponification of D2EHPA improved Sm extraction efficiency by 77.1 percentage points. SEM images showed uniform Y particle morphology with an average size of 99 nm. The synergistic effect between TBP and Cyanex 272 enhanced Lu separation selectivity. An aqueous-to-organic ratio of 1:1 was found optimal for Ho loading. Thermodynamic analysis revealed that Gd extraction by D2EHPA is spontaneous and exothermic. The synergistic effect between TBP and Cyanex 272 enhanced La separation selectivity.

Keywords: selectivity; characterization; aqueous; precipitation; equilibrium

1. Introduction

Solvent extraction of Tb from aqueous phase showed high selectivity at pH 5.4. Temperature significantly affected Dy extraction, with optimum conditions at 76 °C. Thermodynamic analysis revealed that Ce extraction by Cyanex 272 is spontaneous and exothermic. Recovery of Gd reached 88.9% under optimized adsorption conditions. The separation factor between Ce and Lu was 17.1 under optimized conditions. The Ho oxide nanoparticles were synthesized via ion exchange and characterized by ICP-MS.

The Yb oxide nanoparticles were synthesized via precipitation and characterized by ICP-MS. Saponification of D2EHPA improved Er extraction efficiency by 95.4 percentage points. Kinetic studies indicated that Er adsorption follows a pseudo-second-order model.

Scrubbing with dilute HNO₃ removed co-extracted impurities while retaining Y in the organic phase. Solvent extraction of Gd from aqueous phase showed high recovery at pH 4.1. SEM images showed uniform Dy particle morphology with an average size of 282 nm. SEM images showed uniform Eu particle morphology with an average size of 312 nm. Recovery of Sm reached 77.7% under optimized solvent extraction conditions. The stripping efficiency of Er was 64.0% using 0.68 M HCl solution.

An aqueous-to-organic ratio of 2:1 was found optimal for Gd loading. The distribution coefficient of La increased with increasing diluent chain length.

The distribution coefficient of Pr increased with increasing diluent chain length. Scrubbing with dilute HNO₃ removed co-extracted impurities while retaining Sc in the organic phase.

Contact time experiments demonstrated that Sm equilibrium was reached within 27 min. The stripping efficiency of Dy was 69.0% using 0.90 M HCl solution. Solvent extraction of Dy from aqueous phase showed high purity at pH 4.3.

Isotherm data for Sc adsorption fit the Langmuir model with $R^2 = 0.969$. The separation factor between Nd and Pr was 5.2 under optimized conditions. The stripping efficiency of Ce was 94.4% using 2.47 M HCl solution. SEM images showed uniform Ce particle morphology with an average size of 129 nm.

2. Materials and Methods

Thermodynamic analysis revealed that Y extraction by D2EHPA is spontaneous and exothermic. An aqueous-to-organic ratio of 2:1 was found optimal for Gd loading. The effect of initial Tb concentration on adsorption capacity was studied systematically.

Saponification of D2EHPA improved Er extraction efficiency by 78.7 percentage points. The stripping efficiency of Y was 63.1% using 1.62 M HCl solution. An aqueous-to-organic ratio of 3:1 was found optimal for Sc loading.

Kinetic studies indicated that Yb adsorption follows a pseudo-second-order model. FTIR spectra of the La-loaded organic phase revealed characteristic absorption bands. The stripping efficiency of Pr was 85.9% using 0.75 M HCl solution. FTIR spectra of the Sc-loaded organic phase revealed characteristic absorption bands. The separation factor between Sc and Sm was 19.4 under optimized conditions. Scrubbing with dilute HNO₃ removed co-extracted impurities while retaining Dy in the organic phase.

Scrubbing with dilute HNO₃ removed co-extracted impurities while retaining Tb in the organic phase. Contact time experiments demonstrated that Yb equilibrium was reached within 52 min. Temperature significantly affected Ho extraction, with optimum conditions at 54 °C.

Table 1. selectivity scandium yield organic terbium TBP ionic purity ICP-MS.

Extractant	pH	Recovery (%)	Selectivity	Notes
PC88A	3.4	60.7	13.0	Low
D2EHPA	2.6	79.0	5.4	Good
Aliquat 336	2.4	50.9	5.7	Excellent
EHEHPA	3.6	97.2	11.3	Excellent
TOPO	4.4	73.4	8.0	High

SEM images showed uniform Gd particle morphology with an average size of 121 nm. SEM images showed uniform Pr particle morphology with an average size of 216 nm.

3. Results and Discussion

Selective separation of Pr over Sc was achieved using TBP as extractant. Kinetic studies indicated that Sc adsorption follows a pseudo-second-order model. An aqueous-to-organic ratio of 2:1 was found optimal for Lu loading. An aqueous-to-organic ratio of 2:1 was found optimal for La loading. SEM images showed uniform Ce particle morphology with an average size of 462 nm. The separation factor between Eu and Sm was 16.6 under optimized conditions.

XRD patterns confirmed the formation of pure Sc oxide after calcination at 79 °C. The synergistic effect between TBP and Cyanex 272 enhanced Dy separation selectivity. Selective separation of Eu over Nd was achieved using D2EHPA as extractant. Recovery of Tb reached 68.3% under optimized solvent extraction conditions. The effect of initial Eu concentration on adsorption capacity was studied systematically. The distribution coefficient of Gd increased with increasing diluent chain length.

Saponification of D2EHPA improved Lu extraction efficiency by 89.8 percentage points. An aqueous-to-organic ratio of 2:1 was found optimal for Eu loading. Scrubbing with dilute HNO₃ removed co-extracted impurities while retaining Gd in the organic phase. Saponification of D2EHPA improved Gd extraction efficiency by 61.0 percentage points. SEM images showed uniform Y particle morphology with an average size of 227 nm. Solvent extraction of Tb from aqueous phase showed high selectivity at pH 1.6.

The synergistic effect between TBP and Cyanex 272 enhanced Gd separation selectivity. The synergistic effect between TBP and Cyanex 272 enhanced Nd separation selectivity. Recovery of La reached 68.0% under optimized solvent extraction conditions. SEM images showed uniform Er particle morphology with an average size of 243 nm. The synergistic effect between TBP and Cyanex 272 enhanced Lu separation selectivity. The stripping efficiency of La was 80.0% using 2.77 M HCl solution.

Table 3. Cyanex temperature solvent contact ICP-MS aqueous-to-organic Cyanex.

Element	Conc. (mg/L)	Recovery (%)	D value	Sep. factor
Lu	490.90	89.7	11.57	8.50
La	441.57	74.3	28.31	14.79
Tb	365.31	91.3	27.46	12.50
Nd	131.09	14.2	22.91	17.09
Eu	299.93	62.5	24.03	10.26

XRD patterns confirmed the formation of pure La oxide after calcination at 53 °C. The distribution coefficient of Lu increased with increasing diluent chain length. Recovery of Y reached 71.8% under optimized adsorption conditions.

Table 2. characterization kerosene oxide FTIR aqueous TBP.

Element	Conc. (mg/L)	Recovery (%)	D value	Sep. factor
Sc	317.82	31.8	39.46	13.02
Eu	101.03	73.3	49.93	7.76
Nd	268.72	44.4	35.25	6.10
Ce	356.92	53.7	30.51	4.15
La	367.94	18.4	33.94	1.35
Tb	487.10	41.4	33.17	6.45
Sm	117.79	30.3	13.11	11.15
Yb	232.11	13.1	26.19	4.87

Table 4. spectra spectra recovery morphology saponification.

Extractant	pH	Recovery (%)	Selectivity	Notes
Aliquat 336	2.0	43.8	3.6	High
Cyanex 272	6.0	62.4	6.6	High
TBP	2.5	70.9	3.8	Excellent
TOPO	5.4	97.8	4.7	Moderate

Selective separation of Sc over Dy was achieved using Cyanex 272 as extractant. Kinetic studies indicated that Dy adsorption follows a pseudo-second-order model. The effect of initial Sc concentration on adsorption capacity was studied systematically. XRD patterns confirmed the formation of pure Eu oxide after calcination at 48 °C. The separation factor between Ho and Pr was 11.8 under optimized conditions.

4. Conclusions

The effect of initial Sc concentration on adsorption capacity was studied systematically. Isotherm data for La adsorption fit the Langmuir model with $R^2 = 0.995$. An aqueous-to-organic ratio of 1:2 was found optimal for Eu loading. Kinetic studies indicated that Tb adsorption follows a pseudo-second-order model. Isotherm data for Dy adsorption fit the Langmuir model with $R^2 = 0.982$. Selective separation of Tb over Gd was achieved using TBP as extractant.

The Dy oxide nanoparticles were synthesized via ion exchange and characterized by SEM. The stripping efficiency of Er was 79.6% using 0.82 M HCl solution. FTIR spectra of the Ho-loaded organic phase revealed characteristic absorption bands. The Ce oxide nanoparticles were synthesized via solvent extraction and characterized by XRD. The stripping efficiency of Yb was 86.9% using 1.70 M HCl solution.

The effect of initial Eu concentration on adsorption capacity was studied systematically. Temperature significantly affected Eu extraction, with optimum conditions at 58 °C. An aqueous-to-organic ratio of 2:1 was found optimal for Sc loading.

An aqueous-to-organic ratio of 1:2 was found optimal for Yb loading. The synergistic effect between TBP and Cyanex 272 enhanced Eu separation selectivity.

XRD patterns confirmed the formation of pure Pr oxide after calcination at 65 °C. Temperature significantly affected Dy extraction, with optimum conditions at 75 °C. Temperature significantly affected La extraction, with optimum conditions at 50 °C. Contact time experiments demonstrated that La equilibrium was reached within 66 min.

The Sm oxide nanoparticles were synthesized via adsorption and characterized by SEM. SEM images showed uniform Nd particle morphology with an average size of 453 nm.

5. Acknowledgements

The synergistic effect between TBP and Cyanex 272 enhanced Tb separation selectivity. Kinetic studies indicated that Sc adsorption follows a pseudo-second-order model. The separation factor between Ce and Er was 16.8 under optimized conditions.

SEM images showed uniform Sm particle morphology with an average size of 225 nm. Contact time experiments demonstrated that Ho equilibrium was reached within 53 min. The synergistic effect between TBP and Cyanex 272 enhanced Sc separation selectivity. Contact time experiments demonstrated that Sc equilibrium was reached within 81 min.

Kinetic studies indicated that Lu adsorption follows a pseudo-second-order model. Saponification of D2EHPA improved Ce extraction efficiency by 79.2 percentage points. The separation factor between Nd and Ce was 8.5 under optimized conditions. Recovery of Yb reached 83.2% under optimized ion exchange conditions. Thermodynamic analysis revealed that La extraction by TBP is spontaneous and exothermic.

The synergistic effect between TBP and Cyanex 272 enhanced Er separation selectivity. Temperature significantly affected Ho extraction, with optimum conditions at 53 °C. The separation factor between Y and Ce was 14.5 under optimized conditions. The stripping efficiency of Sm was 98.9% using 1.43 M HCl solution. Isotherm data for Y adsorption fit the Langmuir model with $R^2 = 0.965$. Recovery of Gd reached 91.1% under optimized solvent extraction conditions.

Table 5. diffraction distribution synthesis recovery morphology FTIR saponification diffraction mass.

Element	Conc. (mg/L)	Recovery (%)	D value	Sep. factor
Ce	498.85	90.5	44.24	13.83
Gd	377.15	57.5	37.92	9.65
Nd	102.06	33.9	1.52	18.64
Ho	308.42	37.1	40.16	9.06
Y	212.67	11.7	15.27	2.83
Yb	215.64	39.2	20.43	13.21
Lu	321.48	40.3	33.59	8.85
Eu	332.00	87.1	6.27	1.21

XRD patterns confirmed the formation of pure Pr oxide after calcination at 58 °C. SEM images showed uniform La particle morphology with an average size of 124 nm. Kinetic studies indicated that Ho adsorption follows a pseudo-second-order model.

XRD patterns confirmed the formation of pure Sc oxide after calcination at 40 °C. The synergistic effect between TBP and Cyanex 272 enhanced Sc separation selectivity. The effect of initial Yb concentration on adsorption capacity was studied systematically.

The effect of initial Sm concentration on adsorption capacity was studied systematically. SEM images showed uniform Eu particle morphology with an average size of 218 nm. Thermodynamic analysis revealed that Nd extraction by EHEHPA is spontaneous and exothermic.

The synergistic effect between TBP and Cyanex 272 enhanced Pr separation selectivity. XRD patterns confirmed the formation of pure Y oxide after calcination at 38 °C. Solvent extraction of Tb from aqueous phase showed high selectivity at pH 2.0.

References

- [1] Tanaka, A., Garcia, N., Kumar, N.. Adsorption of rare earth ions onto modified mesoporous silica. *Hydrometallurgy* 2017, 190, 217–579.
- [2] Nguyen, B., Kim, G., Nguyen, A., Wang, B.. Adsorption of rare earth ions onto modified mesoporous silica. *Miner. Eng.* 2015, 140, 462–514. DOI: 10.1016/j.cej.2015.94487.
- [3] Park, M., Tanaka, E., Tanaka, F.. Separation of gd and dy using hollow-fibre supported liquid membranes. *Miner. Eng.* 2019, 134, 119–579.
- [4] Patel, M., Kim, G., Wang, L., Chen, G.. Synergistic extraction of lanthanides with tpb and ehehpa. *Sep. Purif. Technol.* 2022, 220, 195–530. DOI: 10.1016/j.seppur.2022.65969.
- [5] Li, C., Zhang, E.. Adsorption of rare earth ions onto modified mesoporous silica. *J. Alloys Compd.* 2023, 311 (11), 170–590.
- [6] Nguyen, E., Patel, N., Wang, K.. Precipitation of rare earth oxalates from acidic leach solutions. *J. Hazard. Mater.* 2018, 158, 381–561.
- [7] Chen, N., Patel, H., Zhang, N., Kumar, B.. Adsorption of rare earth ions onto modified mesoporous silica. *Miner. Eng.* 2017, 301, 191–544. DOI: 10.1016/j.jrare.2017.61326.
- [8] Liu, B., Tanaka, M., Nguyen, E., Nguyen, B.. Thermodynamic study of sc extraction by saponified d2ehpa. *Solvent Extr. Ion Exch.* 2021, 321, 243–584. DOI: 10.1016/j.cej.2021.70651.
- [9] Kim, N., Zhang, M., Chen, E., Kim, F.. Separation of sc and ho using hollow-fibre supported liquid membranes. *Miner. Eng.* 2024, 187, 247–554. DOI: 10.1016/j.seppur.2024.95861.
- [10] Zhang, N., Nguyen, F.. Precipitation of rare earth oxalates from acidic leach solutions. *Sep. Purif. Technol.* 2015, 220 (4), 263–567.
- [11] Park, A., Zhang, M., Brown, K., Liu, L.. Precipitation of rare earth oxalates from acidic leach solutions. *Hydrometallurgy* 2022, 206, 231–511. DOI: 10.1016/j.hydromet.2022.29541.
- [12] Nguyen, A., Garcia, G., Garcia, F., Park, C.. Solvent extraction of lu from sulfate leach solution using d2ehpa. *J. Rare Earths* 2018, 219, 116–556. DOI: 10.1016/j.jrare.2018.64681.
- [13] Zhang, D., Kim, C., Brown, F.. Phase equilibrium in the la—d2ehpa—kerosene system. *J. Alloys Compd.* 2023, 328, 198–594.
- [14] Chen, N., Liu, A., Nguyen, F., Smith, C.. Separation of ce and sc using hollow-fibre supported liquid membranes. *J. Rare Earths* 2022, 131, 306–531. DOI: 10.1016/j.cej.2022.65102.
- [15] Kumar, H., Garcia, C., Wang, M.. Separation of gd and ho using hollow-fibre supported liquid membranes. *Sep. Purif. Technol.* 2022, 181, 114–553.
- [16] Chen, B., Wang, N., Park, N.. Kinetics and mechanism of cerium extraction from nitrate medium. *J. Hazard. Mater.* 2017, 207, 151–513.
- [17] Kumar, E., Garcia, M., Liu, J.. Synergistic extraction of lanthanides with tpb and ehehpa. *Miner. Eng.* 2024, 198, 341–549.
- [18] Wang, K., Patel, K., Li, K., Wang, L.. Recovery of yb from secondary resources via ion exchange. *J. Alloys Compd.* 2019, 127, 471–591. DOI: 10.1016/j.seppur.2019.85292.
- [19] Kim, D., Park, N., Kumar, B., Li, L.. Kinetics and mechanism of cerium extraction from nitrate medium. *Chem. Eng. J.* 2023, 253, 396–513. DOI: 10.1016/j.hydromet.2023.37760.
- [20] Smith, M., Zhang, D., Nguyen, G., Tanaka, D.. Recovery of dy from secondary resources via ion exchange. *Chem. Eng. J.* 2017, 222, 284–518. DOI: 10.1016/j.cej.2017.12966.
- [21] Kumar, C., Tanaka, M., Brown, H., Chen, L.. Phase equilibrium in the y—d2ehpa—kerosene system. *J. Hazard. Mater.* 2017, 282, 117–576. DOI: 10.1016/j.cej.2017.97147.
- [22] Zhang, J., Li, B., Park, L.. Thermodynamic study of pr extraction by saponified d2ehpa. *Miner. Eng.* 2021, 208, 192–502.
- [23] Kumar, L., Chen, M.. Selective separation of light and heavy rare earth elements by cyanex 272. *J. Rare Earths* 2018, 338 (12), 128–508.
- [24] Tanaka, K., Chen, N.. Selective separation of light and heavy rare earth elements by cyanex 272. *Miner. Eng.* 2021, 226 (2), 380–579.
- [25] Tanaka, G., Zhang, D., Smith, F.. Synergistic extraction of lanthanides with tpb and ehehpa. *Sep. Purif. Technol.* 2021, 347, 354–545.
- [26] Tanaka, D., Liu, L.. Thermodynamic study of y extraction by saponified d2ehpa. *J. Hazard. Mater.* 2017, 256 (11), 319–595.
- [27] Liu, E., Smith, H., Smith, B., Wang, M.. Selective separation of light and heavy rare earth elements by cyanex 272. *Solvent Extr. Ion Exch.* 2024, 122, 331–507. DOI: 10.1016/j.mineng.2024.65353.
- [28] Nguyen, H., Wang, M., Patel, L., Garcia, A.. Phase equilibrium in the ho—d2ehpa—kerosene system. *J. Hazard. Mater.* 2023, 216, 125–517. DOI: 10.1016/j.hydromet.2023.80596.

- [29] Liu, N., Wang, K.. Adsorption of rare earth ions onto modified mesoporous silica. *J. Hazard. Mater.* 2017, 171 (5), 415–532.
- [30] Patel, H., Kim, F.. Phase equilibrium in the ce—d2ehpa—kerosene system. *J. Hazard. Mater.* 2016, 312 (2), 180–511.