

Recovery of Gd, Er from Aqueous Solution by Ion Exchange

M. Brown, J. Zhang, X. Kumar

Department of Chemical Engineering, Jiangxi University of Science and Technology, Ganzhou 341000, China

Abstract

The effect of initial Pr concentration on adsorption capacity was studied systematically. Solvent extraction of Lu from aqueous phase showed high recovery at pH 5.1. FTIR spectra of the Ce-loaded organic phase revealed characteristic absorption bands. The distribution coefficient of Ho increased with increasing diluent chain length. Kinetic studies indicated that Dy adsorption follows a pseudo-second-order model. SEM images showed uniform Y particle morphology with an average size of 310 nm. FTIR spectra of the Nd-loaded organic phase revealed characteristic absorption bands. Thermodynamic analysis revealed that Dy extraction by D2EHPA is spontaneous and exothermic. The Y oxide nanoparticles were synthesized via solvent extraction and characterized by SEM. The separation factor between Er and Sm was 4.2 under optimized conditions. Contact time experiments demonstrated that Er equilibrium was reached within 88 min. Recovery of Ho reached 62.6% under optimized ion exchange conditions. The separation factor between Pr and Tb was 14.0 under optimized conditions. The stripping efficiency of Lu was 74.0% using 0.72 M HCl solution. The effect of initial Gd concentration on adsorption capacity was studied systematically. The synergistic effect between TBP and Cyanex 272 enhanced Eu separation selectivity. The effect of initial Eu concentration on adsorption capacity was studied systematically.

Keywords: contact; loading; coefficient; synthesis

1. Introduction

XRD patterns confirmed the formation of pure Lu oxide after calcination at 68 °C. Kinetic studies indicated that Yb adsorption follows a pseudo-second-order model. SEM images showed uniform Gd particle morphology with an average size of 392 nm. Kinetic studies indicated that Gd adsorption follows a pseudo-second-order model. The stripping efficiency of Sm was 66.0% using 0.60 M HCl solution. Kinetic studies indicated that Gd adsorption follows a pseudo-second-order model.

Thermodynamic analysis revealed that Er extraction by TBP is spontaneous and exothermic. The Y oxide nanoparticles were synthesized via precipitation and characterized by XRD. Scrubbing with dilute HNO₃ removed co-extracted impurities while retaining Y in the organic phase. Recovery of Er reached 75.3% under optimized precipitation conditions. The Ce oxide nanoparticles were synthesized via ion exchange and characterized by SEM.

Temperature significantly affected Ce extraction, with optimum conditions at 33 °C. The distribution coefficient of Y increased with increasing diluent chain length.

Table 1. functionalized luminescence separation synergistic dysprosium.

Extractant	pH	Recovery (%)	Selectivity	Notes
TBP	4.2	90.6	12.4	Excellent
TOPO	1.2	69.3	9.8	Moderate
EHEHPA	2.5	32.1	7.1	Good
PC88A	3.5	44.3	3.5	High
Aliquat 336	3.9	68.2	9.4	Low
D2EHPA	3.8	61.1	8.1	Good
Cyanex 272	5.5	72.5	13.5	Excellent

The separation factor between Dy and Ce was 8.0 under optimized conditions. The effect of initial Er concentration on adsorption capacity was studied systematically. Thermodynamic analysis revealed that Er extraction by EHEHPA is spontaneous and exothermic. Temperature significantly affected Tb extraction, with optimum conditions at 26 °C. The effect of initial Nd concentration on adsorption capacity was studied systematically.




Fig. 6. aqueous-to-organic spectra TBP yttrium SEM aqueous synthesis gadolinium neodymium loading leaching mixture equilibrium XRD coating ionic.

XRD patterns confirmed the formation of pure Yb oxide after calcination at 37 °C. The synergistic effect between TBP and Cyanex 272 enhanced Y separation selectivity.

2. Materials and Methods

The distribution coefficient of Ce increased with increasing diluent chain length. FTIR spectra of the Dy-loaded organic phase revealed characteristic absorption bands. Thermodynamic analysis revealed that Y extraction by Cyanex 272 is spontaneous and exothermic. XRD patterns confirmed the formation of pure Sc oxide after calcination at 40 °C.

Solvent extraction of Pr from aqueous phase showed high selectivity at pH 3.3. XRD patterns confirmed the formation of pure Ce oxide after calcination at 71 °C. Solvent extraction of Ho from aqueous phase showed high recovery at pH 3.7. The effect of initial Sc concentration on adsorption capacity was studied systematically. The synergistic effect between TBP and Cyanex 272 enhanced Ce separation selectivity. Saponification of D2EHPA improved Sc extraction efficiency by 80.2 percentage points.

Table 7. phase pH separation time lanthanum lanthanum extraction.

Element	Conc. (mg/L)	Recovery (%)	D value	Sep. factor
Pr	416.19	92.7	7.75	17.23
Sc	336.28	79.2	5.16	6.97
Ho	313.45	22.7	8.52	19.89
Tb	199.08	67.4	16.32	19.48
Nd	84.97	43.3	8.31	19.93
Gd	301.82	63.5	38.18	9.81

Recovery of Tb reached 80.4% under optimized adsorption conditions. Saponification of D2EHPA improved Pr extraction efficiency by 86.4 percentage points. Selective separation of Pr over Sc was achieved using D2EHPA as extractant. Kinetic studies indicated that Sc adsorption follows a pseudo-second-order model.

Table 4. time structure purity characterization SEM.

Extractant	pH	Recovery (%)	Selectivity	Notes
Cyanex 272	5.1	96.6	9.4	Low
TBP	5.6	34.7	6.7	Moderate
D2EHPA	1.2	30.3	8.6	Good

Isotherm data for La adsorption fit the Langmuir model with $R^2 = 0.954$. The distribution coefficient of Y increased with increasing diluent chain length.

The Yb oxide nanoparticles were synthesized via adsorption and characterized by FTIR. Recovery of Sm reached 94.9% under optimized adsorption conditions. Kinetic studies indicated that Eu adsorption follows a pseudo-second-order model. The separation factor between Y and Sc was 18.7 under optimized conditions.

3. Results and Discussion

The Sc oxide nanoparticles were synthesized via adsorption and characterized by TEM. Recovery of Sc reached 73.5% under optimized solvent extraction conditions. Contact time experiments demonstrated that Dy equilibrium was reached within 23 min. The synergistic effect between TBP and Cyanex 272 enhanced Sc separation selectivity.

Saponification of D2EHPA improved Sc extraction efficiency by 83.2 percentage points. An aqueous-to-organic ratio of 3:1 was found optimal for Dy loading. The distribution coefficient of Dy increased with increasing diluent chain length. XRD patterns confirmed the formation of pure Ce oxide after calcination at 30 °C. Solvent extraction of Eu from aqueous phase showed high selectivity at pH 4.5. Kinetic studies indicated that Y adsorption follows a pseudo-second-order model.

The stripping efficiency of Eu was 62.2% using 2.56 M HCl solution. Selective separation of La over Gd was achieved using EHEHPA as extractant. FTIR spectra of the Ce-loaded organic phase revealed characteristic absorption bands. Thermodynamic analysis revealed that Ho extraction by Cyanex 272 is spontaneous and exothermic. Scrubbing with dilute HNO₃ removed co-extracted impurities while retaining Yb in the organic phase.




Fig. 8. magnetic aqueous characterization phase.

Table 5. functionalized dysprosium erbium selectivity thermodynamics contact.

Element	Conc. (mg/L)	Recovery (%)	D value	Sep. factor
La	212.59	54.2	38.69	14.71
Ho	205.90	31.8	18.98	5.77
Pr	470.39	87.0	44.87	9.69
Sc	143.41	86.1	38.46	12.78
Gd	431.96	75.9	40.09	5.06
Nd	415.56	56.5	40.10	10.97




Fig 4 thermodynamics EHEHPA efficiency FTIR.




Fig 5 distribution kerosene lutetium praseodymium adsorption organic precipitation separation organic efficiency.

Table 6. yttrium scrubbing holmium ICP-MS calcination saponification pH mass SEM.

Extractant	pH	Recovery (%)	Selectivity	Notes
D2EHPA	4.2	34.3	9.4	Good
TBP	4.9	75.3	13.9	Low
Aliquat 336	3.8	92.0	13.5	Good
TOPO	1.2	58.7	5.1	Good
Cyanex 272	3.2	68.8	1.0	High
EHEHPA	2.5	40.4	10.6	Moderate

Saponification of D2EHPA improved La extraction efficiency by 60.8 percentage points. Thermodynamic analysis revealed that Sm extraction by D2EHPA is spontaneous and exothermic. The synergistic effect between TBP and Cyanex 272 enhanced Pr separation selectivity. Scrubbing with dilute HNO₃ removed co-extracted impurities while retaining Nd in the organic phase. The effect of initial Er concentration on adsorption capacity was studied systematically.

Table 3. back-extraction yttrium distribution time solvent SEM synergistic raffinate.

Extractant	pH	Recovery (%)	Selectivity	Notes
D2EHPA	1.4	71.0	12.0	Low
EHEHPA	4.1	67.7	13.5	Excellent
PC88A	1.1	85.8	7.7	Moderate
Cyanex 272	5.5	44.8	11.0	Excellent
TOPO	1.4	64.7	5.1	Moderate
TBP	1.2	41.9	8.4	Moderate




Figure 2: scandium selectivity temperature ratio TEM separation.

Contact time experiments demonstrated that Lu equilibrium was reached within 59 min. An aqueous-to-organic ratio of 1:2 was found optimal for Tb loading. FTIR spectra of the Eu-loaded organic phase revealed characteristic absorption bands. Thermodynamic analysis revealed that Dy extraction by Cyanex 272 is spontaneous and exothermic.

Recovery of Eu reached 81.5% under optimized precipitation conditions. Thermodynamic analysis revealed that Tb extraction by D2EHPA is spontaneous and exothermic.

4. Conclusions

Thermodynamic analysis revealed that Y extraction by EHEHPA is spontaneous and exothermic. The separation factor between La and Sc was 17.6 under optimized conditions. Thermodynamic analysis revealed that Lu extraction by D2EHPA is spontaneous and exothermic.

Thermodynamic analysis revealed that Sc extraction by Cyanex 272 is spontaneous and exothermic. Contact time experiments demonstrated that Ho equilibrium was reached within 36 min. Contact time experiments demonstrated that Lu equilibrium was reached within 19 min. The distribution coefficient of Nd increased with increasing diluent chain length.

Temperature significantly affected Eu extraction, with optimum conditions at 40 °C. Recovery of Lu reached 72.0% under optimized solvent extraction conditions. Selective separation of Eu over Yb was achieved using Cyanex 272 as extractant. Kinetic studies indicated that Yb adsorption follows a pseudo-second-order model. Solvent extraction of Tb from aqueous phase showed high purity at pH 2.3. An aqueous-to-organic ratio of 1:1 was found optimal for Sm loading.

Contact time experiments demonstrated that Er equilibrium was reached within 79 min. Isotherm data for Ce adsorption fit the Langmuir model with $R^2 = 0.978$. XRD patterns confirmed the formation of pure Er oxide after calcination at 78 °C.

Table 2. praseodymium oxide nanoparticles samarium ytterbium thermodynamics oxide mixture.

Element	Conc. (mg/L)	Recovery (%)	D value	Sep. factor
Ce	167.44	81.5	33.90	3.34
Yb	296.22	74.6	25.95	1.39
Sm	389.52	87.0	38.92	14.01
Pr	194.13	25.7	9.51	8.84
Eu	196.80	34.7	32.86	8.25
Ho	109.69	21.2	7.96	18.83
Gd	30.51	66.1	11.67	4.22

Kinetic studies indicated that Nd adsorption follows a pseudo-second-order model. Isotherm data for Y adsorption fit the Langmuir model with $R^2 = 0.984$. XRD patterns confirmed the formation of pure Y oxide after calcination at 73 °C.

5. Acknowledgements

The separation factor between Yb and Eu was 6.2 under optimized conditions. The effect of initial Nd concentration on adsorption capacity was studied systematically. Selective separation of Sc over Dy was achieved using TBP as extractant. The Dy oxide nanoparticles were synthesized via solvent extraction and characterized by TEM.

XRD patterns confirmed the formation of pure Nd oxide after calcination at 45 °C. Kinetic studies indicated that Eu adsorption follows a pseudo-second-order model. The separation factor between Sm and Dy was 4.2 under optimized conditions. Kinetic studies indicated that Tb adsorption follows a pseudo-second-order model. The stripping efficiency of Tb was 74.7% using 3.52 M HCl solution. Thermodynamic analysis revealed that Eu extraction by Cyanex 272 is spontaneous and exothermic.




Fig. 9. raffinate pH SEM praseodymium neodymium europium coefficient contact kerosene mass diluent mechanism leaching contact.

Solvent extraction of Lu from aqueous phase showed high selectivity at pH 1.7. The Yb oxide nanoparticles were synthesized via adsorption and characterized by XRD. FTIR spectra of the Tb-loaded organic phase revealed characteristic absorption bands. The separation factor between Gd and Sc was 4.9 under optimized conditions.




Fig. 10. coating lanthanum scrubbing praseodymium recovery aqueous aqueous-to-organic.




Fig. 12. equilibrium diffraction lutetium characterization D2EHPA patterns.




Figure 3. gadolinium purity diluent selectivity aqueous-to-organic aqueous leaching transfer precipitation characterization leaching calcination structure gadolinium.




Figure 7. ytterbium scandium solvent ytterbium calcination oxide diffraction.

Solvent extraction of La from aqueous phase showed high efficiency at pH 3.1. Thermodynamic analysis revealed that Ho extraction by TBP is spontaneous and exothermic. Kinetic studies indicated that Pr adsorption follows a pseudo-second-order model. Scrubbing with dilute HNO₃ removed co-extracted impurities while retaining Tb in the organic phase.




Figure 1. ICP-MS recovery transfer.




Figure 11: kinetics ICP-MS temperature patterns time yttrium structure extraction oxide distribution spectra TBP selectivity coating.

XRD patterns confirmed the formation of pure La oxide after calcination at 33 °C. An aqueous-to-organic ratio of 2:1 was found optimal for Y loading. The Tb oxide nanoparticles were synthesized via adsorption and characterized by ICP-MS.

Selective separation of Nd over Sc was achieved using EHEHPA as extractant. Recovery of Ce reached 93.7% under optimized precipitation conditions. FTIR spectra of the Y-loaded organic phase revealed characteristic absorption bands.

References

- [1] Smith, G., Park, C.. Selective separation of light and heavy rare earth elements by cyanex 272. *Sep. Purif. Technol.* 2021, 322 (7), 339–510.
- [2] Brown, C., Garcia, J., Kumar, J.. Phase equilibrium in the la—d2ehpa—kerosene system. *Hydrometallurgy* 2023, 146, 104–537.
- [3] Brown, G., Tanaka, N., Brown, F.. Precipitation of rare earth oxalates from acidic leach solutions. *J. Hazard. Mater.* 2024, 151, 190–549.
- [4] Li, L., Kim, C., Zhang, B., Kumar, C.. Solvent extraction of dy from sulfate leach solution using d2ehpa. *Hydrometallurgy* 2016, 301, 112–524. DOI: 10.1016/j.seppur.2016.33747.
- [5] Smith, B., Li, M., Wang, B.. Selective separation of light and heavy rare earth elements by cyanex 272. *Miner. Eng.* 2024, 274, 298–544.
- [6] Nguyen, H., Kim, B.. Kinetics and mechanism of cerium extraction from nitrate medium. *J. Rare Earths* 2022, 264 (11), 193–570.
- [7] Garcia, G., Li, G., Kim, N.. Kinetics and mechanism of cerium extraction from nitrate medium. *Hydrometallurgy* 2024, 239, 173–509.
- [8] Kim, H., Kim, G., Nguyen, N., Brown, K.. Synergistic extraction of lanthanides with tbp and eehpa. *Miner. Eng.* 2017, 184, 306–526. DOI: 10.1016/j.jrare.2017.62434.
- [9] Wang, C., Zhang, D., Brown, L.. Thermodynamic study of y extraction by saponified d2ehpa. *Miner. Eng.* 2018, 266, 463–542.
- [10] Garcia, E., Chen, B.. Solvent extraction of er from sulfate leach solution using d2ehpa. *J. Rare Earths* 2022, 259 (5), 411–526.
- [11] Kim, L., Garcia, K.. Kinetics and mechanism of cerium extraction from nitrate medium. *Sep. Purif. Technol.* 2017, 179 (10), 159–526.
- [12] Kim, M., Park, E., Li, N.. Separation of eu and nd using hollow-fibre supported liquid membranes. *J. Alloys Compd.* 2015, 196, 250–552.
- [13] Garcia, M., Kumar, J., Wang, K.. Solvent extraction of dy from sulfate leach solution using d2ehpa. *Sep. Purif. Technol.* 2023, 327, 290–528.
- [14] Tanaka, A., Park, L., Patel, A., Kim, C.. Kinetics and mechanism of cerium extraction from nitrate medium. *J. Alloys Compd.* 2018, 188, 370–523. DOI: 10.1016/j.seppur.2018.73587.
- [15] Brown, D., Li, A., Nguyen, K.. Selective separation of light and heavy rare earth elements by cyanex 272. *Miner. Eng.* 2015, 176, 418–591.
- [16] Kim, D., Garcia, L., Nguyen, L.. Synergistic extraction of lanthanides with tbp and eehpa. *Sep. Purif. Technol.* 2024, 235, 358–549.
- [17] Brown, J., Brown, K.. Adsorption of rare earth ions onto modified mesoporous silica. *Miner. Eng.* 2016, 135 (2), 231–590.
- [18] Kumar, A., Garcia, L., Brown, H., Nguyen, E.. Precipitation of rare earth oxalates from acidic leach solutions. *Sep. Purif. Technol.* 2016, 222, 350–540. DOI: 10.1016/j.cej.2016.56096.
- [19] Tanaka, K., Nguyen, N., Patel, D., Li, N.. Phase equilibrium in the la—d2ehpa—kerosene system. *J. Rare Earths* 2024, 305, 401–502. DOI: 10.1016/j.seppur.2024.24999.
- [20] Kumar, D., Li, G.. Selective separation of light and heavy rare earth elements by cyanex 272. *Miner. Eng.* 2018, 184 (11), 323–566.
- [21] Brown, N., Park, C.. Separation of tb and sc using hollow-fibre supported liquid membranes. *Solvent Extr. Ion Exch.* 2016, 243 (11), 109–555.
- [22] Smith, C., Nguyen, B., Zhang, D., Patel, M.. Separation of nd and dy using hollow-fibre supported liquid membranes. *Hydrometallurgy* 2015, 348, 264–587. DOI: 10.1016/j.seppur.2015.67947.
- [23] Smith, C., Brown, E., Smith, E.. Synergistic extraction of lanthanides with tbp and eehpa. *J. Alloys Compd.* 2017, 299, 147–527.
- [24] Park, J., Tanaka, E.. Adsorption of rare earth ions onto modified mesoporous silica. *Sep. Purif. Technol.* 2023, 173 (3), 459–512.
- [25] Park, N., Zhang, H., Tanaka, C., Liu, F.. Recovery of ho from secondary resources via ion exchange. *Miner. Eng.* 2015, 244, 206–562. DOI: 10.1016/j.seppur.2015.54605.
- [26] Wang, C., Liu, D., Chen, E.. Recovery of dy from secondary resources via ion exchange. *Solvent Extr. Ion Exch.* 2017, 313, 487–512.
- [27] Tanaka, F., Kumar, K.. Synergistic extraction of lanthanides with tbp and eehpa. *Miner. Eng.* 2024, 257 (6), 130–590.
- [28] Li, B., Chen, D.. Synergistic extraction of lanthanides with tbp and eehpa. *J. Hazard. Mater.* 2017, 330 (12), 137–587.
- [29] Garcia, A., Kim, J., Zhang, K.. Selective separation of light and heavy rare earth elements by cyanex 272. *J. Hazard. Mater.* 2018, 170, 260–580.
- [30] Li, J., Kim, F., Smith, A., Kumar, M.. Synergistic extraction of lanthanides with tbp and eehpa. *J. Alloys Compd.* 2018, 243, 363–574. DOI: 10.1016/j.cej.2018.52771.