BIO MAGIC

A revolutionary Plant growth promoter - **Increases growth and productivity of Plants by increasing the Chlorophyll and controlling the physiological disorders.** In this world more than 95% food products are produced by using the unique natural photosynthesis process of plants. Three main factors of Photosynthesis are CO2, Sunlight & Chlorophyll, out of this Sunlight & CO2 is available in abundantly in the nature but the third factor **Chlorophyll** is lacking in plants many times due to several reasons. This results in retarded growth of root & shoots system in plant / crop. Out of several major problem is chlorosis. BIOMAGIC is made by studying all the major problems of plant and is developed by using the methods and research of Biotechnology to improve the Chlorophyll contents in plant, which ultimately increases the photosynthesis in Crop/ Plants. Main composition of BIOMAGIC is Plant Extracts, Plasticizers, Surfactants and carriers. Photosynthesis accounts for up to 90% of the plant growth. The plant produces its foods (carbohydrates) in leaves by utilizing sunlight and atmospheric carbon dioxide. Normally efficiency of photosynthesis in plant is only 0.15% as against a potential of 6%. Thus there is tremendous potential for an increase in economic yield by enhancing the rate of photosynthesis. This also improves the corresponding physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency, improved source link relationship, reduced photorespiration losses, promotes cell division and cell expansion. Protein synthesis; root initiation and development, reduces flower and fruit dropping, improves yield and shelf life of fruits and vegetables, helps to withstand stress conditions like drought, frost and attack of insect by improving immunity, improves rate of absorption of fertilizers, in case of weak, the whole plant springs back to its full potency and yielding level etc.

SPECIFICATIONS OF BIO MAGIC Spray GEL FORM:

Description	:	Viscous liquid.
Odour	:	Specific.
Storage stability	:	Minimum 24 months

Description.	Brown colored clean spray Gel form.
Solubility.	Soluble in water.
pH 10% Solution	4.5-6.5
Coagulation on heat.	No coagulation.
Total protein.	60%
Residue on ignition	10%
Total Nitrogen	3.63% estimate by Kjeldahls Method
Total Protein (N x6.38)	NLT 55% W/W S estimated by KJeldahls.
Total Plate Counts	NMT 10,000 CFU Per gram

COMPOSITION

Nicotinic acid	:	24 ppm	N	:	0.103%
Pyridoxine	:	28 ppm	P	:	01.10%
Thiamine	:	18 ppm	K	:	00.06%
Amino acids	:	5234 ppm	Mn	:	12 ppm
Proteins	:	1400 ppm	Cu	:	60 ppm
Carbodyrates	:	9800 ppm	Zn	:	245 ppm
Sachharides	:	9600 ppm			

Since the product is a botanical extraction, the content levels may vary. All the contents are derived from plant sources.

<u>How to Use:</u> Dilute BIOMAGIC Paste in separate container in water smoothly by your hand

Corporate Office :
FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-INDIA
TEL FAX : +91 79 4005 3080
Email : group@drishtiagrotech.com
info@drishtibio.com

Web : http://www.drishtiagrotech.com
PAN No : AADCD0342G
SERVICE TAX NO : AADCD0342GST001
GST TIN No : 240 7360 5802
CST TIN No : 245 7360 5802
BoB C/Ac No : 29510 20000 0300

Recommendations

Crop	Applications	Advantages
Fruit crops	• Before flowering. • After small fruit setting.	• Less flower/fruit drop. • Improved shelf life. • Better juice quality.
Cotton	• Ten days before flowering. • At the time of square formation.	• Better ball setting. • Higher yield and chlorophyll content.
Oil seeds	• 40 days after sowing. • 55 days after sowing. • 70 days after sowing.	• Improved yield. • Higher oil content in seeds • Higher weight of seeds
Vege-tables	• At the time of flowering. • At the time of fruit setting.	• Improved chlorophyll content. • Less flower/fruit drop. • Higher yield.
Pulses	• At the time of flowering. • At the time of fruit setting	• Improved chlorophyll content. • Less flower/fruit drop. Higher yield.
Cereals	• 20-30 days after sowing. • 10 days after tillering.	• Higher yield. • Higher grain weight.
Paddy	• 15-20 days after transplanting. • 10 days after tillering.	• Higher yield. • Higher grain weight.
Potato	• 30-35 days after planting.	• Improved yield.
Flowers	• Before budding. • After bud setting at an interval of 2 days.	• Intermode distance improves. • Firm petals. • Petal fall delayed. Longer life.
Coffee	• Before flowering. • At the time of fruit setting.	• Less flower / fruit drop. • Higher yield. Better aroma.
Spices	• At the time of pruning. • 10 days after first spray. • 10 days after second spray.	• Less flower and fruit drop. • Higher yield. • Better aroma.
Grape, Pomegranate, Orange, Papaya, Mango, Ber,	• Just after Flowering • 20 Days after flowering	• Less flower/fruit drop. • Improved shelf life. • Better juice quality.
Ground nut, Sunflower, Soya bean, Cotton	• 1st Before flowering • 2 nd 20 days after flowering	• Improved yield. • Higher oil content in seeds • Higher weight of seeds
Tomato, Brinjal, and Chilies, Cucurbits, Peas, Onion, Potato	• 10 days before flowering • At fruiting period 2-3	• Improved chlorophyll content. • Less flower/fruit drop. • Higher yield.
Sugar cane	• 40 days after emergence • At time of sugar formation	• Inter node distance improves. • High Sugar Content • Higher Yield
Rose, Lily, Gladioli	• Just before bud formation • After flowering, 2-3 sprays 10 days interval	• Inter node distance improves. • Firm petals. • Petal fall delayed. Longer life.
Tobacco, zinger, Turmeric	• 15 days after transplanting • After sucker removing	• Less flower and fruit drop. • Higher yield. • Better aroma.

Corporate Office :
FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-INDIA
TEL FAX : +91 79 4005 3080
Email : group@drishtiagrotech.com
info@drishtibio.com

Web : http://www.drishtiagrotech.com
PAN No : AADCD0342G
SERVICE TAX NO : AADCD0342GST001
GST TIN No : 240 7360 5802
CST TIN No : 245 7360 5802
BoB C/Ac No : 29510 20000 0300

CROP WISE USE OF BIOMAGIC: BIOMAGIC will be used at the dose of 1 gram per litres of water (300 gram per 300 litres of water is recommended per acres for best results)

Groundnut	First Spray 30 DAS, 2nd and 3rd sprays in 12 to 16 days after first spray
Paddy/ Rice	First spray 15 days after transplanting, and second spray just after weeding operations
Potato	1st spray after 15 days of germination, then afterward every 10th day 2nd & 3rd spray to be done
Chilly, Tomato, Brinjal	First spray before flowering, second & third sprays in 15 days interval. For hybrid vegetable 5 sprays are recommended
Cotton	Onset of flowering in interval of 15 days 3 sprays. For Hybrids 4 to 5 sprays are recommended
Roses & All Flowers	After Monsoon (Sept) first spray. Afterward in interval of 15 days 2 to 3 sprays
Sugarcane	After germination, after 2 months on 15 days interval 3 to 4 sprays
Grape	After Pruning on set of new shoots first spray to be done. Total 4 to 5 sprays required
Pomegranate, Mango & other fruits	As per growth of plants. Before onset of monsoon in June months in 12 to 16 days intervals 4 to 6 sprays to be done
Wheat	First spray before weeding, then on every 15 days interval 2 additional sprays recommended
Jowar, Bajri, Maize, Rajko	15 days after germination, total 3 sprays in 12 to 16 days interval
Tea	After Pruning on set of new shoots first spray to be done. Total 4 to 5 sprays required
Cumin, fennel, Fenugreek	10 days after germination, total 3 sprays in 12 to 16 days interval
Sapota, Lime, banana, etc horticultural crops	As per growth of plants. Before onset of monsoon in June months in 12 to 16 days intervals 4 to 6 sprays to be done

Benefits of Using BIOMAGIC:

- Increases Chlorophyll contents in plant
- Improves photosynthesis process in plants
- Helps plants for better intake of all essential micronutrients from soil
- Improves root & shoot development
- Improves vegetative & reproductive growth of the plant as & when required
- Increases flower development & restricts flower shedding from plants/crops
- Improves fruit setting in plants and helps in restricting fruit shedding from plants
- Improves fruit/seed size, weights and numbers
- Improves quality of produce
- Improves Oil, protein & carbohydrate contents in Ground nut
- Improves intake of nitrogen from soil to plants
- Improves Disease & pest resistance in plants by making the plants stronger
- Increases the average yield of crop by 15 to 20%
- Helps in better crop spread.
- Induces flowering and reduces flower drop.
- Improves fruit set and reduces fruit drop.
- Improves fruit size, quality and colour.
- Advances maturity and increases the keeping quality.
- Gives drought resistance.
- Thereby it increases to significant extent.

Corporate Office :
FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-INDIA
TEL FAX : +91 79 4005 3080
Email : group@drishtiagrotech.com
info@drishtibio.com

Web : http://www.drishtiagrotech.com
PAN No : AADCD0342G
SERVICE TAX NO : AADCD0342GST001
GST TIN No : 240 7360 5802
CST TIN No : 245 7360 5802
BoB C/Ac No : 29510 20000 0300

MODE OF ACTION

- Promotes uptake of macro and micro nutrients.
- Promotes enzymes activity by acting as natural stimulant
- Stimulates protein synthesis as it contains Amino Acids which are Building Blocks.
- Induces Flowering and Fruit set related hormones.
- Improves the efficiency of the pesticides and fungicides with synergism.
- Provides drought resistance by its direct action.

Bio-Magic on Tea and Vegetables

BioMagic is a Semi liquid spray fertilizer is blending of nonpoisonous plant extract with microbial fermentation material from which. Live bacterial cells are removed by filtration to obtain cell-free extracts these are further concentrated by centrifugation and vacuums drying. Subsequently, surfactants, plasticizers, conditioners and plasticizers are added (all are nonpoisonous, non-corrosive and ecofriendly) as per requirement to increase self life minerals viz. Fe, Zn, Mn, Mg, Mo are added in small quantities (self life is more then six years but expiry is tugged at 3 years). **BIO MAGIC** is a liquid spray fertilizer is blending of non-poisonous plant extract with microbial fermentation material from which. Live bacterial cells are removed by filtration to obtain cell-free extracts these are further concentrated by centrifugation and vacuums drying. Subsequently, surfactants, plasticizers, conditioners and plasticizers are added (all are nonpoisonous, non-corrosive and ecofriendly) as per requirement to increase self life minerals viz. Fe, Zn, Mn, Mg, Mo are added in small quantities (self life is more then six years but expiry is tugged at 3 years).

Mode of action:- Microorganisms release siderophores and other material in the media. Siderophores have been regarded as best chelators for +vely charged ions and are highly effective even in minute quantities. Main target of this product is to optimize enzymatic activities of the sprayed plant foliage and increase chlorophyll contents with concomitant increase in net photosynthetic rate, which help in increasing production. Main harvesting limit in tea being tender leaves there is a marked increase in number and quantity of leaves. Because of increased enzymatic activity improvement of traits like aroma, length, colour etc of finished product. No of pickings also increase and expected increase in yield is approximately 20%.

BIO-MAGIC on Field Crops & Food Grains

1. Cotton is considered to be silent suffer of chlorosis. As a result of which there is considerable reduction yield. In our trials in cotton crops following growth parameters improved.
2. Increase in height and overall growth 10% to 20 %.
3. Increase in no of flowers with the increase in flower to boll ratio this is a resultant effect of increase in no of sympodial branches (fruit bearing branches).
4. Plant attains tolerance to xanmonas attack.
5. There is an overall reduction in fungal attack also.
6. There is overall increase in yield by 20%.
7. Spray schedule: First spray just before time of square formation (i. e. 45 days after showing) three more spray after a gap of 12-15 days each

BIO-MAGIC on Sugarcane

1. Surveys indicate that 40% of world's soil is calcareous in nature and sensitive crops grown in such soils are predisposed to Fe-deficiency chlorosis. One of the main reasons such a condition is non-availability of micronutrient at ph 7 and above because of high carbonate content.
2. When any crop suffers from Fe deficiency its first symptom is reduction of chlorophyll depending on the severity of the disease, resultant effect is short supply of photosynthate with net reduction in photosynthesis. In several research trials it has been observed that lack of optimum chlorophyll during the stage of sugar formation affects the sugar content in cane.
3. In our country many sugarcane-growing areas are having problem of low sugar content and low yield. Trials of **Bio-Magic** have given very encouraging result in sugarcane crop.
4. Following results justify it.

Corporate Office :
FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-INDIA
TEL FAX : +91 79 4005 3080
Email : group@drishtiagrotech.com
info@drishtibio.com

Web : http://www.drishtiagrotech.com
PAN No : AADCD0342G
SERVICE TAX NO : AADCD0342GST001
GST TIN No : 240 7360 5802
CST TIN No : 245 7360 5802
BoB C/Ac No : 29510 20000 0300

   a. Germination and tillering increased
   b. Number and diameter of nodes increased
   c. Number of millable canes increased
   d. CCS % were increased
   e. Yield increased about 10% to 12%
5. Method of use
   a. Before planting sets should be dipped in **Bio-Magic** for about 3 hours (one liter of **Bio-Magic** diluted into 200 liter water).
   b. After three months of planting four sprays of 0.5% of **Bio-Magic** at the interval of 12 to 15 days.

GENERAL INSTRUCTION's FOR ALL PRODUCTS

Product Safety

The product is completely safe to use around humans and foodstuffs in locations like homes, offices, restaurants, hotels and food processing facilities. Consuming either the product or yield crop sprayed with BIOMAGIC will not harm pets such as dogs, cats and birds or non-targeted wildlife. BIOMAGIC can be safely used in the field without the danger of secondary poisoning of people, livestock, poultry, pets, wildlife or birds. BIOMAGIC is effective for the control of Physiological Disorders of any crop plant. Perfect for use in Agriculture, Landscape gardening, forestation, etc..

SPRAY COVERAGE : Good spray coverage is essential for adequate results. Spray equipment must be clean and operating at peak efficiency. The proper configuration of nozzles for good coverage must be utilized in order to wet both sides of the leaves and other affected areas. Spray in the evening or early morning hours to improve the effectiveness, as the spray droplets do not dry out quickly.

PHYTO-TOXICITY : Over dose of formulations that contain fatty acid salts may cause a burn on the foliage of some sensitive plants. A small spray strip should be applied and observed before a full-scale application is made if there is a question concerning sensitivity.

PRODUCT SAFETY : Though all these formulation are least toxic, it should be used with caution. Some of them may cause skin irritation and temporary eye injury. Wear protective gears when handling. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. If in eyes, hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. If on skin, wash with plenty of soap water. Get medical attention. Environmental Hazard: Do not contaminate water by cleaning equipment.