PRODUCT CATALOG OF DBPL

DRISHTI BIOTECH

Promoted By

1. **RAJESH JHA** – **Managing Director** - A AGRICULTURE AND MANAGEMENT GRADUATE WITH 16 YEARS PROVEN EXPERTISE IN AGRIBUSINESS INSTITUTIONAL BUSINESS SECTOR
2. **RAKESH JHA** – **Chief Executive Officer** -A AGRICULTURE AND MANAGEMENT GRADUATE WITH 12 YEARS PROVEN EXPERIENCE OF MARKETING IN AGRIBUSINESS SECTOR IN AGROCHEMICAL, SEED BUSINESS, COMMODITY BUSINESS AND FINANCE BUSINESS.
3. **DHIRENDRA VAISHNAV** – **Executive Director – Seed Business** - AGRICULTURE AND MANAGEMENT GRADUATE WITH 34 YEARS PROVEN EXPERIENCE IN SEED BUSINESS IN INDIA.
4. **JAIMIN PATEL** – **EXECUTIVE DIRECTOR**- SCIENCE AND MANAGEMENT GRADUATE WITH 8 YEARS EXPERIENCE IN COMMODITY AND INSURANCE BUSINESS.

.

Our Associated Companies

- Shubham Agribusiness & Financial Solution – Ahmedabad
- Chinmay Raj Biotech Pvt Ltd- Ahmedabad
- Scorpion Biotech Company – Ahmedabad
- Chandel Agribusiness solutions Pvt Ltd- Delhi
- Ambica Properties- Ahmedabad

Registration Details

Web :	http://www.drishtiagrotech.com
CIN No :	U01111GJ2008PTC055551
PAN No :	AADCD0342G
TAN No :	AHMD05014C
SERVICE TAX NO :	AADCD0342GST001
IEC Code :	080 8019 805
GST TIN No :	240 7360 5802
CST TIN No :	245 7360 5802
BoB C/Ac No :	**29510 20000 0300**
ICICI Bank Current Account No :	**006405500033**

Product Range

- **Products from Biotech Division:** Drishti Magic , DRISHTIMAZER, Amazer, BioMagic ,Akti M3 Liquid, Green Magic ,Akti Gold H, Shaarp MB, Shaarp killer, Shaarp Shakti , Shaarp WF etc.
- **Products from seeds Division:**
  - **Field crop seeds:** Sesamum Seed, Maize, Bajra, Castor, Cotton, Rape Seeds
  - **Fodder Seeds:** Sorghum, African Tall Maize, Lucerne
  - **Vegetable Seeds :** Okra ,Hot pepper, Tomato, Cluster Bean, Coriander, Onion
- **Products of Commodity Division:** Wheat Paddy, Rice, Soyabean, Ground Nut in Shell, Jeera, Pulses, etc.
- **Products for Crop Protection:** Endosulfan, Monocrotophos, Imidacloprid, Chlorpyriphos, Glyphosate, Acephate etc

We , Drishti Biotech Pvt. Ltd.(DBPL), are a sister concern of JR Group Of Companies . we are a professionally managed company engaged in multiple activities of manufacturing , production and selling of Agri- Products such as Bio-Pesticides , field crop seeds, fodder seeds , Crop Growth Promoters, Vegetable Seeds , Agro –chemicals , Agri Commodities and Agribusiness Consultancy and services (ABCAS).

Our motto is to offer end to end solution to our clients, we have modern factories , one Godown and three offices in India to well facilitate our clients with our premium products. Currently, we are serving in five states including Gujarat , Maharashtra, Rajasthan, M.P. and Karnataka .Our skilled Agricultural and Biotechnology experts and scientist offer expert solutions for issues related to all agricultural & Agribusiness needs in highly professional & Competent ways to meet the customer expectation. Our mission is to become a world class service provider and supplier in the agri-business sector by offering an end to end solution package for the entire farming community to make them the stakeholders of the Agri business by changing their impression of traditional farmer, so that it can reap more production. This in turn would enable them to become stake holders and part of larger interest groups.

Agribusiness Consultancy & Services:

- Agrochemical and Seed business marketing supports like C&F, Institutional Business, Channel Management, Promotion, Brand Management, Manpower Training and recruitments for corporate
- Bulk Procurement and Supply of Agri commodities like Wheat , Paddy, RM Seed ,Castor Seed , Soyabean ,Ground nut, Maize etc. from Gujarat MP,CG,MS, Bihar, UP, etc.
- Liasioning for Bulk & institutional Trade of Agri Commodities, Agri inputs & finance
- Contract Farming and Process Management of any Agri Produce like Medicinal Plants, Vegetables, Fruits and field crops
- Farm advisory and farmer services for socio economic development of rural farmers

DRISHTI BIOTECH PVT LTD

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola Science City Road,
Sola, Ahmedabad 380061-GUJ-INDIA
Contact Number : +91 93745 70561
Email : Group@drishtiagrotech.com

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

ABOUT US:

Drishti Biotech Pvt Ltd (DBPL) provides Outsourced Business Development & Sales Services; An innovative model for optimal business performance at a minimal cost in the promising Indian Rural marketplace. Our major advantage is that we deliver the results by taking total responsibility for the entire business process from the first conversation until a profitable deal is done. We have the experience, the interdisciplinary expertise, the high-value contacts and the professional integrity to take you where you want to go, and even further. **For optimal & cost-effective** Business development and sales in Rural India DBPL presents an ingenious and innovational business model: **outsourcing** your business development and sales activities, to obtain the best performance at a minimal cost. As your commercial & executive arm in Rural India, DBPL will adopt your agenda as its own, and stay with you for as long as you need. We at DBPL have the professional expertise, extensive knowledge base and vast local contacts to attain maximized business results - **relieving you** of the cumbersome (and costly) maintenance of self-operations in rural India. You'll set the goals, fix the time frames and determine the budgets, and we'll perform the tasks you specify: from initial market evaluation, through finding the right local associates, all the way to obtaining the best business results in the Indian rural market. DRISHTI BIOTECH PVT LTD was conceived and established by **Rakesh Jha**, a Agri business development and sales expert with over 12 years of experience in a range of tasks and missions: creating new market segments, attracting strategic customers, establishing and running successful business ventures, working with the biggest Indian corporations and building lucrative bonds between Small and Big enterprises. DRISHTI BIOTECH PVT LTD was founded upon a sound, extensive basis of professional experience and know-how in the vast fields of business development, sales and marketing. Team is experienced of nearly two decades of multifaceted activities in Agri business like Commodity Trading, Seed Production, Seed Marketing, Agrochemical Marketing, rural marketing, Agri finance and Banking etc.; DRISHTI BIOTECH PVT LTD has acquired thorough knowledge of the local marketplace, numerous beneficial contacts, and an all-inclusive view of the intricate Indian business.

Quality Assurance:

Customers buy benefit and not products. Drishti Biotech Pvt Ltd. With its products and services sells benefit to its customers. The hardworking committed and disciplined staff that we have ensures that our clients get quality norms and standards are followed during the production process. We use quality raw materials to manufacture Agri-products so that customers can avail nothing but the best. Our firm belief is that quality is remembered longer. With our apt solutions, we cater almost all kinds of requirements of the market. Thus, we assure customers that our range of Agri- products is of world-class quality.

Infrastructure

Manufacturing bio-products requires big paraphernalia, including labs and dealing centres. We, Drishti Biotech Pvt Ltd, have two factories situated at VU Nagar & Khatraj. One Central Godown situated at Sarkhej and three offices situated at Ahmedabad, Delhi & Indore in India. We are based in the commercial city of Ahmedabad. We have full – challenges manufacturing units and office setups to effectively handle and meet rising challenges in Agri –business.

Our Associated Companies:

- **Shubham Agribusiness And Financial Solutions - Ahmedabad**
- Chinmay Raj Biotech Pvt Ltd- Ahmedabad
- Scorpion Biotech Company – Ahmedabad
- Chandel Agribusiness solutions Pvt Ltd- Delhi
- JR Enterprises – Ahmedabad

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

- Ambica Properties- Ahmedabad

Services Offer from Drishti Biotech P Ltd:

- ✓ Contract Farming for High Value Agri Produces like Medicinal Plants, Vegetable, Fruits, Flowers, Seed production etc.
- ✓ Survey and planning for better Farm land utilisation and cropping Systems
- ✓ Farm and farmer Advisory for agronomy practices, input management, farm management, quality management, Organic certification, Farm Mechanisation, Farm Accounting, commodity marketing systems by training and support
- ✓ Preparation of PPR and DPR for any Agriculture related project and its implementation in farm.
- ✓ Preparation of annual and monthly business plan, sales plan, procurement plan and supply plan for corporate for agri inputs and agri commodities
- ✓ Arrangements of Project finance, Secured working capital Funding, and need based fund through member banks on most competitive deal for both bank and client by proper deal structuring.
- ✓ Promote F & V cultivation through ideal technical support, arranging need-based inputs and financial support from various institutions/banks in the identified production areas.
- ✓ Monitor and ensure minimum operational losses at different stages of handling F & V.
- ✓ Provide with all daily, weekly and monthly reports as a part of MIS reports to be furnished to the management.
- ✓ Will execute the Agriculture based EDP programme, coordinate with Govt., Bank NABARD officials, Laisoning & networking with agencies, Formulation & sanction of DPR's, design & execute of long duration EDP training programmes & Will assist in Executive Development Programs and handle consulting assignments relating to life sciences sector especially in the area of food and agribusiness
- ✓ Will prepare business plans for agri business companies in the area of input supplies, post harvest processing and farm management services segment & to prepare strategic plans for the Government sponsored projects
- ✓ Will support Setting up a new plant, its administration & supervision and its overall profitability and growth.
- ✓ Representing the client organization at government, industry and agriculture forum.
- ✓ Training to the farmers, laying down demonstrations, liaison with Govt. Officials, University scientists and Extension of new agriculture technology to the farmers.

Product Range:

We manufacture a wide range of bio-products that lead to optimized production of crops. Our quality products incl-

- **Products from Biotech Division:** Drishti Magic , DRISHTIMAZER, Amazer, BioMagic ,Akti M3 Liquid, Green Magic ,Akti Gold H, Shaarp MB, Shaarp killer, Shaarp Shakti , Shaarp WF , Dhan varsha etc.
- **Products from seeds Division:**
  - **Field crop seeds:** Wheat –Drishti Suruchi, paddy-Drishti Shalimar, Drishti Guj-2, Maize –Drishti 121, Bajra – Drishti 4444, Castor- Drishti Avinash Cotton- Drishti 505, Rape Seeds – Drishti Zenith Black etc.
  - **Fodder Seeds:** Sorghum- Drishti Red Seeds – Drishti Red Diamond, African Tall Maize, Lucerne
  - **Vegetable Seeds :** Okra –Drishti -707,Hot pepper- Drishti 555, Tomato-Drishti 111,Cluster Bean-Drishti 999, Coriander S – Drishti Jinnat , Onion Seed- Drishti Selection 1 etc.
- **Products of Commodity Division:** Wheat Paddy, Rice, Soyabean, Ground Nut in Shell, Jeera, Pulses, etc.
- **Products for Crop Protection:** Acetamaprid 20% SP, Carbendazim 50%, Thiram 75% WS, Imidacloprid17SL etc
- **Agribusiness Consultancy & Services:**
  - Bulk Procurement of Agri commodities like Wheat , Paddy, RM Seed ,Castor Seed , Soyabean ,Ground nut, Maize etc. from Gujarat , Rajasthan , MP,CG,MS, Bihar, UP, etc. from Farmers or Trade.
  - Bulk supply of Agri Commodities like pulses, Rice, Wheat, Paddy, RM Seed, Soyabean, Jeera, Fennel,
  - Liasioning for Bulk & institutional Trade of any Agri Commodities as well as Agri inputs.
  - Contract Farming and Process Management of any Agri Produce in the state of Gujarat , RJ, MP, MS

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

Our Main focus is value creation in supply chain through

1. Technology Solutions for Indian Agriculture
2. Sourcing agri products for retail chains from low cost base through contract farming
3. Sharing real time information on commodity
4. Food processing technology solutions
5. Sourcing talent from India for global Agri Business

Indian agriculture offers a wide range agri supply chain solutions throughout its supply chain like Input Management, Crop Management, Harvesting & Storage solutions, Food processing and retailing solution etc. Our objective is to improve the productivity across value chain and create more value to all stake holders in the supply chain. This also helps us to showcase Indian Agriculture to the world.

In current supply chain too many non value adding layers exists between farmer and end customer and leads to supply chain local optimization. Because of local optimization in the supply chain, Indian Agriculture is not competitive in the global Markets. Due to many non value adding layers in the supply chain, the decoupling point drifts away from the producer. Our focus is to bring decoupling point towards producer and make Indian Agriculture more agile to the global market conditions.

Detail list of Product & Services:

1. Agri Input Sourcing – Seed/ Fertilizer/ Pesticide at less cost
2. Crop Management through 24 x 7 service centres
3. Harvesting & Storage Solutions
4. Food Processing – identifying food technology Solutions – Match making
5. Retail Services – Sourcing, Packaging, Transporting & Marketing Agri Products across the globe
6. Quality Improvement Services
7. E procurement through spot Exchanges
8. Agri finance and Banking Services
9. Agri Insurance Services
10. Real time weather reporting services
11. Agri Jobs.

Value Added services:

1. Reduce Input cost through e commerce/ Online Inputs procurement
2. Capturing market trends through online surveys and advise farmers to market needs
3. Create regular Supply to retail chains
4. Reduce Bullwhip effect in supply chain
5. Single window concept to all Agricultural activities
6. Expert advice on crop management / Post harvesting/ Transportation/ Food processing/ Quality Services
7. Online Marketing – Locating the customer
8. Support for commodity Trading
9. Demand forecasting for Agri Commodities

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

1. BIO MAGIC

A revolutionary Plant growth promoter - **Increases growth and productivity of Plants by increasing the Chlorophyll**

In this world more than 95% food products are produced by using the unique natural photosynthesis process of plants. Three main factors of Photosynthesis are CO2, Sunlight & Chlorophyll, out of this Sunlight & CO2 is available in abundantly in the nature but the third factor **Chlorophyll** is lacking in plants many times due to several reasons. This results in retarded growth of root & shoots system in plant / crop. Out of several major problem is chlorosis. BIOMAGIC is made by studying all the major problems of plant and is developed by using the methods and research of Biotechnology to improve the Chlorophyll contents in plant, which ultimately increases the photosynthesis in Crop/ Plants. Main composition of BIOMAGIC is Plant Extracts, Plasticizers, Surfactants and carriers.

Benefits of Using BIOMAGIC:

- Increases Chlorophyll contents in plant
- Improves photosynthesis process in plants
- Helps plants for better intake of all essential micronutrients from soil
- Improves root & shoot development
- Improves vegetative & reproductive growth of the plant as & when required
- Increases flower development & restricts flower shedding from plants/crops
- Improves fruit setting in plants and helps in restricting fruit shedding from plants
- Improves fruit/seed size, weights and numbers
- Improves quality of produce
- Improves Oil, protein & carbohydrate contents in Ground nut
- Improves intake of nitrogen from soil to plants
- Improves Disease & pest resistance in plants by making the plants stronger
- Increases the average yield of crop by 15 to 20%

How to Use: Dilute BIOMAGIC Paste in separate container in water smoothly by your hand

CROP WISE USE OF BIOMAGIC: BIOMAGIC will be used at the dose of 1 gram per litres of water (300 gram per 300 litres of water is recommended per acres for best results)

Groundnut	First Spray 30 DAS, 2nd and 3rd sprays in 12 to 16 days after first spray
Paddy/ Rice	First spray 15 days after transplanting, and second spray just after weeding operations
Potato	1st spray after 15 days of germination, then afterward every 10th day 2nd & 3rd spray to be done
Chilly, Tomato, Brinjal	First spray before flowering, second & third sprays in 15 days interval. For hybrid vegetable 5 sprays are recommended
Cotton	Onset of flowering in interval of 15 days 3 sprays. For Hybrids 4 to 5 sprays are recommended
Roses & All Flowers	After Monsoon (Sept) first spray. Afterward in interval of 15 days 2 to 3 sprays
Sugarcane	After germination, after 2 months on 15 days interval 3 to 4 sprays
Grape	After Pruning on set of new shoots first spray to be done. Total 4 to 5 sprays required
Pomegranate, Mango & other fruits	As per growth of plants. Before onset of monsoon in June months in 12 to 16 days intervals 4 to 6 sprays to be done
Wheat	First spray before weeding, then on every 15 days interval 2 additional sprays recommended
Jowar, Bajri, Maize, Rajko	15 days after germination, total 3 sprays in 12 to 16 days interval
Tea	After Pruning on set of new shoots first spray to be done. Total 4 to 5 sprays required
Cumin, fennel, Fenugreek	10 days after germination, total 3 sprays in 12 to 16 days interval
Sapota, Lime, banana, etc horticultural crops	As per growth of plants. Before onset of monsoon in June months in 12 to 16 days intervals 4 to 6 sprays to be done

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

2. AMAZER

(A high end plant growth promoter)

AMAZER, is a biotechnological technical product developed by Drishti Biotech Pvt Ltd. AMAZER is actually derived from Seaweed *Ascophyllum nodosum* with special fermentation process which contain readly to use natural nutrients like gibbrellines, auxin, enzymes, vitamins, cytokinins and other minerals to be used for liquid growth promoter for foliar spray. AMAZER is a unique product with very low dosage is needed for large crop cultivation area.

Ingredients : *Ascophyllum nodosum* 22 %, Protein hydrolysate (60%) 9 %, Alloe vera (88%) QS with other adjuvants.

AMAZER is eco-friendly, non-toxic, non-chemical, organic storehouse of naturally occurring growth-promoting substances in a very concentrated form. The Cytokinins, Auxins and Gibbellines with other are in natural form and are readily assimilated which helps to improve cell division and cell enlargement thus resulting in better chlorophyll content and increased production. The constitutes of AMAZER induces faster and vigorous development of root mass which in turn improves the suction of previously unavailable nutrients and other substances from soil for the plant to use. Gibberellins, Enzymes and Hydrolysed protein helps in cell growth and break down of complex molecules in to simpler ones which can be utilized by plants and also improves the soil microbe activity.

AMAZER is a natural plant food, which can be applied as a foliar feed, soil application, root dip or seedling dip or as a seed treatment. This type of application enables plant to receive direct benefits when the plant needs them especially at the time of Biomass development, Vegetative growth, C/N ratio differentiation, reproductive stage and Maturity.

Benefits : Useful for all the crops as Plant growth promoter, it increases the root development, nutrient uptake capacity, retention of flowers and fruits, fruits are bigger and shining that produce keeping quality. Very low dose per acre.

Dosage : 3 to 5 ml per 15 lits of water (100 ml per 300 lits of water)

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

3. DRIMAZER:

APPLICATION : As premium growth stimulant.

GENERAL: This formulation is a combination of high quality marine protein, chelated B vitamins and nutrients from rare herbs. The product is a unique and energy packed one that can enhance the growth uniformly resulting in higher crop output.

Description	:	Light cream colour powder / Black liquid
Odour	:	Specific.
Solubility in water	:	Complete.
pH	:	6-8
Shelf life	:	36 months.

COMPOSITION

Soluble solids, containing plant extracts, proteins, carbohydrates and inherent nutrients derived from fish & vegetable source and B vitamins.	:	32%
Media (stabilizers, preservatives and aqueous diluent)	:	68%

BENEFITS

- Promotion of cell division and cell elongation, protein synthesis; root initiation and development.
- Improves yield and shelf life of output.
- Helps to withstand stress conditions.
- Improves rate of fertilizer absorption.
- Helps growth retarded plants to spring into its full potency and yielding level.

DILUTION : 2 ml per liter of water.

Recommendations

Crop	Applications	Advantages
Fruit crops	• Before flowering. • After small fruit setting.	• Less flower/fruit drop. • Improved shelf life. • Better juice quality.
Cotton	• Ten days before flowering. • At the time of square formation.	• Better ball setting. • Higher yield and chlorophyll content.
Oil Seeds	• 40 days after sowing. • 55 days after sowing. • 70 days after sowing.	• Improved yield. • Higher oil content in seeds • Higher weight of seeds
Pulses	• At the time of flowering. • At the time of fruit setting	• Improved chlorophyll content. • Less flower/fruit drop. Higher yield.
Cereals	• 20-30 days after sowing. • 10 days after tillering.	• Higher yield. • Higher grain weight.
Flowers	• Before budding. • After bud setting at an interval of 2 days.	• Intermode distance improves. • Firm petals. • Petal fall delayed. Longer life.
Spices	• At the time of pruning. • 10 days after first spray. • 10 days after second spray.	• Less flower and fruit drop. • Higher yield. • Better aroma.

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

4. DRIMAGIC

APPLICATION : As growth supplement for better crop output.

GENERAL INFORMATION: A hydrolysate of nutrients from certain plants produced employing a unique multi-level still fermentation technology. It contains a host of substances that help in uniform growth of plants with substantial increase in crop output. The product is organic.

Description	:	Black colour liquid / off white powder.
Odour	:	Specific
Specific gravity	:	1.03
Solubility in water	:	Complete.
pH	:	5-8
Storage	:	48 months.

COMPOSITION

Nicotinic acid	:	24 ppm	N	:	0.103%
Pyridoxine	:	28 ppm	P	:	01.10%
Thiamine	:	18 ppm	K	:	00.06%
Amino acids	:	5234 ppm	Mn	:	12 ppm
Proteins	:	1400 ppm	Cu	:	60 ppm
Carbodyrates	:	9800 ppm	Zn	:	245 ppm
Sachharides	:	9600 ppm			

Since the product is a botanical extraction, the content levels may vary. All the contents are derived from plant sources.

MODE OF ACTION

Nicotinic acid, Pyridoxine & Thiamine	These ingredients promote metabolism, causes physiological reactions and protect chlorophyll level. Helps in breakdown of carbohydrates and proteins.
Amino acids – L-Lysine and Proteins	Plants assimilate L lysine amino acid, one of the essential amino acids for pollination. It increases the pollen germination and the length of the pollen tube. Proteins have structural metabolism transport and amino acid stock function.
Carbohydrates / Sachharides	Promotes photosynthesis. Provides energy through metabolism pathways.

DILUTION: 2 ml per liter of water.

Recommendations

Crop	Applications	Advantages
Fruit crops	• Before flowering. • After small fruit setting.	• Less flower/fruit drop. • Improved shelf life. • Better juice quality.
Cotton	• Ten days before flowering. • At the time of square formation.	• Better ball setting. • Higher yield and chlorophyll content.
Oil Seeds	• 40 days after sowing. • 55 days after sowing. • 70 days after sowing.	• Improved yield. • Higher oil content in seeds • Higher weight of seeds
Pulses	• At the time of flowering. • At the time of fruit setting	• Improved chlorophyll content. • Less flower/fruit drop. Higher yield.
Cereals	• 20-30 days after sowing. • 10 days after tillering.	• Higher yield. • Higher grain weight.
Flowers	• Before budding. • After bud setting at an interval of 2 days.	• Intermode distance improves. • Firm petals. • Petal fall delayed. Longer life.
Spices	• At the time of pruning. • 10 days after first spray. • 10 days after second spray.	• Less flower and fruit drop. • Higher yield. • Better aroma.

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

5. DRIMINO

APPLICATION : As a growth regulator.

GENERAL: The amino acids are manufactured employing indigenously developed yet sophisticated fermentation method. The amino acids are in the L form and are biologically pure and are in Free State. The active nature of amino acids helps it to get chelated and absorbed in the plant system. It consists of all essential amino acids. Amino Acid is an organic nutritional product derived from vegetable source (SOYA) required for plant growth promotion and for higher yields. It promotes hormonal activity and induces their synthesis resulting into flowering and fruit setting. It also reduces the flower and fruit drop caused by hormonal imbalance. It enhances nutritional uptake and their utilization which improves the colour, size, luster and taste of fruits. It also improves keeping quality. It is an ideal product to resist from adverse conditions. The foliar application enables the plants to receive direct benefits from naturally balanced nutrients / growth stimulating substances when they are needed by the plants especially at the time of stage differentiation. It is extracted from naturally occurring cereal protein source, the most biologically active for crops as a source of protein.

Description	:	Dark brownish yellow colored powder.
Odour	:	Specific, spicy.
Solubility in water	:	Complete (99%).

COMPOSITION

Total free amino acids	:	50% w/v (+-).
Loss on drying	:	05% max
Organic nitrogen	:	6.0% w/v
NH CL	:	45% w/v max
Chloride	:	1.5% w/v max.
Ash	:	04% w/v max
Storage stability	:	3 years.

Amino Acids	*g/100g protein *(an approximate table)*		
L-Alanine	2.20	L-Arginine	5.20
L-Aspartic Acid	3.45	L-Cysteine	2.45
L-Glutamic	9.12	L-Glysine	2.43
L-Hystidine	0.90	L-Isoleucine	1.70
L-Leucine	2.80	L-Lysine	2.30
L-Methionine	0.23	L-Phenylalanine	1.78
L-Proline	3.50	L-Serine	4.49
L-Threonine	3.56	L-Tyrosine	1.02
L-Valine	3.10		

Mode of Action

- Promotes uptake of macro and micro nutrients.
- Promotes enzymes activity by acting as natural stimulant
- Stimulates protein synthesis as it contains Amino Acids which are Building Blocks.
- Induces Flowering and Fruit set related hormones.
- Improves the efficiency of the pesticides and fungicides with synergism.
- Provides drought resistance by its direct action.

DILUTION : 2-3 gms per litre of water.

Application:

Foliar Application	:	2-3 gms / litre of water
Soil Application	:	Dilute it as 1:3000-4000 in water.

It can be mixed with most nutrient solutions and pesticides. Nevertheless make a miscibility test before first application.

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

6. DRIBT

APPLICATION : As special growth supplement for Bt. Cotton.

GENERAL: DRIBT is a specialty formula made to fulfil the high nutritional demand by Bt cotton. The nutritional requirement by Bt. cotton is high compared to standard cotton. Growth of Bt. cotton is vigorous demanding more nutrition. Additional supply of nutrition is necessary to improve the Bt. gene efficacy. DRIBT is a truly novel formula manufactured by combining botanical nutrients, marine protein and animal protein employing certain scientific as well as traditional methods, to obtain optimum crop output.

Description	:	Dark brown colour liquid / black liquid
Odour	:	Specific
Solubility in water	:	Complete
pH	:	6-8
Shelf life	:	36 months.

COMPOSITION

Soluble solids, containing plant Extract, proteins, carbohydrates And inherent nutrients Contained in products of Vegetable, fish and animal Origin	:	30%
Stabilizers, preservatives and Aqueous diluents	:	70%

BENEFITS

- Improved plant vigor.
- Better Bt gene expression.
- Uniform and increased boll size in cotton.
- Better drought tolerance and resistance to diseases.

DILUTION : 2 ml per litre of water.

RECOMMENDATION : As a special spray for Bt grade cotton.

7. DRIZYME

APPLICATION : To be used to incorporate in soil application bentonite granules.

GENERAL

The formulation is in line with BF1, but in a suitable form to be incorporated in bentonite granules.

Description	:	Black colour liquid.
Odour	:	Specific
Specific gravity	:	1.03
Solubility in water	:	Complete.
pH	:	5-8
Storage	:	48 months.

Note : On purchase, we will provide details of manual method of processing bentonite granules with DRIZYME.

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

8. DRISTICKER

APPLICATION : A wetting and sticking agent.

GENERAL INFORMATION: A unique wetting and sticking agent made of soluble polymers and surfactants to enhance compatibility with a broad spectrum of agricultural chemicals over wide varieties of water qualities

Description	:	White colour liquid.
Odour	:	Specific.
Storage stability	:	Minimum 36 months

COMPOSITION

Soluble Polymers & surfactants	:	90.00% v/v min.
Other ingredients	:	10.00% v/v max.

PROPERTIES

1. Stable formula.
2. With lesser surface tension, it enables free flow of spray liquid by allowing droplets to stretch out on the target surface, thereby giving better coverage.
3. It holds the spray fluid for a longer period of time on leaves and plant surfaces.
4. Non-toxic even at higher concentration.
5. With low vapour pressure, it reduces the evaporation losses.
6. Enhances performance of fungicide and insecticides.
7. Compatible with all commonly used insecticides, acaricides and fungicides.

DOSAGE : 1 ml per litre of water.

USAGE: Prepare the pesticide spray solution followed by addition of this spreading and sticking agent. Ensure that the entire solution is mixed properly to get a homogeneous solution before spraying.

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

9. DRIFUNGI

APPLICATION : An effective alternative to synthetic fungicides.

BIO-EFFICACY : University of Agricultural Sciences at Bangalore has successfully evaluated the performance of this formula. (Report will be made available on demand.)

GENERAL INFORMATION

Alkaloids are synthesized by certain plants, which are 'potential natural *insecticides*'. This formulation contains a complex of alkaloids isolated from adhatoda vasica and lantana camara employing indigenously developed extraction technology. Surface-active agents and carbonates help the formulation enhance its efficacy when applied.

Description	:	Grey/off-white powder / clear liquid
Odour	:	Specific.
Storage stability	:	Minimum 24 months

COMPOSITION

Complex of alkaloids (Min.)	:	01.00%
Surface active agents & Carbonates (Max.)	:	99.00%

MODE OF ACTION

The formulation disperses, spreads and activates. Alkaloids are physiologically active. It blocks the metabolic functions of pathogens, thereby rendering them lifeless. The surface-active agents help the spray spread evenly and activate the functions of alkaloids. It also helps the spray remain active for longer time. Apart from the above, the growth promoting substances in the botanical nutrients work as a tonic rejuvenating the effected plants instantly to a healthy and productive state. It acts as protective as well as curative. Applications should be repeated regularly to replace the formulation that has been washed or braded away and to protect foliage produced since last application.

DILUTION : 2-3 gms / ml per litre of water depending on the infestation rate.

RECOMMENDATION

Crop	Application	Targets
Paddy	2-3 applications 25-30 days after transplanting; repeat after one month	Leaf spot, blast, bacterial leaf blight.
Chilies	3-4 applications 30 days after transplanting; repeat after 30 days.	Leaf spot, leaf curling, powdery mildew.
Tomato	3-4 applications	Leaf spot, damping off.
Potato	2-3 applications.	Late blight.
Grapes	3-4 applications.	Powdery mildew.
Mango	2 applications.	Powdery mildew.
Pomegranate	3-4 applications.	Leaf spot, fruit rot, bacterial wilt.
Vegetables	3-4 applications.	Leaf spot, fruit rot, powdery mildew.
Spices	2-3 applications.	Capsule rot, root rot, wilt.
Floriculture	2-3 applications.	Powdery mildew.

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

10.DRIDM:

APPLICATION : As anti-fungal agent that controls diseases like Downy mildew etc.

BIO-EFFICACY: Satisfactory results were obtained during the bio-efficacy trials by the research wings

GENERAL INFORMATION: It works based on a synergistic effect by various components that provide a methodological control of the causal organisms. The contributive ingredients are alkaloids sourced from plant sources that are physiologically active, soluble polymers, sulphonated natural oils, salt of fatty acids and hydroxyl derivatives of aromatic hydrocarbons.

Description : Dark Red liquid
Odour : Specific.
Storage stability : Minimum 24 months

COMPOSITION
A suspension of alkaloids, soluble polymers, sulphonated natural oils, salt of fatty acids and derivatives of aromatic hydrocarbons. : 100.00%

MODE OF ACTION
The formulation disperses, spreads and activates. Alkaloids are physiologically active. It blocks the metabolic functions of pathogens, thereby rendering them lifeless. The surface-active agents including salt of fatty acids and sulphonated natural oils help the spray spread evenly helping to cover the affected areas and to activate the functions of alkaloids. The hydrocarbon derivatives burn the body tissues of the organisms. It also helps the spray remain active for longer time. It acts as protective as well as curative. Applications should be repeated regularly to replace the formulation that has been washed or braded away and to protect foliage produced since last application.

DILUTION : 2 ml per litre of water depending on the infestation rate.

RECOMMENDATION

Crops	*Targets*
Vegetables, chilli, grapes, beans, potato, tomato, onion, apple etc.	*Downy mildew, Leaf curl, late blight and early blight.*

CONTROL: Application of DRIDM controls DM and other such diseases effectively.

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

11. DRIANTIFID

APPLICATION : As antifeedant for chewing and sucking pests.

BIO-EFFICACY: Satisfactory results were obtained during the bio-efficacy trials by our research wings

GENERAL

It is an effective formula to control chewing and sucking pests on cereal and similar crops, based on natural bitters and castor extract incorporated in surfactant media. There is no toxic ingredient in the formula and as such it is totally safe to human, pets and the environment. It effectively controls BROWN PLANT HOPPER on paddy.

Description	:	Viscous liquid.
Odour	:	Specific.
Storage stability	:	Minimum 24 months

COMPOSITION

Natural bitters suspended in natural oils	:	25.00% (min.)
Salts of unsaturated aliphatic carboxylic acids	:	25.00% (min.)
Emulsifiers & media	:	50.00% (max.)

MODE OF ACTION: Insects do not feed on the crop due to its antifeedent properties and they leave the plants quickly

DILUTION : 3 - 4 ml per liter of water.

RECOMMENDATION

Crop	*Target Pests*
Paddy	Brown Plant Hopper
Cotton	Mealy bugs, Aphids & Ash weevil.

12. DRIBACT

APPLICATION : An effective organic bactericide.

BIO-EFFICACY : The bio-efficacy of DRBACT has been successfully tried and tested in the field some time ago by the company representatives.

GENERAL INFORMATION : Alkaloids are mildly toxic and are effective against a number of bacteria.

Description	:	Grey/off-white powder
Odour	:	Specific.
Storage stability	:	Minimum 24 months

COMPOSITION

Group of alkaloids derived from Lantana Camara, Catharanthus Roseus (sadaphuli)	:	1.00% w/w min.
Associates derivatives, fatty acids based Surface active agents & functional fillers	:	99.00% w/w max.

MODE OF ACTION

This formulation disperses, spreads and activates. Alkaloids from all the above sources have powerful anti-bacaterial properties that physically disrupt the causal bacteria. It may be used in both curative and preventive applications – curative because it kills pathogens on contact, preventive because its applications will effectively lower disease pressure.

DILUTION : 2-3 gms per litre of water depending on the infestation rate.

RECOMMENDATION: Against bacterial speck, bacterial spot, grey mold & white patches on tomato, fruits, onion, chilli, paddy and other crops.

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

13. DRIMITI

APPLICATION: As an alternative to synthetic Acaricide to control red mites and mealy bugs.

BIO-EFFICACY: The bio-efficacy of DRIMITI has been successfully tried and tested by our research wing

GENERAL INFORMATION: DRIMITI is an effective alternative to other synthetic contact pesticide. The formulation is primarily based on alkaloids, salts of unsaturated aliphatic carboxylic acids & natural oils. This product may be used to control targeted pests on crops which include vegetables, grapes and other crops. This product can be applied up to harvest.

Description	:	Viscous liquid
Odour	:	Specific
Storage stability	:	Minimum 24 months.

COMPOSITION

Alkaloids suspended in natural oils	:	25.00% (min.)
Salts of unsaturated aliphatic	:	25.00% (min.)
carboxylic acids Emulsifiers & media	:	50.00% (max.)

MODE OF ACTION: This is a contact formulation. The spray blocks the insects' breathing spores, interfering with respiration; suffocates and kills them. Residual activity is limited once the spray is dried.

DILUTION : 3-4 ml per litre of water.

RECOMMENDATION

Crop	Target Pests
Cotton	Mites
Tomato	Spider mite (t. evansi)
Chilli	Two-spotted spider mite
Rose	(t.urticae), common red spider mite
Egg plants	(t. cinnabarinus)
Grape, apple, pear & peach	Spider mite, Thrips

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

14. DRIKILLER

APPLICATION : An effective organic contact formula to control heliothis and mealy bugs.

BIO-EFFICACY : Satisfactory results were obtained during the bio-efficacy trials by the research wings of some of our patrons.

GENERAL INFORMATION & MODE OF ACTION

It is an effective alternative to synthetic contact pesticides. The formulation is primarily based on botanical extracts and modified natural oils. This product may be used to control targeted pests on crops which include vegetables, grapes and other crops. This product can be applied up to harvest. It does not harm the plants or affect the quality of the crop. Foliar spray, covering entire plants should be done at the beginning of pest infestation for effective control. For better result, sufficient volume spray solution should be used for uniform coverage. It is compatible with commonly used insecticides and fungicides except sulphur based ones. It does not yield any knock down effect. Upon spraying this contact formula, the insects lay weak and do not feed on further due to its antifeedant properties. The spray blocks insect's breathing spores, interfering with respiration; suffocates and kills them slowly. The insect dies due to suffocation and starvation. Residual activity is limited once the spray is dried. Further damage is controlled immediately after spray, as the insects are no more able to feed on the crops.

Description : Highly viscous liquid
Odour : Specific
Storage stability : Minimum 24 months.

COMPOSITION

Colloidal suspension of Natural bitters, natural soluble Polymers in sulphonated oils : 100.00%

DILUTION : 4-5 ml per litre of water.

RECOMMENDATION

It is suggested to spray in the evening so that drying of the sprayed solution is delayed.

Crop	Target Pests
Cotton	Bollworm, pink bollworm, cutworm
Grapes	Thrips, Aphids
Paddy	Stem borer
Beans	Aphid, Pod borer
Gram	Cut worm, Pod borer
Mung / green gram	Pod borer
Tomato	Fruit borer
Chillies	Aphids, Thrips

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

15. DRIBAIT

APPLICATION : As organic rat control bait.

GENERAL : DRIBAIT is a revolutionary product in pellet form for the control of rodent pest species. The product does not contain any toxic substance or poison and works based on a unique water absorption mechanism.

Description	:	Pellets.
Odour	:	Sweet
Shelf life	:	36 months.

COMPOSITION

Activated cellulose (C6H10O5)	:	60.00%
Edible oil & flavouring agents	:	40.00%

MODE OF ACTION

DRIBAIT does not kill a rodent based on toxic effect of poison. DRIBAIT, on consumption by a rodent, physically disrupts its water absorption mechanism. As a result the rodent becomes lethargic, falls into coma and then dies. Death normally occurs in 4-6 days of regular bait intake. It contains only naturally derived food grade materials. No toxic chemicals are added in the formula. No distress or discomfort by the rodents was observed during the laboratory trials.

DOSAGE : 15-30 gms per rodent.

RECOMMENDATION

Prior to treatment, all likely food sources should be made unavailable. Place the bait at locations where there are signs of activity such as fresh droppings, or near burrows, runways, feeding places and points of entry around building perimeters. Keep the package content tightly sealed. Use 15-30 g of bait at 6 ft apart. For heavy infestation, reduce the distance to 4 ft apart. Protect bait stations from non-target animals and moisture. Inspect bait stations frequently and replace eaten bait. Can be applied by hand. Do not feed to non-target animals. To avoid possible chocking hazard, keep away from children and pets. Unused bait may be disposed with normal household refuse. A rat may carry certain diseases. It is advisable to wear protective gloves to dispose off any rat and or bait trays that have been visited by rates. Always wash hands after handling remains of bait and bait stations.

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

16. Shaarp Shakti:

For effective control of Thrips

Thrips, order Thysanoptera, are tiny, slender insects with fringed wings. They feed by puncturing their host and sucking out the cell contents. In the family Thripidae are plant feeders that scar leaf, flower, or fruit surfaces or distort plant parts. Most adult thrips are slender, minute and have long fringes on the margins of both pairs of their long, narrow wings. nymphs are similarly shaped with a long, narrow abdomen but lack wings. Thrips range in color from translucent white or yellowish to dark brown or blackish. In many species, thrips feed within buds and furled leaves or in other enclosed parts of the plant.

Thrips prefer to feed in rapidly growing tissue. Feeding by thrips typically causes tiny scars on leaves and fruit, called stippling, and can stunt growth. Damaged leaves may become papery and distorted. Infested terminals may discolor, become rolled, and drop leaves prematurely. Thrips cause silvery to brownish, scabby scarring on the avocado Thrips feeding on fruit trees can deform or scar developing fruit. Cotton thrips feeding severely distorts blueberry shoot tips and foliage, reducing yield.

Mites

Mites are common pests in many fruit trees, field crops, vegetables, and ornamental plants. The spider mites, also called web spinning mites, To the naked eye, spider mites look like tiny moving dots; Adult females, the largest forms, are less than 1/20 inch long. Spider mites live in colonies , mostly on the under-surfaces of leaves; a single colony may contain hundreds of individuals. The names "spider mite" and "web spinning mite" come from the silk webbing most species produce on infested leaves. The presence of webbing is an easy way to distinguish them from all other types of mites. Adults have eight legs and an oval body, with two red eyespots near the head end of the body. Females usually have a large, dark blotch on each side of the body and numerous bristles covering the legs and body. Immatures resemble adults, except the newly hatched larvae have only six legs. Eggs are spherical and translucent, like tiny droplets, becoming cream colored before hatching. Mites cause damage by sucking cell contents from leaves. A small number of mites is not usually reason for concern, but very high populations—levels high enough to show visible damage to leaves—can be damaging to plants. At first, the damage shows up as a stippling of light dots on the leaves; sometimes the leaves take on a bronze color. As feeding continues, the leaves turn yellow and drop off. Often leaves, twigs, and fruit are covered with large amounts of webbing. Damage is usually worse when compounded by water stress.

How the Shaarp Shakti works ?

Generally Shaarp Shakti directly act as on nervous system of the every soft bodied pests and manage the thrips, mites and other soft bodied pest populations. Shaarp Shakti is cent percent bio based formulations and eco friendly product. It is non toxic to human beings.

Dosage : 20 ml per pump as per our guideline to regular interval of 15 to 20 days.

Suggestions : For effective management of thrips and mites populations, it should be spray in the time of morning and evening.

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

17. Shaarp WF:

For effective control of White flies :
Whiteflies are tiny, sap-sucking insects that are frequently abundant in field crops, vegetables and ornamental plantings. They excrete sticky honeydew and cause yellowing or death of leaves. Whiteflies usually occur in groups on the undersides of leaves. They derive their name from the mealy, white wax covering the adult's wings and body. Adults are tiny insects with yellowish bodies and whitish wings. Whiteflies normally lay their tiny, oblong eggs on the undersides of leaves. The eggs hatch, and the young whiteflies gradually increase in size through four nymphal stages called instars. The crawlers move around for several hours, then settle and remain immobile. Later nymphal stages are oval and flattened like small scale insects. The legs and antennae are greatly reduced, and older nymphs do not move. The winged adult emerges from the last nymphal stage. All stages feed by sucking plant juices from leaves and excreting excess liquid as drops of honeydew as they feed. Whiteflies suck phloem sap. Large populations can cause leaves to turn yellow, appear dry, or fall off plants. Like aphids, whiteflies excrete honeydew, so leaves may be sticky or covered with black sooty mold. Feeding by the immature whitefly, *Bemisia tabaci,* can cause plant distortion, discoloration and may cause serious losses in cotton and some vegetable crops.

How the Shaarp WF works ?
Generally most of the pesticides or biopesticides have only limited effect on whiteflies. They kill only those whiteflies that come in direct contact with them. So, for these troublesome situations, Shaarp WF directly act as on nervous system of the whiteflies and also kill by means of contact poison. They also manage the thrips, mites and other soft bodied pest populations too. Shaarp WF is cent percent bio based formulations and eco friendly product. It is non toxic to human beings.
Dosage : 20 ml per pump as per our guideline to regular interval of 15 to 20 days.
Suggestions : For effective management of Whiteflies, thrips and mites populations, it should be spray in the time of morning and evening.

18. Shaarp Killer: (Larvicide Sp.)

Generally the eggs of Heliothis, Armiworm, Pink bollworm, Spodoptera etc pests the eggs are spherical and flattened. Newly hatched, first-instar larvae have several rows of dark tubercles along the back, each bearing one or two bristles. Larvae range from olive green to dark reddish brown in color and can be best distinguished from most other caterpillars by the tiny spines, visible under a hand lens, that cover most of the body surface. Cotton bollworm larvae damage bolls and squares. Larvae chew holes into the base of bolls and may hollow out locks. Moist frass usually accumulates around the base of the boll. Larvae may also chew shallow gouges in the boll surface, which can become infected with rot organisms. Squares injured by cotton bollworm usually have a round hole near the base. Fifth-instar larvae are the most destructive; they not only damage more fruit than do earlier instars, but they damage larger fruit that are harder for the plant to replace.

How the Shaarp Killer works?
Generally most of the pesticides or biopesticides have limited effect on cotton bollworm complex. Shaarp Killer directly act as on nervous system of the all bollworm complex of cotton and other field and vegetable crops and also kill by means of contact poison. Shaarp Killer is 100 % bio based formulation and eco friendly product. It is non toxic to human beings.
Dosage: 20 ml per pump as per our guideline to regular interval of 15 to 20 days.
Suggestions: For effective management of bollworm complex, it should be spray in the time of morning and evening.

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

19. Shaarp MB:

Generally mealy bug include in Hemiptera class and sub class is Homoptera. Mealy bug lay their eggs in soil upto the depth of 8-15 cm. they also lay their eggs on stem, cracks on the stem in bunch. So, the mealy bug management is very difficult. Their nymphs are very tiny and difficulty to see by nacked eyes. They generally spread naturally by wind, birds and animals and more commonly by people moving form infested area to non infested areas. Improper disposal of uprooted weeds which helped mealy bug to migrate from weeds to cotton fields By throwing uprooted weeds in canals/water channels helped the pest to migrate to other vegetation and cotton crop. They suck the cell sap from tender leaves and then they converted into adults. Female having white silky layer on the upper surface of the body. So, almost all the pesticides and bio pesticides are very difficult to cut this layer and manage this pest. The major damage by the adult and nymphs is crinkled or twisted leaves and shoots, bunched and unopened leaves, distorted or bushy shoots, white fluffy mass on buds, stem, fruit and roots, presence of honey dew, black sooty mold and ants, unopened flowers which often shrivel and die, small deformed fruits. Mealy bug attacks on Cotton, Egg plant, Okra, Tomato, Cabbage, Mango, Papaya, Pigeonpea, Guava, Cassava etc.

How the Shaarp MB works?

The Specialty bio based formulations which directly penetrate to the white coating layer and kill the adults of mealy bug. This type of formulations which is prepared only for the mealy bug management purpose only. Shaarp MB is cent percent bio based formulations. This product is safe for the natural enemies, human beings and other crops. Shaarp MB definitely increases the yield upto the 25 per cent in cotton crop.

Dosage: 40 ml per pump as per our guideline to regular interval of 15 to 20 days. For better and early results, mix the Shaarp MB with other pesticides upto 15 to 20 ml per 15 lits of water.

Suggestions: For effective management of Shaarp MB, it should be spray in the time of morning and evening.

DRISHTI BIOTECH P LTD

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

PRICE LIST of BIOPRODUCTS:

PRODUCT	Packing unit (Gr/ ML)	Case Size (Lit / Kg)	No of units/ Case	MRP per unit (Rs.)
DRIFUNGI Dose 2 ml/ lt	250	10	40	275
	500	10	20	525
	1000	10	10	1,000
DRIDM Dose 2 ml/ lt	250	10	40	300
	500	10	20	575
	1000	10	10	1,100
DRIANTIFEED Dose 2 to 3 ml/ lt	250	10	40	450
	500	10	20	875
	1000	10	10	1,700
DRIBACT Dose 3 ml/ lt	250	10	40	238
	500	10	20	475
	1000	10	10	950
DRIMITI Dose 3 ml/ lt	250	10	40	450
	500	10	20	875
	1000	10	10	1,700
DRIKILLER DOSE 2-3 ML/ LT	250	10	40	450
	500	10	20	875
	1000	10	10	1,700
DRIMAGIC Dose 2 to 3 ml/ pump	500	10	20	190
	1000	10	10	330
	5000	10	2	1,400
DRIZYME Dose 8 Kgs / Acre	1000	10	10	320
	5000	5	1	1,500
	8000	8	1	2,320
DRIMINO Dose 2 to 3 ml / lt	500	10	20	300
	1000	10	10	550
	5000	10	2	2,500
DRIMAZER Liquid dose 2 ml/ lt	500	10	20	225
	1000	10	10	400
	5000	10	2	1,750
DRIBT Liquid dose 2 ml/ lt	500	10	20	238
	1000	10	10	425
	5000	10	2	1,875
DRISTICKER (SPL as Milky White- dose 1 ml/ lt)	500	10	20	200
	1000	10	10	350
	5000	10	2	1,500
DRIBAIT (PALLETS & Liquid - dose 30 gr/ rodent at 6' dist)	250	10	40	200
	500	10	20	400
	1000	10	10	800

DRISHTI BIOTECH P LTD

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

DBPL - PRICE LSIT OF BIOLOGICAL PRODUCTS FOR FY 2009- 2010

PRODUCT	Packing unit (Gr/ ML)	Case Size (Lit / Kg)	No of units/ Case	MRP per unit (Rs.)
BIOMAGIC (A revolutionary Chlorophyll Enhancer - dose 15 gram/ 15 Lt. Pump)	200	10	50	400
	500	10	20	1,000
AMAZER (A high end plant growth regulator dose 5 ml/ 15 lt Pump)	50	5	100	350
Shaarp MB (A Mealy Bug Special product dose 50 Ml/ 15 Lt Pump)	250	10	40	275
	500	10	20	500
	1000	10	10	950
Shaarp Shakti (A new generation Acaricide dose 20ml / 15lt pump)	100	5	50	265
	250	10	40	625
	500	10	20	1,200
Shaarp Killer (A Spl Larvaecide dose 20 ml / 15 lt pump)	100	5	50	280
	250	10	40	685
	500	10	20	1,350
Shaarp Arrow (Controls all thrips - dose of 20 ml/ 15 lt pump)	100	5	50	280
	250	10	40	685
	500	10	20	1,400
Shaarp WF (Special to control Whitefly - Dose 20 ml/ 15 Lt Pump)	100	5	50	300
	250	10	40	735
	500	10	20	1,450
Royal SC (wide spectrum biopesticide pest dose 35 ml/ 15 lt pump)	500	10	20	190
	1000	10	10	360
Shooter SC (Biopesticide dose 20ml / 15Lt pump)	500	10	20	415
	1000	10	10	800
Scorpion Kiing (Sea weed based PGR dose 35 ml/ 15Lt Pump)	500	10	20	230
	1000	10	10	450
SC Hume Tech 90 % (Dose 5 gr/ 15 Lt Pump)	50	3	60	190
	100	3	30	380
SC Hume 12 % (Humic acid dose 30 ml/ 15 Lt Pump)	500	10	20	310
	1000	10	10	600
SC Zyme (seaweed + Humic dose 30 ml/ 15 Lt Pump)	500	10	20	320
	1000	10	10	620

DRISHTI BIOTECH P LTD

Corporate Office :

FF6, Maurya Arcade, Opp SG Sola Highway, Sola Science City Road, Sola, Ahmedabad 380061-GUJ-INDIA

Web : http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

Price List of Vegetable Seeds for FY 2009 -10

Crop	Variety		Attributes	Packing size	Selling Price per Unit	
Bitter Gourd	Harithwa		18-20 cm long fruit with dense prickles.	25 gm	82	
Hot Pepper	Bhamini		14-15 cm long thick fruit with light green color. Plant height 80-90 cm	10 gm	300	
Hot Pepper	SPS 818 (Umiya)		13-14 cm long smooth skinned fruit with dark green color. Dark red color after maturity.	10 gm	320	
Hot Pepper	SPS 87		10-12 cm long dark green colored fruit with wrinkles. Deep red color after maturity.	10 gm	350	
Hot Pepper	SPS 819		10-12 cm long green colored fruit with smooth skin. Deep red color after maturity.	10 gm	350	
Hot Pepper	SPS 817(Chamki)		12-13 cm long green colored fruit with smooth skin.	10 gm	350	
Okra	Tender		Green colored fruits with 14-16 cm length. Very good resistance to YVMV. Harvesting starts in 45-48 days after germination.	250 gm	400	
Marigold	Haridra		70-80 cm tall plant. Flower color deep Yellow. Avg flower weight 10-12 g. Avg no of flowers per plant is 120-150	1000 seed	1600	
Marigold	Sunder		70-80 cm tall plant. Flower color Yellow. Avg flower weight 10-12 g. Avg no of flowers per plant is 120-150	1000 seed	1600	
Marigold	Sona		80-100 cm tall plant. Flower color deep orange. Avg flower weight 10-12 g. Avg no of flowers per plant is 120-150	1000 seed	1250	
Marigold	Sienna		70-80 cm tall plant. Flower color deep Orange. Avg flower weight 12-14gm.vg no of flowers per plant is 120-140	1000 seed	1600	
Tomato	Akshaya		Very good tolerence to TLCV. Plant height 80 -90cm. Oval shaped fruit with 80-90g weight. Good for cultivation in summer	10 gm	810	
Tomato	Harsha		Good tolerence to TLCV. Plant height 80-90cm. Oval round fruit with 80-90g weight. Good for cultivation in late summer and rainy season	10 gm	450	
Tomato	Bhoomika		Plant height 70-80cm.Round fruit with 70-80g weight. Sour in taste. Good for cultivation in rainy season	10 gm	410	
Tomato	Sampada		Plant height 70-80cm. Round fruit with 80-90g weight. Good for cultivation in rainy season	10 gm	380	
Tomato	Malhar		Plant height 70-80cm. Square Round fruit with 80-90g weight. Good for cultivation in rainy season	10 gm	320	
Tomato	Chandrika		Plant height 80-90cm. Very good tolerence to TLCV. Square Round fruit with 80-90g weight. Good for cultivation in rainy season	10 gm	380	
Ridge Gourd	Shiva		Vigours plant, Med long, slender, green fruits, high yield	25 gm	240	

Corporate Office :

FF6, Maurya Arcade,
Opp SG Sola Highway, Sola
Science City Road, Sola,
Ahmedabad 380061-GUJ-
INDIA

Web :
http://www.drishtiagrotech.com
CONTACT No : +919374570561
Email : group@drishtiagrotech.com
info@drishtibio.com

Service Charges For Farm Consultancy Services –

1. Preparation of Farming project report – Rs. 10,000/- or 0.5% of the total project cost – Whichever is higher payable in advance
2. Supports in Availing subsidy or financial Support – 1% of Project/ Finance value – 50% payable in advance and remaining 50% on realisation of funding/ subsidy
3. Farming Project Implementation & Management – Payable in Advance Monthly Instalments

Acres Of Land	Monthly Payout Required	Cost per acre PA with 50% Advance payment	Charge payable per acre PM	On Gross output Value with Deposit
5 acre to 19 acre	Rs. 15,000/- PM	Rs. 12,000/- Per acre with deposit of Rs. 6000/- per acre	Rs. 1000/- per acre per Month	25.00% of GOV with 1.50 lacs deposit on sign on
20 acre to 49 acre	Rs. 30,000/- PM	Rs. 10,000/- Per acre with deposit of Rs. 5000/- per acre	Rs. 800/- per acre per Month	20.00% of GOV with 3.50 lacs deposit on sign on
50 acre to 99 acre	Rs. 45,000/- PM	Rs. 7,500/- Per acre with deposit of Rs. 3750/- per acre	Rs. 600/- per acre per Month	15% of GOV with 6.00 lacs deposit on sign on
100 acre to 199 acre	Rs. 60,000/- PM	Rs. 5,000/- Per acre with deposit of Rs. 2500/- per acre	Rs. 400/- per acre per Month	10.00% of GOV with 7.50 lacs deposit on sign on
200 acre to 499 acre	Rs. 1,05,000/- PM	Rs. 3,500/- Per acre with deposit of Rs. 1750/- per acre	Rs. 300/- per acre per Month	7.00 % of GOV with 12.25 lacs deposit on sign on
500 acre to 999 acre	Rs. 1,50,000/- PM	Rs. 2,500/- Per acre with deposit of Rs. 1250/- per acre	Rs. 200/- per acre per Month	5.00% of GOV with 18.75 lacs deposit on sign on
1000 acre to 1999 acre	Rs. 1,75,000/- PM	Rs. 1,500/- Per acre with deposit of Rs. 750/- per acre	Rs. 110/- per acre per Month	3.00% of GOV with 22.50 lacs deposit on sign on
Above 2000 acres	Rs. 2,50,000/- PM	Rs. 1,000/- Per acre with deposit of Rs. 500/- per acre	Rs. 80/- per acre per Month	2.50% of GOV with 45.00 lacs deposit on sign on

Management Charges for 5 acres to 19 Acres of Land Rs. 2,500/- per visit- for Min 4 visit per month or

Counter Guarantees Required for following –

A. Minimum 50% Income increase from Existing Income brackets with minimum assured growth of profitability of 36% from Existing profit Range
B. Change in cropping pattern , variety selection, package of practices, technical know how, Input selection, cost saving in input selection, yield increase by best agronomic practices, quality norms in packing and grading of produce, marketing of agri produces by traditional and specialised schemes.

Product Safety

The product is completely safe to use around humans and foodstuffs in locations like homes, offices, restaurants, hotels and food processing facilities. Consuming either the product or carcasses of rodents controlled with BR-1 will not harm pets such as dogs, cats and birds or non-targeted wildlife. BR-1 can be safely used in the field without the danger of secondary poisoning of people, livestock, poultry, pets, wildlife or birds. BR-1 is effective for the control of mice and rats. Perfect for use in households, apartments, stores, warehouses, offices etc.

GENERAL INSTRUCTION's FOR ALL PRODUCTS

SPRAY COVERAGE : Good spray coverage is essential for adequate results. Spray equipment must be clean and operating at peak efficiency. The proper configuration of nozzles for good coverage must be utilized in order to wet both sides of the leaves and other affected areas. Spray in the evening or early morning hours to improve the effectiveness, as the spray droplets do not dry out quickly.

PHYTO-TOXICITY : Over dose of formulations that contain fatty acid salts may cause a burn on the foliage of some sensitive plants. A small spray strip should be applied and observed before a full-scale application is made if there is a question concerning sensitivity.

PRODUCT SAFETY : Though all these formulation are least toxic, it should be used with caution. Some of them may cause skin irritation and temporary eye injury. Wear protective gears when handling. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. If in eyes, hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. If on skin, wash with plenty of soap water. Get medical attention. Environmental Hazard: Do not contaminate water by cleaning equipment.