

Campus Event Board

Section A: design system and box model

Section B: CSS Grid and responsive design

Team

Name	Roll number
Rakshit Kumar	20261651069
Sakshi Kuntal	20261651076
Ravi Singh Singal	20261651072
Yash Anand	20261651099
Ankit Chaturvedi	20261651013

Completed submission notes

Team members: Rakshit Kumar (20261651069), Sakshi Kuntal (20261651076), Ravi Singh Singal (20261651072), Yash Anand (20261651099), Ankit Chaturvedi (20261651013)

1. Palette

The palette in `style.css` is:

- `--brand: #153e75`
- `--brand-deep: hsl(219 70% 18%)`
- `--accent: rgb(244 164 45)`
- `--accent-soft: #fff1d6`
- `--ink: #17243d`
- `--muted: rgb(79 94 117)`
- `--paper: #eef3f9`
- `--surface: #ffffff`
- `--line: #cad5e2`
- `--overlay: rgb(0 0 0 / 40%)`

Named variables are better than repeated color codes because a single edit updates the whole design, the names explain each color's purpose, and they keep the rules consistent.

2. Color formats

- Hex: `--brand: #153e75` supplies the primary campus blue.
- RGB: `--accent: rgb(244 164 45)` supplies the saffron highlights and date numerals.
- HSL: `--brand-deep: hsl(219 70% 18%)` supplies the header, footer, and hero base.
- Semi-transparent color: `--over lay: rgb(0 0 0 / 40%)` darkens the hero background so its white text remains easy to read.

3. Relative units

rem units follow the user's root font size, so text and spacing scale more accessibly than fixed pixels. The hero uses `width: calc(100% - 1rem)` to remain fluid while leaving a small inset. The main heading uses `font-size: clamp(2rem, 7vw, 4.5rem)` so it grows with the viewport without becoming too small or too large.

4. Box model calculation

For `width: 200px; padding: 20px; border: 5px`, content-box renders at $200 + 20 + 20 + 5 + 5 = 250\text{px}$. With `border-box`, the rendered width stays 200px, leaving 150px for the content. This project uses `* { box-sizing: border-box; }` so padding and borders are included in declared widths and responsive layouts are easier to predict.

5. Box model layers

From the inside out: content, padding, border, margin.

6. Responsive card grid

`repeat(auto-fit, minmax(15rem, 1fr))` creates as many columns as fit, prevents a card from becoming narrower than 15rem, and shares any remaining space evenly. Grid recalculates the column count automatically, so this card reflow needs no media query.

7. Mobile-first design

Phone styles are the base because every device gets a simple, usable single-column layout first. min-width media queries progressively add the full navigation, form columns, and sidebar only when space is available. The viewport meta tag makes the browser use the real device width instead of a wide virtual layout viewport, which is essential for the breakpoints to behave correctly on phones.

8. Grid map

```
grid-template-areas:  
  "hero hero"  
  "events faq"  
  "events info"  
  "submit submit";
```

The hero and submit regions span both columns by repeating their area names across a row. The events region spans two rows because events appears in the first column of both supporting-panel rows.

9. Responsive images and type

Images use `img { max-width: 100%; height: auto; }`, so they never overflow their containers. The heading uses `clamp(2rem, 7vw, 4.5rem)`, so its type scales fluidly. Neither technique needs a media query.

10. Repository and submission checklist

- Repository: <https://github.com/rkstlohchab/event-board>
- GitHub Pages: <https://rkstlohchab.github.io/event-board/>
- The repository includes `README.md`, `index.html`, `style.css`, retained lab CSS files, images, notes, and a readable commit history.
- `screenshot-event-cards.png` shows all six styled cards.
- `screenshot-phone.png` shows the narrow single-column layout and compact menu.
- `screenshot-desktop.png` shows the wide grid, full navigation, and responsive reflow.
- `screenshot-validator.png` shows the W3C CSS Validator result: **Congratulations! No Error Found.**
- `style.css` contains comments identifying the design system, box model, card component, responsive images, Grid, and mobile-first breakpoints.

Code appendix

The PDF version of these notes ends with the complete final `index.html` and `style.css`, exactly as submitted.

Code appendix A - Final index.html

Complete source used for the final screenshots and published page.

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="description" content="Explore upcoming festivals, workshops, sports, and competitions at
    IIIT Vadodara.">
  <meta property="og:title" content="Campus Event Board | IIIT Vadodara">
  <meta property="og:description" content="One place for the events bringing our campus together.">
  <meta property="og:image" content="og-image.png">
  <title>Campus Event Board | IIIT Vadodara</title>
  <link rel="icon" href="favicon.png">
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <a class="skip-link" href="#main-content">Skip to main content</a>

  <header class="site-header">
    <a class="brand" href="#main-content" aria-label="Campus Event Board home">
      
      <span><strong>Campus Event Board</strong><small>IIIT Vadodara</small></span>
    </a>
  </header>

  <nav class="site-nav" aria-label="Main navigation">
    <button class="menu-button" type="button" aria-label="Open navigation menu"
      aria-expanded="false">Menu</button>
    <ul class="nav-links">
      <li><a href="#upcoming-events" aria-current="page">Events</a></li>
      <li><a href="#important-info">Important information</a></li>
      <li><a href="#submit">Submit an event</a></li>
    </ul>
  </nav>

  <main id="main-content">
    <section class="hero" aria-labelledby="welcome-heading">
      <p class="eyebrow">August - September 2026</p>
      <h1 id="welcome-heading">Find your next campus moment.</h1>
      <p>Festivals, workshops, competitions, and sports - all in one place for the IIIT Vadodara
        community.</p>
      <blockquote>Every great fest starts with someone who showed up first.</blockquote>
    </section>

    <details class="faq">
      <summary>Do campus events have an entry fee?</summary>
      <p>No. Campus-hosted events are free for enrolled students unless an event card says
        otherwise.</p>
    </details>

    <section id="upcoming-events" class="events" aria-labelledby="events-heading">
      <div class="section-heading">
        <div><p class="eyebrow">On the calendar</p><h2 id="events-heading">Upcoming events</h2></div>
        <p>New events are added every week.</p>
      </div>

      <ul class="event-grid">
        <li><article class="event-card"><time datetime="2026-08-15"><span>15</span>>
          Aug</time><div><h3>Independence Day Celebration</h3><p>College Ground</p><p>9:00
            AM</p></div></article></li>
        <li><article class="event-card"><time datetime="2026-08-20"><span>20</span>>
          Aug</time><div><h3>Technical Fest</h3><p>Seminar Hall</p><p>10:00 AM</p></div></article></li>
        <li><article class="event-card"><time datetime="2026-08-25"><span>25</span>>
          Aug</time><div><h3>Coding Competition</h3><p>Computer Lab</p><p>11:00
            AM</p></div></article></li>
        <li><article class="event-card"><time datetime="2026-08-30"><span>30</span>>
          Aug</time><div><h3>Sports Day</h3><p>College Ground</p><p>8:00 AM</p></div></article></li>
        <li><article class="event-card"><time datetime="2026-09-05"><span>05</span>>
          Sep</time><div><h3>Cultural Fest</h3><p>Auditorium</p><p>4:00 PM</p></div></article></li>
        <li><article class="event-card"><time datetime="2026-09-10"><span>10</span>>
          Sep</time><div><h3>AI Workshop</h3><p>College Campus</p><p>2:00 PM</p></div></article></li>
      </ul>

      <div class="table-wrap">
        <table class="schedule">
          <caption>Full event schedule</caption>
          <thead><tr><th scope="col">Event</th><th scope="col">Date</th><th scope="col">Venue</th><th
            scope="col">Time</th></tr></thead>
          <tbody>
            <tr><td>Independence Day Celebration</td><td>15 August</td><td>College Ground</td><td>9:00
              AM</td></tr>
            <tr><td>Technical Fest</td><td>20 August</td><td>Seminar Hall</td><td>10:00 AM</td></tr>
            <tr><td>Coding Competition</td><td>25 August</td><td>Computer Lab</td><td>11:00 AM</td></tr>
            <tr><td>Sports Day</td><td>30 August</td><td>College Ground</td><td>8:00 AM</td></tr>
          </tbody>
        </table>
      </div>
    </main>
```

```

        <tr><td>Cultural Fest</td><td>5 September</td><td>Auditorium</td><td>4:00 PM</td></tr>
        <tr><td>AI Workshop</td><td>10 September</td><td>College Campus</td><td>2:00 PM</td></tr>
    </tbody>
</table>
</div>
</section>

<aside id="important-info" aria-labelledby="info-heading">
    <p class="eyebrow">Before you go</p>
    <h2 id="info-heading">Important information</h2>
    <ul><li>Carry your college ID card.</li><li>Register before competitions.</li><li>Reach the venue
        15 minutes early.</li></ul>
    <p class="desktop-note">This note appears only on wider screens to demonstrate <code>display:
        none</code>. Unlike <code>visibility: hidden</code>, the hidden element takes up no space.</p>
</aside>

<section id="submit" aria-labelledby="submit-heading">
    <div class="section-heading">
        <div><p class="eyebrow">Have an idea?</p><h2 id="submit-heading">Submit an event</h2></div>
        <p>Share the basics and the student team will follow up.</p>
    </div>

    <form action="#" method="post">
        <div class="field"><label for="first-name">First name</label><input id="first-name"
            name="first-name" type="text" autocomplete="given-name" required></div>
        <div class="field"><label for="last-name">Last name</label><input id="last-name"
            name="last-name" type="text" autocomplete="family-name" required></div>
        <div class="field"><label for="student-id">Student ID</label><input id="student-id"
            name="student-id" type="text" placeholder="20261651072" required></div>
        <div class="field"><label for="event-date">Proposed date</label><input id="event-date"
            name="event-date" type="date" required></div>
        <div class="field field-wide"><label for="interest">Event category</label><select id="interest"
            name="interest"><option>Independence Day celebration</option><option>Technical
            fest</option><option>Coding competition</option><option>Sports day</option><option>Cultural
            fest</option><option>Workshop</option></select></div>
        <fieldset><legend>Gender</legend><label class="choice"><input type="radio" name="gender"
            value="male"> Male</label><label class="choice"><input type="radio" name="gender"
            value="female"> Female</label><label class="choice"><input type="radio" name="gender"
            value="prefer-not"> Prefer not to say</label></fieldset>
        <fieldset><legend>Department</legend><label class="choice"><input type="checkbox"
            name="department" value="btech"> BTech</label><label class="choice"><input type="checkbox"
            name="department" value="mtech"> MTech</label><label class="choice"><input type="checkbox"
            name="department" value="mca"> MCA</label></fieldset>
        <div class="field"><label for="phone">WhatsApp number</label><input id="phone" name="phone"
            type="tel" autocomplete="tel"></div>
        <div class="field"><label for="email">Email address</label><input id="email" name="email"
            type="email" autocomplete="email" placeholder="you@example.com" required></div>
        <div class="field"><label for="age">Age</label><input id="age" name="age" type="number" min="15"
            max="100"></div>
        <div class="field field-wide"><label for="address">Address</label><textarea id="address"
            name="address" placeholder="Street, city, PIN"></textarea></div>
        <button class="submit-button" type="submit">Add event</button>
    </form>
</section>
</main>

<footer>
    <nav aria-label="Footer navigation"><ul><li><a href="#upcoming-events">Events</a></li><li><a
        href="#important-info">Important information</a></li><li><a href="#submit">Submit an
        event</a></li><li><a href="https://iiitvadodara.ac.in/">College website</a></li></ul></nav>
    <p><small>&copy; 2026 Campus Event Board &middot; IIIT Vadodara</small></p>
</footer>
</body>
</html>

```

Code appendix B - Final style.css

Complete validated stylesheet. W3C CSS Validator result: zero errors.

```
/* A6 - Border-box keeps declared widths predictable. */
* {
  box-sizing: border-box;
}

/* A2, A3, A5 - Named palette, color formats, spacing, and type scale. */
:root {
  --brand: #153e75;
  --brand-deep: hsl(219 70% 18%);
  --accent: rgb(244 164 45);
  --accent-soft: #fff1d6;
  --ink: #17243d;
  --muted: rgb(79 94 117);
  --paper: #eef3f9;
  --surface: #ffffff;
  --line: #cad5e2;
  --overlay: rgb(0 0 0 / 40%);
  --shadow: 0 2px 8px rgb(0 0 0 / 8%);
  --shadow-strong: 0 1rem 2.5rem rgb(0 0 0 / 14%);
  --space-1: 0.5rem;
  --space-2: 1rem;
  --space-3: 1.5rem;
  --space-4: 2rem;
  --space-5: 3rem;
  --type-small: 0.875rem;
  --type-body: 1rem;
  --type-h3: 1.25rem;
  --type-h2: 1.75rem;
  --type-h1: clamp(2rem, 7vw, 4.5rem);
}

html { scroll-behavior: smooth; }

/* B2, B5 - The page grid is a single-column mobile-first layout. */
body {
  display: grid;
  grid-template-columns: minmax(0, 1fr);
  grid-template-areas: "header" "nav" "main" "footer";
  min-height: 100vh;
  margin: 0;
  background: var(--paper);
  color: var(--ink);
  font-family: "Avenir Next", Avenir, "Segoe UI", sans-serif;
  font-size: var(--type-body);
  font-style: normal;
  line-height: 1.5;
}

p { max-width: 65ch; }
h1, h2, h3, p { text-wrap: pretty; }
h1, h2, h3 { line-height: 1.15; }
h1 { max-width: 13ch; margin: 0; font-size: var(--type-h1); letter-spacing: -0.04em; }
h2 { margin: 0; font-size: var(--type-h2); }
h3 { font-size: var(--type-h3); }

/* A9, B7 - Images scale without a media query; the emblem is cropped evenly. */
img { max-width: 100%; height: auto; }
button, input, select, textarea { font: inherit; }

a:focus-visible,
button:focus-visible,
input:focus-visible,
select:focus-visible,
textarea:focus-visible,
summary:focus-visible {
  outline: 0.2rem solid var(--accent);
  outline-offset: 0.2rem;
}

.skip-link {
  position: absolute;
  top: -4rem;
  left: var(--space-2);
  z-index: 3;
  padding: var(--space-1) var(--space-2);
  background: var(--accent);
  color: var(--brand-deep);
  font-weight: 800;
}

.skip-link:focus { top: var(--space-2); }

.site-header {
```

```

    grid-area: header;
    padding: var(--space-2) 5%;
    background: var(--brand-deep);
    color: var(--surface);
}

.brand {
    display: inline-flex;
    align-items: center;
    gap: 0.75rem;
    color: inherit;
    text-decoration: none;
}

.brand img {
    width: 3.5rem;
    aspect-ratio: 1;
    border: 1px solid var(--surface);
    border-radius: 50%;
    object-fit: cover;
}

.brand strong, .brand small { display: block; }
.brand strong { font-size: var(--type-h3); line-height: 1.1; }
.brand small { margin-top: 0.2rem; color: var(--accent); }

/* B6 - Compact navigation is shown on phones; links are revealed later. */
.site-nav {
    grid-area: nav;
    display: flex;
    align-items: center;
    min-height: 3.5rem;
    padding: var(--space-1) 5%;
    background: var(--brand);
}

.menu-button {
    display: inline-flex;
    align-items: center;
    gap: var(--space-1);
    padding: 0.45rem 0.8rem;
    border: 1px solid var(--accent);
    border-radius: 0.35rem;
    background: var(--brand-deep);
    color: var(--surface);
    cursor: pointer;
    font-weight: 750;
}

.nav-links { display: none; }
.nav-links, footer ul {
    flex-wrap: wrap;
    align-items: center;
    gap: var(--space-3);
    margin: 0;
    padding: 0;
    list-style: none;
}

.site-nav a, footer a {
    color: var(--surface);
    text-decoration-color: var(--accent);
    text-decoration-offset: 0.3rem;
}

.site-nav a:hover, footer a:hover { color: var(--accent); }

/* A4, A7 - Fluid, centered content using %, min(), calc(), and rem spacing. */
main {
    grid-area: main;
    min-width: 0;
    width: min(90%, 60rem);
    margin: 0 auto;
    padding: var(--space-4) 0;
}

.hero {
    position: relative;
    overflow: hidden;
    width: calc(100% - 1rem);
    margin: 0 auto var(--space-3);
    padding: clamp(3rem, 10vw, 6rem) var(--space-3);
    background: linear-gradient(135deg, var(--brand-deep), var(--brand));
    color: var(--surface);
    box-shadow: var(--shadow-strong);
}

/* A3 - A 40% black overlay keeps hero text readable. */
.hero::after {
    position: absolute;
    inset: 0;

```

```

    background: var(--overlay);
    content: "";
}

.hero > * { position: relative; z-index: 1; }
.hero > p:last-of-type { margin-top: var(--space-3); font-size: 1.1rem; }
.hero blockquote {
    margin: var(--space-4) 0 0;
    padding-left: var(--space-2);
    border-left: 0.25rem solid var(--accent);
    font-style: italic;
}

.eyebrow {
    margin: 0 0 var(--space-1);
    color: var(--accent);
    font-size: var(--type-small);
    font-weight: 800;
    letter-spacing: 0.08rem;
    text-transform: uppercase;
}

.faq, .events, #important-info, #submit {
    margin: 0 0 var(--space-3);
    padding: var(--space-3);
    border: 1px solid var(--line);
    background: var(--surface);
    box-shadow: var(--shadow);
}

.faq { border-radius: 0.5rem; }
.faq summary { color: var(--brand); cursor: pointer; font-weight: 800; }

.section-heading {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-between;
    gap: var(--space-1) var(--space-3);
    margin-bottom: var(--space-3);
}

.section-heading > p { margin: 0; color: var(--muted); }
.events { min-width: 0; border-top: 0.3rem solid var(--accent); }

/* A8, B3, B4 - Cards auto-fit into as many 15rem columns as space permits. */
.event-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(15rem, 1fr));
    gap: var(--space-2);
    margin: 0;
    padding: 0;
    list-style: none;
}

.event-card {
    display: grid;
    grid-template-columns: auto 1fr;
    gap: var(--space-2);
    min-height: 100%;
    margin: 0;
    padding: var(--space-2);
    border: 1px solid var(--line);
    border-radius: 0.6rem;
    background: var(--paper);
    box-shadow: var(--shadow);
}

.event-card time {
    align-self: start;
    min-width: 3.3rem;
    padding: var(--space-1);
    border-radius: 0.35rem;
    background: var(--brand);
    color: var(--surface);
    font-size: var(--type-small);
    font-weight: 800;
    text-align: center;
}

.event-card time span { display: block; color: var(--accent); font-size: var(--type-h2); line-height: 1; }
.event-card h3 { margin: 0 0 var(--space-1); color: var(--brand-deep); }
.event-card p { margin: 0.15rem 0; color: var(--muted); font-size: var(--type-small); }

.table-wrap { overflow-x: auto; margin-top: var(--space-4); }
.schedule { width: 100%; border-collapse: collapse; }
.schedule caption { margin-bottom: var(--space-1); color: var(--brand-deep); font-weight: 800; text-align: left; }
.schedule th, .schedule td { padding: 0.7rem; border-bottom: 1px solid var(--line); text-align: left; }
.schedule th { background: var(--brand-deep); color: var(--surface); }

```

```

#important-info { border-left: 0.35rem solid var(--accent); background: var(--accent-soft); }
#important-info ul { padding-left: var(--space-3); }
#important-info li + li { margin-top: var(--space-1); }
.desktop-note { display: none; color: var(--muted); font-size: var(--type-small); }

form { display: grid; gap: var(--space-2); }
.field { display: grid; gap: 0.35rem; }
label, legend { color: var(--brand-deep); font-weight: 750; }

input:not([type="radio"]):not([type="checkbox"]),
select,
textarea {
  width: 100%;
  padding: 0.7rem;
  border: 1px solid var(--line);
  border-radius: 0.35rem;
  background: var(--surface);
  color: var(--ink);
}

textarea { min-height: 7rem; resize: vertical; }
fieldset { margin: 0; padding: var(--space-2); border: 1px solid var(--line); border-radius: 0.35rem; }
.choice { display: block; color: var(--ink); font-weight: 500; }
.choice + .choice { margin-top: var(--space-1); }

.submit-button {
  justify-self: start;
  padding: 0.75rem 1.5rem;
  border: 1px solid var(--brand-deep);
  border-radius: 0.35rem;
  background: var(--brand);
  color: var(--surface);
  cursor: pointer;
  font-weight: 800;
}

.submit-button:hover { background: var(--brand-deep); }

footer {
  grid-area: footer;
  padding: var(--space-4) 5%;
  background: var(--brand-deep);
  color: var(--surface);
  text-align: center;
}

footer ul { display: flex; justify-content: center; }
footer p { margin: var(--space-3) auto 0; color: var(--line); }

/* B5 - First breakpoint: reveal nav links and make the form two columns. */
@media (min-width: 40rem) {
  .menu-button { display: none; }
  .nav-links { display: flex; }
  form { grid-template-columns: repeat(2, minmax(0, 1fr)); }
  .field-wide, .submit-button { grid-column: 1 / -1; }
}

/* B2, B5 - Second breakpoint: supporting panels sit beside the event list. */
@media (min-width: 64rem) {
  main {
    display: grid;
    align-items: start;
    grid-template-columns: minmax(0, 2fr) minmax(14rem, 1fr);
    grid-template-areas: "hero hero" "events faq" "events info" "submit submit";
    gap: var(--space-3);
  }

  .hero { grid-area: hero; }
  .faq { grid-area: faq; margin-bottom: 0; }
  .events { grid-area: events; margin-bottom: 0; }
  #important-info { grid-area: info; margin-bottom: 0; }
  #submit { grid-area: submit; }
  .desktop-note { display: block; }
}

@media (prefers-reduced-motion: reduce) {
  html { scroll-behavior: auto; }
}

```