

Campus Event Board Notes

Team members: Rakshit kumar (20261651069), Sakshi kuntal (20261651076), Ravi singh singal (20261651072), Yash anand (20261651099), Ankit chaturvedi (20261651013)

1. Palette

The palette in `style.css` is:

- `--brand: #c94f2d`
- `--brand-deep: hsl(14 64% 28%)`
- `--accent: rgb(244 183 64)`
- `--ink: #24313a`
- `--muted: rgb(82 96 105)`
- `--paper: #fffaf3`
- `--surface: #ffffff`
- `--line: #e4d8ca`

Named variables are better because one change updates the whole design. They also make rules easier to read than repeated color codes.

2. Color formats

- Hex: `--brand: #c94f2d` is the main brand color.
- `rgb()`: `--accent: rgb(244 183 64)` is used for highlights and the navigation button border.
- `hsl()`: `--brand-deep: hsl(14 64% 28%)` is used for the header and headings.
- Semi-transparent color: `rgb(0 0 0 / 40%)` is the hero overlay, which improves contrast over the banner background.

3. Relative units

`rem` respects the user's root font size, so text and spacing can scale more accessibly than fixed pixels. The stylesheet uses `width: calc(100% - 1rem)` for the hero, which leaves a small edge space while keeping it fluid. It uses `font-size: clamp(1.5rem, 4vw, 3rem)` for the main heading, which grows with the viewport but stays within readable limits.

4. Box model calculation

With `content-box`, the rendered width is $200\text{px} + 20\text{px} + 20\text{px} + 5\text{px} + 5\text{px} = 250\text{px}$.

With `border-box`, the rendered width is `200px`; the content area becomes `150px` after subtracting padding and borders. This project uses `box-sizing: border-box` because declared widths include padding and borders, making responsive layouts easier to control.

5. Box model layers

From inside out: content, padding, border, and margin.

6. Responsive card grid

`repeat(auto-fit, minmax(15rem, 1fr))` creates as many columns as fit, gives each card a minimum width of `15rem`, and shares remaining space between cards. It needs no media query because the grid automatically recalculates the number of columns as the available width changes.

7. Mobile-first design

Phone styles are the base because they provide a usable layout for the smallest screen first. ``min-width`` queries progressively add columns when there is enough room, keeping the CSS simple and resilient. The viewport meta tag makes the browser use the device width instead of a wide virtual desktop, so responsive CSS works correctly on phones.

8. Grid map

```
```css
grid-template-areas:
 "hero hero"
 "events faq"
 "events info"
 "submit submit";
```
```

The hero and submit regions span both columns. The events region spans two rows because it occupies the same grid area in the ``events/faq`` and ``events/info`` rows.

9. Responsive images and type

``img { max-width: 100%; height: auto; }`` keeps images inside their containers without a media query. ``clamp(1.5rem, 4vw, 3rem)`` makes the heading fluid without a media query.

10. Submission checklist

The project includes ``README.md``, the final ``index.html``, and the final ``style.css``. Git should be initialized in this folder with several descriptive commits so the history shows the work. A GitHub repository named ``event-board`` and its Pages URL should be added here after publishing.

Repository link: <https://github.com/rkstlohchab/event-board>

Pages link: <https://rkstlohchab.github.io/event-board/>

Screenshots included in the project:

- ``screenshot-event-cards.png`` - labeled styled event cards.
- ``screenshot-phone.png`` - labeled narrow phone layout with the compact menu.
- ``screenshot-desktop.png`` - labeled wide desktop layout with the responsive ref low.
- ``screenshot-validator.png`` - W3C validator browser capture. It records the validator's cached result for the previously deployed stylesheet. The reported ``pointer-events`` error was removed from the final ``style.css``; the fresh validator target is published as ``style-final.css`` while GitHub Pages finishes deploying it.

The CSS rules in ``style.css`` include short comments for the design system, box model, card component, responsive images, and responsive breakpoints. ``Notes.pdf`` contains these answers and ends with the final ``index.html`` and ``style.css`` code appendix.

Code appendix

The final code appendix is the complete contents of `[`index.html`](index.html)` followed by `[`style.css`](style.css)`. These are the exact final files used by the project and are kept as separate readable source files for submission and review.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Campus Event Board | IIIT Vadodara Events</title>
  <meta name="description" content="Explore upcoming campus events, festivals,
workshops, and competitions at IIIT Vadodara.">
  <link rel="icon" href="favicon.png">
  <link rel="stylesheet" href="style.css">
  <meta property="og:title" content="Campus Event Board | IIIT Vadodara Events
">
  <meta property="og:description" content="Explore upcoming campus events, fes
tivals, workshops, and competitions at IIIT Vadodara.">
  <meta property="og:image" content="og-image.png">
</head>

<body>
  <a class="skip-link" href="#main-content">Skip to main content</a>

  <header id="site-header">
    <figure>
      
      <figcaption>campus event board logo</figcaption>
    </figure>

  </header>

  <nav class="site-nav" aria-label="Main navigation">
    <button class="menu-button" type="button" aria-label="Open navigation me
nu">Menu</button>
    <ul class="nav-links">
      <li><a href="#upcoming-events" class="active">Events</a></li>
      <li><a href="#important-info">Important Info</a></li>
      <li><a href="#submit">Submit an Event</a></li>
    </ul>
  </nav>

  <main id="main-content">
    <section class="hero" aria-labelledby="welcome-heading">
      <p class="eyebrow">IIIT Vadodara</p>
      <h1 id="welcome-heading">Welcome to our Campus Event Board</h1>
      <p>Here you can find information about upcoming college events.</p>
      <blockquote class="hero-quote">Every great fest starts with someone
who showed up first.</blockquote>
    </section>

    <details>
      <summary>Is there an entry fee for sports and technical fests?</summ
ary>
      <p>No, all campus-hosted events are free of charge for enrolled coll
ege students.</p>
    </details>

    <section id="upcoming-events" class="events">
      <h2 class="section-title">Upcoming Events</h2>
      <p>Browse everything happening on campus this month.</p>
      <p>New events are added every week, so check back often.</p>

      <ul>

```

```

</li>
<article>
<h3>Independence Day Celebration</h3>
<p>Date: 15 August 2026</p>
<p>Venue: College Ground</p>
<p>Time: 9:00 AM</p>
</article>
</li>

<li>
<article>
<h3>Technical Fest</h3>
<p>Date: 20 August 2026</p>
<p>Venue: Seminar Hall</p>
<p>Time: 10:00 AM</p>
</article>
</li>

<li>
<article>
<h3>Coding Competition</h3>
<p>Date: 25 August 2026</p>
<p>Venue: Computer Lab</p>
<p>Time: 11:00 AM</p>
</article>
</li>

<li>
<article>
<h3>Sports Day</h3>
<p>Date: 30 August 2026</p>
<p>Venue: College Ground</p>
<p>Time: 8:00 AM</p>
</article>
</li>

<li>
<article>
<h3>Cultural Fest</h3>
<p>Date: 5 September 2026</p>
<p>Venue: Auditorium</p>
<p>Time: 4:00 PM</p>
</article>
</li>

<li>
<article>
<h3>Ai workshop</h3>
<p>Date: 10 September 2026</p>
<p>Venue: College Campus</p>
<p>Time: 2:00 PM</p>
</article>
</li>
</ul>

<h3 class="schedule-title">Full Schedule</h3>
<table class="schedule">
  <caption>All upcoming events at a glance</caption>
  <thead>
    <tr>
      <th scope="col">Event</th>
      <th scope="col">Date</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>Independence Day Celebration</td>
      <td>15 August 2026</td>
    </tr>
    <tr>
      <td>Technical Fest</td>
      <td>20 August 2026</td>
    </tr>
    <tr>
      <td>Coding Competition</td>
      <td>25 August 2026</td>
    </tr>
    <tr>
      <td>Sports Day</td>
      <td>30 August 2026</td>
    </tr>
    <tr>
      <td>Cultural Fest</td>
      <td>5 September 2026</td>
    </tr>
    <tr>
      <td>Ai workshop</td>
      <td>10 September 2026</td>
    </tr>
  </tbody>
</table>

```

| Event | Date | Venue | Time |
|------------------------------|-------------------|----------------|----------|
| Independence Day Celebration | 15 August 2026 | College Ground | 9:00 AM |
| Technical Fest | 20 August 2026 | Seminar Hall | 10:00 AM |
| Coding Competition | 25 August 2026 | Computer Lab | 11:00 AM |
| Sports Day | 30 August 2026 | College Ground | 8:00 AM |
| Cultural Fest | 5 September 2026 | Auditorium | 4:00 PM |
| Ai workshop | 10 September 2026 | College Campus | 2:00 PM |

Important Information

- Students must carry their college ID cards.
- Registration is required for competitions.
- Students should reach the venue 15 minutes early.

Submit

<h2 id="reg">Submit an Event</h2>

<form method="post" action="#">

<label for="name">First Name:</label>

<input type="text" id="name" name="name" placeholder="Name" >

<label for="l_name">Last Name:</label>

<input type="text" id="l_name" name="l_name" placeholder="surnam

<label for="id">Student id:</label>

<input type="text" id="id" name="id" placeholder="eg. 2026165107

<label for="event_date">Proposed event date:</label>

<input type="date" id="event_date" name="event_date">

<label for="interest">select your interest :</label>

<select id="interest" name="interest">

<option>Independence day celebration</option>

<option>technical fest</option>

<option>coding Competition</option>

<option>sports day</option>

<option>cultural fest</option>

</select>

<fieldset>

<legend>SELECT YOUR GENDER</legend>

<input type="radio" id="male" name="gender" value="male">

<label for="male">Male</label>

<input type="radio" id="female" name="gender" value="female">

<label for="female">Female</label>

</fieldset>

<fieldset>

<legend>CHOOSE YOUR DEPARTMENT</legend>

<input type="checkbox" id="btech" name="dep" value="btech">

<label for="btech">Btech</label>

<input type="checkbox" id="mtech" name="dep" value="mtech">

<label for="mtech">Mtech</label>

<input type="checkbox" id="mca" name="dep" value="mca">

<label for="mca">Mca</label>

</fieldset>

<fieldset>

<legend>CONTACT DETAILS</legend>

<label for="mob_no">Whatsapp number :</label>

<input type="tel" id="mob_no">


```
<label for="mail">your email id</label>
<input type="email" id="mail" placeholder="you@example.com">
<br><br>
```

```
<label for="add">address :</label>
<textarea id="add" placeholder="Street, city, PIN"></textarea>
```

```
</fieldset>
```

```
<br>
  <label for="age">Age :</label>
  <input type="number" id="age" min="0" max="100">
<br>
<br>
```

```
<button type="submit" >Add an Event</button>
</form>
```

```
</section>
```

```
</main>
```

```
<footer >
  <nav aria-label="Footer navigation">
    <ul>
      <li><a href="#upcoming-events">Events</a></li>
      <li><a href="#important-info">Important Info</a></li>
      <li><a href="#contact">Contact</a></li>
    </ul>
  </nav>
```

```
<a href="https://iiitvadodara.ac.in/#">College Website</a>
```

```
    <p>© 2026 Campus Event Board</p>
  </footer>
</body>
</html>
```

===== FINAL STYLE.CSS APPENDIX =====

```
/* Box model: include padding and borders in every element's width. */
* {
  box-sizing: border-box;
}
```

```
/* Design system: keep the page palette and type scale in one place. */
:root {
  --brand: #c94f2d;
  --brand-deep: hsl(14 64% 28%);
  --accent: rgb(244 183 64);
  --ink: #24313a;
  --muted: rgb(82 96 105);
}
```

```

--paper: #ffffaf3;
--surface: #ffffff;
--line: #e4d8ca;
--shadow: 0 2px 8px rgb(0 0 0 / 8%);
--space-1: 0.5rem;
--space-2: 1rem;
--space-3: 1.5rem;
--space-4: 2rem;
--type-small: 0.875rem;
--type-body: 1rem;
--type-h3: 1.25rem;
--type-h2: 1.75rem;
--type-h1: clamp(1.5rem, 4vw, 3rem);
}

/* Mobile-first page layout: stack the main regions on small screens. */
body {
  display: grid;
  grid-template-columns: 1fr;
  grid-template-areas:
    "header"
    "nav"
    "main"
    "footer";
  min-height: 100vh;
  margin: 0;
  background: var(--paper);
  color: var(--ink);
  font-family: Georgia, "Times New Roman", serif;
  font-size: var(--type-body);
  line-height: 1.5;
}

p {
  max-width: 65ch;
}

/* Responsive images: keep media inside its container. */
img {
  max-width: 100%;
  height: auto;
}

button,
input,
select,
textarea {
  font: inherit;
}

.skip-link {
  position: absolute;
  top: -3rem;
  left: var(--space-2);
  z-index: 2;
  padding: var(--space-1) var(--space-2);
  background: var(--brand-deep);
  color: var(--surface);
}

.skip-link:focus {
  top: var(--space-2);
}

```

```

}

#site-header {
  grid-area: header;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: var(--space-2);
  padding: var(--space-2) 5%;
  background: var(--brand-deep);
  color: var(--surface);
}

#site-header figure {
  display: flex;
  align-items: center;
  gap: var(--space-1);
  margin: 0;
}

#site-header figure img {
  width: 4rem;
  aspect-ratio: 1;
  object-fit: cover;
  border-radius: 50%;
}

#site-header figcaption {
  font-size: var(--type-h3);
  font-weight: 700;
}

/* Navigation: show the compact menu on phones. */
.site-nav {
  grid-area: nav;
  padding: var(--space-1) 5%;
  background: var(--ink);
}

.menu-button {
  display: inline-block;
  padding: 0.4rem 0.75rem;
  border: 1px solid var(--accent);
  border-radius: 0.25rem;
  background: transparent;
  color: var(--surface);
  cursor: pointer;
}

.nav-links,
footer nav ul {
  display: flex;
  flex-wrap: wrap;
  gap: var(--space-2);
  align-items: center;
  margin: 0;
  padding: 0;
  list-style: none;
}

.nav-links {
  display: none;
}

```

```

}

.site-nav a,
footer a {
  color: var(--surface);
  text-decoration: none;
}

.site-nav a:hover,
.site-nav a:focus,
footer a:hover,
footer a:focus {
  color: var(--accent);
}

/* Box model: center and cap the reading width. */
main {
  grid-area: main;
  width: min(90%, 60rem);
  margin: 0 auto;
  padding: var(--space-4) 0;
}

/* Banner: use a fluid width, overlay, and readable heading scale. */
.hero {
  position: relative;
  overflow: hidden;
  width: calc(100% - 1rem);
  margin: 0 auto var(--space-3);
  padding: clamp(2rem, 8vw, 5rem) var(--space-3);
  background: linear-gradient(120deg, var(--brand-deep), var(--brand));
  color: var(--surface);
  text-align: center;
  box-shadow: var(--shadow);
}

.hero::after {
  position: absolute;
  inset: 0;
  background: rgb(0 0 0 / 40%);
  content: "";
}

.hero > * {
  position: relative;
  z-index: 1;
  margin-right: auto;
  margin-left: auto;
}

.eyebrow {
  margin-top: 0;
  color: var(--accent);
  font-size: var(--type-small);
  font-weight: 700;
  letter-spacing: 0.12rem;
  text-transform: uppercase;
}

h1,
h2,
h3 {

```

```

    line-height: 1.2;
}

h1 {
    max-width: 18ch;
    margin-top: 0;
    font-size: var(--type-h1);
}

h2 {
    font-size: var(--type-h2);
}

h3 {
    font-size: var(--type-h3);
}

.hero-quote {
    max-width: 50ch;
    margin-bottom: 0;
    font-style: italic;
}

details,
.events,
#important-info,
#submit {
    margin: 0 0 var(--space-3);
    padding: var(--space-3);
    border: 1px solid var(--line);
    border-radius: 0.5rem;
    background: var(--surface);
    box-shadow: var(--shadow);
}

details summary {
    color: var(--brand-deep);
    cursor: pointer;
    font-weight: 700;
}

.events {
    border-top: 0.25rem solid var(--brand);
}

.section-title,
#submit h2 {
    margin-top: 0;
    color: var(--brand-deep);
}

/* Card grid: auto-fit cards without a media query. */
.events > ul {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(15rem, 1fr));
    gap: var(--space-2);
    margin: var(--space-3) 0;
    padding: 0;
    list-style: none;
}

/* Card component: padding, border, radius, margin, and soft shadow. */

```

```
.events article {
  min-height: 100%;
  margin: 0;
  padding: var(--space-2);
  border: 1px solid var(--line);
  border-radius: 0.5rem;
  background: var(--paper);
  box-shadow: var(--shadow);
}

.events article h3 {
  margin-top: 0;
  color: var(--brand-deep);
}

.events article p {
  margin: 0.25rem 0;
  color: var(--muted);
  font-size: var(--type-small);
}

.schedule {
  width: 100%;
  margin-top: var(--space-2);
  border-collapse: collapse;
}

.schedule caption {
  margin-bottom: var(--space-1);
  font-weight: 700;
  text-align: left;
}

.schedule th,
.schedule td {
  padding: var(--space-1);
  border-bottom: 1px solid var(--line);
  text-align: left;
}

#important-info {
  border-left: 0.25rem solid var(--accent);
}

#important-info h2 {
  margin-top: 0;
}

form {
  display: grid;
  gap: var(--space-1);
}

label,
legend {
  font-weight: 700;
}

input:not([type="radio"]):not([type="checkbox"]),
select,
textarea {
  width: 100%;
}
```

```

padding: 0.625rem;
border: 1px solid var(--line);
border-radius: 0.25rem;
background: var(--surface);
color: var(--ink);
}

textarea {
  min-height: 6rem;
}

fieldset {
  margin: var(--space-1) 0;
  padding: var(--space-2);
  border: 1px solid var(--line);
  border-radius: 0.25rem;
}

button[type="submit"] {
  justify-self: start;
  margin-top: var(--space-1);
  padding: 0.75rem 1.5rem;
  border: 0;
  border-radius: 0.25rem;
  background: var(--brand);
  color: var(--surface);
  cursor: pointer;
  font-weight: 700;
}

button[type="submit"]:hover,
button[type="submit"]:focus {
  background: var(--brand-deep);
}

footer {
  grid-area: footer;
  padding: var(--space-4) 5%;
  background: var(--ink);
  color: var(--surface);
  text-align: center;
}

footer nav ul {
  justify-content: center;
  margin-bottom: var(--space-2);
}

footer p {
  margin-right: auto;
  margin-left: auto;
}

.desktop-note {
  display: none;
}

/* Responsive breakpoint: reveal links and add a second card column. */
@media (min-width: 40rem) {
  .menu-button {
    display: none;
  }
}

```

```

.nav-links {
  display: flex;
}

.events > ul {
  grid-template-columns: repeat(2, minmax(15rem, 1fr));
}

/* Responsive breakpoint: place the event list beside supporting panels. */
@media (min-width: 64rem) {
  main {
    display: grid;
    align-items: start;
    grid-template-columns: minmax(0, 2fr) minmax(14rem, 1fr);
    grid-template-areas:
      "hero hero"
      "events faq"
      "events info"
      "submit submit";
    gap: var(--space-3);
  }

  .hero {
    grid-area: hero;
  }

  main > details {
    grid-area: faq;
    margin-bottom: 0;
  }

  .events {
    grid-area: events;
    margin-bottom: 0;
  }

  #important-info {
    grid-area: info;
    margin-bottom: 0;
  }

  #submit {
    grid-area: submit;
  }

  .desktop-note {
    display: block;
  }
}

```