

Aluminium Composite Sheet



Vol.5

COLOUR CHART THE LONG LASTING BOND

OUR ESTEEMED CLIENTS







Petrol Pump























































































INTRODUCTION

M/s Viva Composite Panel (P) LTD . is one of the leading manufacturers of aluminium composite panel (ACP) in India. Viva now an ISO 9001:2015 & ISO 14001:2015 & "CE" certified company was setup in 2003 at Mumbai in Maharashtra, Our manufacturing facilities are located at Umbergaon in Gujarat that features a perfect harmony of proficient workers and world class machines. The manufacturing facilities have a state-of-the-art Korean machines and has an integrated infrastructure and a talented pool of professionals operate them. The plant is equipped with all safety measures as well as solar power to ensure uninterrupted production. A state of test lab is also operational. The in-house testing labs ensure highest quality &precise specification.

We are equipped with 6 production lines with production Capacity of 7 million sq. Mt. per annum and 2 Lakh Sq ft. per day at our plant, located at Umbergaon (Gujarat).

We have 18 Company owned Depot's in all the prime cities of India and more than 500 plus dealer's network across India, strengthening us to make our supplies reach in almost most of the regions.

We're also equipped with the best in class Color Coating Line (CCL) which helps us to develop customized shades and cater the requirement of our clients who needs a special shade for their brand identity and eliminates the chance of peel-off. Only lead-free paint is used to negate health hazards.

The fire retardant variant (fire facade) resists fire for 2 hours, doesn't lead to flash over, produces negligible smoke and zero flaming droplets.

Our products are LEED certified by the IGBC organisation which ensures environment safety.

Viva, superior quality aluminium composite panels are available in large variety with innovative ideas, an eye catching appeal. It offers unmatched quality, aesthetics, style and durability. It has good insulation and a low thermal conductivity, weather protection & is ready to use, It has a range of applications and a whole lot of multiple deployment, advantages, customers can choose as per their needs, budgets and decorative requirements.

Viva Recommend Fabrication Specification:

- 1. Aluminium section should be used in 2" x 2" standard size
- 2. Ideal panel size should be used in 2' x 2' standard size

METALLIC & SOLID COLOURS







■ 6 MM VIVA HPL

■ METALLIC, SOLID COLOURS & MIRROR



SPARKLE






GLOSSY COLOURS

VA 362 | Glossy White



NATURAL STONE



NATURAL STONE





VA 9015 | Brown Emperador



VA 9016 | Lorro Pretto



VA 9017 | Sandstone



VA 9018 | Moonstone Grey



VA 9019 | Jaipur Pink



VA 9020 | Canberra



VA 9021 | Rust



VA 9022 | Milan Grey



VA 9023 | Rosa Zarci



VA 9024 | Nero Carrera



VA 9025 | Azurite Beads




VA 534 | Mauve Glitter





VA 532 | Black Glitter

DESERT SERIES



0.21 MM VIVA 801

WOODEN TEXTURE





VA 551 | Oak Texture



VA 552 African Ebony Texture




VA 553 | Burma Ebony Texture —



VA 554 | Tiger Wood Texture



VA 555 | African Walnut



VA 556 | Black Oak Texture



VA 557 | Kop Texture



VA 558 | Kolo Grey Texture



VA 559 | Bocote Texture



VA 560 | Ipe Texture




VA 561 | Golden Cedar Texture




VA 562 | Metallic Oak Texture

NATURAL RUSTIC



WOODEN









VA 399 | Plain Teak

VA 395 | Walnut Wood




VA 396 | Teak Wood

PREMIUM WOODEN & MARBLE



CRYSTAL RUFF






SALIENT FEATURES:

- 100 % maintenance free.
- Saves Construction time and cost at the last stages of construction.
- Cuts out the labour with its easy fitting & faster.
- Provides sound insulation and resistant to weathering effects.
- Resistant to breakage.
- Design flexibility.
- No affected by natural gases.
- No affected by humidity & water.
- Durable to impact.
- Better salt water corrosion resistance.
- No polishing is required.
- Can be manufactured at any requested length.
- Fire safety and no toxic gases.
- Hi-tech appeal.

PANEL COMPOSITION



*Colour may vary from batch to batch △± 5

Note: Viva FR Grade Aluminium Composite Panels
as per fire classification DIN-4102 Class-B1 is also available with us.

TECHNICAL SPECIFICATION

PANEL DIMENSIONS (STANDARD)	1220MM X 2440MM 1220MM X 3050MM 1220MM X 3660MM
THICKNESS	1 MM X 8 MM
COATING	PVDF
LENGTH	AS PER REQUIREMENT
WIDTH	920 MM,1220 MM, 1520 MM

*Coil Thickness may vary ± 0.05



12* YEARS OF WARRANTY

We have a lot of confidence in the quality and durability of each VIVA Product. So much confidence, that all warranties are limited. For complete details, see a dealer.

VIVA warrants that its products of free from manufacturing defects and they are fit and suitable for usual purpose. The product be inspected prior to installation and our liability will be limited to the cost of product only.

^{*}Not applicable in Interior Grade

^{*12} Years of warranty applicable only in 5 Star & 7 Star (Excluding Mirror Series)

The Biggest Manufacturer in India Aluminium Composite Panel

VIVA COMPOSITE PANEL (P) LTD.

C€ ISO 9001 : 2015 & 14001 : 2015
MUMBAI (INDIA)

HEAD OFFICE

Unit No. 7, Tejpal Industrial Estate, Andheri Kurla Road, Sakinaka Andheri East, Mumbai - 400072

FACTORY ADDRESS

Survey No, 85/8, 85/9, 85/10, 68/1 70/14, At Post: Khattalwada, Manekpur Road, Opp. Poultry Farm, Near Apar Industries Ltd., Tal - Umbergaon, Dist - Valsad, Station - Sanjan, Gujarat - 396 120

BRANCH OFFICE

