

```

% Script for 2011 ME227 Homework Assignment 1 Problem 1
% Author: Ruslan Kurdyumov
% Date: April 4, 2011

% Make sure you have a clean environment in which to work
clear all
close all
clc

% Add the path to our common files that we will often recycle
addpath( '../Common' )

% Enumerate the wheels (this should appear in all your files)
lf = 1; rf = 2; lr = 3; rr = 4;

% First load the parameters for the vehicle you are going to use
vehicleTTS

% Define the simulation parameters for your first simulation.
% Our state variables are x = [Uy r]' where Uy = lateral velocity,
% Define the initial conditions of the simulation

% Define testing scenario
driver.mode = 'step'; % Type of steering (control strategy or maneuver)
driver.delta0 = 0; % Initial steering angle
driver.deltaf = 2*pi/180; % Steering angle during the step
driver.steertime = 0; % Time to start the step
simulation.speed = 20; % Perform the maneuver at 20 m/s

% Define which models we want to use
simulation.vmodel = 'bike'; % vehicle model
simulation.tmodel = 'linear' % tire model

% Define any convenient physical parameters
simulation.g = 9.81;

% Initialize our time vector and state vector
t0 = 0; tf = 1; tstep = 0.001;
t = t0:tstep:tf;
x = zeros((tf - t0) / tstep + 1,2);

% Euler integration
for i = 1:(size(t,2) - 1)
    delta = steering(simulation, driver, x(i,:), t(i));
    alpha = slips(simulation, vehicle, x(i,:), delta);
    Fy = tireforces(simulation, vehicle, alpha);

```

```

        dxdt = derivs(simulation, vehicle, x(i,:), Fy);
        x(i+1,:) = x(i,:) + tstep*dxdt;
    end

```

```

simulation =

    speed: 20
   vmodel: 'bike'
   tmodel: 'linear'

```

## Display results

```

figure;
set(gcf, 'position', [100 0 500 800]);
subplot(211); plot(t,x(:,1));
title('Lateral Velocity Response of Linear Model, \delta = 2 degree
xlabel('Time(s)'); ylabel('U_y (m/s)');
subplot(212); plot(t,x(:,2));
title('Yaw Rate Response of Linear Model, \delta = 2 degrees, U_x =
xlabel('Time(s)'); ylabel('U_y (m/s)')
Uy_ss = x(end,1)
r_ss = x(end,2)

```

```

Uy_ss =

    -0.0164

```


```

r_ss =

    0.2606

```

Lateral Velocity Response of Linear Model,  $\delta = 2$  degrees,  $U_x = 20$  m/s



Yaw Rate Response of Linear Model,  $\delta = 2$  degrees,  $U_x = 20$  m/s

