▼ 정규표현식, 문자열에서 패턴찾기

```
text = 'My id number is [G203_5A]'
text
    'My id number is [G203_5A]'
result = re.findall('a',text) # re.findall(찾을 문자, 찾아낼 데이터)
result
   []
result = re.findall('A',text)
result
['A']
result = re.findall('i',text)
result
['i', 'i']
# 소문자 연속해서 찾기(단어가 연속되어 있으면 묶어줌) '[a-z]+'
result = re.findall(([a-z]+], text)
result
['y', 'id', 'number', 'is']
# 소문자 연속해서 찾기2 '[a-z]'
result = re.findall('[a-z]',text)
result
['y', 'i', 'd', 'n', 'u', 'm', 'b', 'e', 'r', 'i', 's']
# 대문자 연속해서 찾기
result = re.findall('[A-Z]+',text)
result
['M', 'G', 'A']
# 숫자 찾기
result = re.findall('[0-9]',text)
result
['2', '0', '3', '5']
```

```
# 숫자 찾기2 (붙은 건 붙은 그대로)
result = re.findall('[0-9]+',text)
result
['203', '5']
# 영문자 및 숫자 찾기
result = re.findall('[a-zA-Z0-9]',text)
result
     ['M',
      'y',
      'i',
      'd',
      'n'n,
      'u',
      'm',
      'b',
      'e',
      'r',
      'i',
      's',
      'G',
      121,
      0',
      '3',
      5',
      'A']
# 영문자 및 숫자 연속해서 찾기
result = re.findall('[a-zA-Z0-9]+', text)
result
   ['My', 'id', 'number', 'is', 'G203', '5A']
# 영문자 및 숫자가 '아닌것' 찾기
result = re.findall('[^a-zA-Z0-9]',text)
result
['','','','','','[','_',']']
# 영문자 및 '_' 특수기호 찾기
result = re.findall('[\w]',text)
result
```

```
['M',
     'y',
     'i',
     'd',
     'n,
     'u',
     'm',
     'b',
     'e',
     'r',
     'i',
     's',
     'G',
     121,
     0',
     131,
     5',
     'A']
# 영문자 및 '_' 특수기호 연속해서 찾기
result = re.findall('[\text]+',text)
result
['My', 'id', 'number', 'is', 'G203_5A']
# 영문자 및 '_'특수기호 아닌 문자 찾기
result = re.findall('[\text]', text)
result
```

▼ 문자열에서 특정이름 찾아내기

```
[→ re.compile(r'김찬₩w', re.UNICODE)
  brother = pattern.findall(text)
  brother
       ['김찬동', '김찬식', '김찬이', '김찬혁', '김찬민']
  pattern = re.compile('김.용')
  #pattern = re.compile('김₩w영')
  #둘은 동일
  children = pattern.findall(text)
  children
       ['김수용', '김지용', '김무용']
  brother = set(brother)
  brother
   [→ {'김찬동', '김찬민', '김찬식', '김찬이', '김찬혁'}
  brother = sorted(brother)
  brother
       ['김찬동', '김찬민', '김찬식', '김찬이', '김찬혁']
  text = 'A sky, a dragonfly aand a butterfly!'
  pattern = re.compile('\text{\psi} w + fly')
  pattern.findall(text)
       ['dragonfly', 'butterfly']
▼ 핸드폰 번호에 대한 파싱
       \d{2,3}[ -.]?\d{3,4}[ -.]?\d{4}
  text = """
      010-5670-3847
                     # space, -, . => []
      010 5670 3847
      010.5670 3847
  pattern = re.compile('₩d{3}[ -₩.]?₩d{4}[ -₩.]?₩d{4}') #.이나 공백이나 -
  pattern.findall(text)
```

```
['010-5670-3847', '010 5670 3847', '010.5670 3847']
   text = """
       010-5670-3847 # space, -, . => []
       옛날에는 011-1052-3847 이랬는데..
       010 5670 3847
       010.-5670 3847
       사는동네가 금영아파트 103동112호
       그리구, 사무실번호는 02-3450-4012이고
우편번호는 100-711, 청파로 887번지
   0.000
   pattern = re.compile("₩d{2,3}[ -₩.]{1,2}?₩d{3,4}[ -₩.]?₩d{4}")
# ? : 숫자가 {3}거나 {3,4} 이거나 {4}이거나
   pattern.findall(text)
    Гэ
        ['010-5670-3847',
          '011-1052-3847',
          '010 5670 3847'
          '010.-5670 3847',
          '02-3450-4012']
▼ 주민번호에 대한 파싱
            • 뒷자리를 암호화 시키기
            숫자 6자리 - 숫자 7자리
   text = """
       김부영 990811-3097532
       김오영 011108-3123441
       김지영 111009-4085122
   pattern = re.compile(^{\text{Wd}}\{6\}-?\text{Wd}\{7\}^{\text{W}})
                                              # -가 있을 수도 있고...붙을 수도 있고...
   pattern.findall(text)
       ['990811-3097532', '011108-3123441', '111009-4085122']
   pattern = re.compile("\forall d\{6\}-\forall d\{7\}")
   # 정규표현식 GROUP
   # 1. 생년월일 그룹 <birth>
# 2. 주민등록번호 뒷자리 그룹 <secret>
   pattern = re.compile("(?P < birth > \forall d\{6\})-(?P < secret > \forall d\{7\})")
   # ?P<>로 패턴 파라미터
```

```
pattern.findall(text)
□→ [('990811', '3097532'), ('011108', '3123441'), ('111009', '4085122')]
# ₩g로 불러오기
result = pattern.sub("\g<birth>-*****, text)
print(result)
С⇒
        김부영 990811-*****
        김오영 011108-*****
        김지영 111009-*****
pattern = re.compile('(?P<name>Ww{3})) (?P<birth>Wd{6})-(?P<secret>Wd{7})')
pattern.findall(text)
    [('김부영', '990811', '3097532'),
     ('김오영', '011108', '3123441'),
      ('김지영', '111009', '4085122')]
print(text)
Гэ
        김부영 990811-3097532
        김오영 011108-3123441
        김지영 111009-4085122
result = pattern.sub("\wg<name>(\wg<birth>-******)",text)
result
    ¹₩n
           김부영(990811-*****)₩n
                                     김오영(011108-*****)₩n
                                                               김지영(111009-*****)₩n'
Гэ
result = result.split('\n')
result
Гэ
          김부영(990811-*****)',
          김오영(011108-*****)',
          김지영(111009-*****)',
      ''1
result.pop(0)
result
С→
```

```
김부영(990811-*****)',
               김오영(011108-*****)',
               김지영(111009-*****)',
         '']
   result.pop(-1)
   result
               김부영(990811-*****)',
    C→
               김오영(011108-*****)',
               김지영(111009-*****) ']
   for idx, val in enumerate(result) :
       val = val.replace(" ", "")
       print(idx,val)
       0 김부영(990811-******)
        1 김오영(011108-******)
        2 김지영(111009-******)
▼ Quiz
           • Email 패턴: ID+@+URL
   # 작업 폴더 확인
   %Is data
   with open('./data/emails.txt', encoding ='utf-8') as fp :
    data = fp.read()
       fp.close()
   data
        'Id\tDocNumber\tMetadataSubject\tMetadataTo\tMetadataFrom\tSenderPersonId\tMetadataDateSent\
   pattern = re.compile("\frac{1}{2}w[a-zA-Z0-9]{0,12}[ -\frac{1}{2}.]?\frac{1}{2}w@.?\frac{1}{2}.?\frac{1}{2}w(0,12}")
   result = pattern.findall(data)
   result
```

```
['Sullivan11@state.gov',
 <u>Sullivan11@state.gov</u>'
 '_Brose@armed-servic',
 'MillsCD@state.gov',
 'MillsCD@state.gov',
 'lhdr22@clintonernail.com'.
 'hdr22@clintonemail corn',
 'MillsCD@state.gov',
 'MillsCD@state.gov'
 'sn<u>ipead@state.gov</u>',
 'h<u>rod17@clintonemail.com</u>',
 'hrod17@clintonemail.com',
 'Russorv@state.gov',
 'hrod17@clintonernailcom',
 '째<u>Russorv@state.gov</u>',
 'hrod17@clintonernailcom',
 '째<u>Russorv@state.gov</u>',
 'MillsCD@state.gov',
 'MillsCD@state.gov'
 'hrod17@clintonemail.corn',
 'hrod17@clintonemail.corn',
 'Sullivanli@stategov>'.
 'Sullivanli@stategov>',
 'SullivanJJ@state.gov'
 'Sullivan<u>JJ@state.gov</u>',
 'Reinesp@stategov;'.
 'Reinesp@stategov;'
 'MillsCD@state.gov'
 'MillsCD@state.gov'
 'snipead@state,gov'
 'KohliFf@state.gov'
 'KohliFf@state.gov'
 ShermanWR@state.gov
 ShermanWR@state.gov
 'Sherman<u>WR@state.gov</u>'
 'Sulliva<u>nii@state.gov</u>'
 'Sullivanii@state.gov'
 'Sullivanii@state,gov'
 'Sullivanii@state.gov'
 '<u>idr22@dintonemail.com</u>'
 '<u>sullivanjj@state.gov</u>',
 '<u>hrod17@clintonernaii.com</u>',
 'esullivanii@state.gov'.
 'hrod17@clintonernaii.com',
 esullivanjj@state.gov',
 'Russorv@state.gov',
 'hrod17@clintoriernail'
 '째Russont@state.gov째'
 'hrod17@clintoriernail'
 '째<u>Russont@state.gov</u>째',
 '<u>Russorv@state.gov</u>',
 "Russorv@stategov'"
 "Russorv@stategov'",
 '<u>sullivanjj@state.gov</u>',
 '<u>sullivanjj@state.gov</u>',
 'hro<u>d17@clintonemail.com</u>',
 'hrod17@clintonemail.com',
 'sullivanii@state.gov'.
```

```
'퉄ullivann@state.gov
'雪ullivann@state.gov'
'HDR22@clintonemail.corn'
'HDR22@clintonernallycorn',
'SullivanD@state,gov',
'Sullivanit@state.gov'
'Sullivanit@state,gov',
'HDR22@clintonemall,corn',
'MillsCD@stategov>',
'MillsCD@stategov>',
'AbedinH@state.goy'
'AbedinH@state.goy',
'BitterR@state,gov',
'SullivanJJ@state.gov',
'MillsCD@state.gov',
'MillsCD@state.gov'
'<u>Russorv@state.gov</u>'
'Russorv@state.gov쌔'.
'hrod17@clintonemail.com',
'SullivanJJ@state.gov',
'hrod17@clintonemail.com',
'Russorv@state.gov쌔',
'SullivanJJ@state.gov'
'Sullivarill@state.gov'
'Sullivarill@state.gov',
MillsCD@state.gov',
'MillsCD@state.gov
'MillsCD@state.gov'
'MillsCD@state.gov
'AbedinH@state.gov
AbedinH@state.gov
'MillsCD@state.gov'
'MarshallCP@stategov>'
'HOR22@clintonemail.com'
'hrod17@clintonemail.com
hrod17@c<u>lintonemail.com</u>
'Sullivan13@stategov]',
'<u>sullivanjj@state.gov</u>'
'sullivanii@state.gov'
'hrod17@dintonemailcom'
'hrod17@dintonemailcom',
'sullivanjj@state.gov',
'11@state.govi',
'MillsCD@state.gov'.
'MillsCD<u>@state.gov</u>',
'<u>sullivanjj@state.gov</u>',
'<u>sullivanjj@state.gov</u>',
'<u>hrod17@clintonemail.com</u>'
'hrod17@clintonemail.com',
'sullivanjj@state.gov',
'<u>SullivanAt@state.gov</u>',
'<u>sullivanjj@state.gov</u>',
gll@state.gov',
'hrod17@clintonemail.com',
'hrod17@clintonemail.com',
'gll@state.gov',
'MarshallCP@state.gov',
'MarshallCP@state.gov',
```

```
'hdr22@clintonemail.corn',
'hdr22@clintonemail.corn',
'HDR22@clintonemail.com',
'Su<u>llivanJJ@state.gov</u>',
'<u>SullivanJJ@state.gov</u>',
'HDR22@clintonemail.com'.
'<u>BurnsW.1@state.gov</u>',
'BurnsW.1@state.gov',
's<u>ullivanjj@state.gov</u>',
'sullivahu@state.gov'.
'hrod17@clintonernail.com',
'hrod17@clintonernail.com',
'su<u>llivahu@state.gov</u>',
'HDR22@clintonemail.com',
'MillsCD@state.gov'.
'Su<u>llivann@state.gov</u>',
'Sullivann@state.gov',
'HDR22@clintonemall.com',
'Mi<u>llsCD@state.gov</u>',
'Mi<u>llsCD@state.gov</u>',
'HDR22@clintonemail.com',
'AbedinH@state,gov',
'Russorv@state.gov',
'hrod17@clintonemail.com',
'Russorv@state.gov',
'hrod17@cl<u>intonemail.com</u>',
'Russorv@state.gov',
'MillsCD@state.gov'
'MillsCD@state.gov'
'Sullivann@state.gov',
Sullivan<u>n@state.gov</u>',
'MillsCD<u>@state.gov</u>',
'mailtoTaclips@state.govl',
'MillsCD@state.gov',
'mailtoTaclips@state.govl',
'sullivanjj@state.gov',
'sullivanii@state.gov'.
'hrod17@clintonemailcom',
'hrod17@clintonemailcom',
'sullivanjj@state.gov',
'Sullivan<u>11@state.gov</u>',
'HOR22@clintonemail.com',
'Hurna@clintonemaii.com',
'Sullivanii@state.gov'.
'HDR22@clintonemail.corn',
'Huma@clintonernail.com',
'SullivanJJ@state.gov'.
'Sullivanii@stategov>'
'Sullivanii@stategov>'
'Sullivanii@state.govj'
'HDR22@clintonemail.coml'
'Hurna@clintonernail.corn',
'Suilivanii@state.gov',
'HOR22@clintonemail.corni',
'SullivanJJ@state.govj',
'Russ<u>orv@state.gov</u>',
'hrod17@clintonemail.com',
'Russorv@state.gov'.
```

```
'hrod17@clintonemail.com',
'Ru<u>ssorv@state.gov</u>',
'<u>Russorv@state.gov</u>'
'<u>Russoiv@state.gov</u>',
'hrod17@clintonemaii.com',
'hrod17@clintonemaii.com',
'Ru<u>ssoiv@state.gov</u>',
'<u>HanleyMR@state.gov</u>',
'<u>HanleyMR@state.gov</u>',
'HDR22@clintonemail.comj',
'HanleyiVIR@state.govj',
'HDR22@clintonemail.corn'
'HDR22@clintonernail.corn',
'huma@clintonemail.com',
'huma@clintonemail.com',
'MillsCD@state.gov',
'Mi<u>llsCD@state.gov</u>',
'<u>sullivanjj@state.gov</u>',
'<u>sullivanjj@state.gov</u>'
'sullivanjj@state.gov',
'MillsCD@state.gov',
'MillsCD<u>@state.gov</u>',
'Sullivan<u>il@state.gov</u>',
'Sulliva<u>nil@state.gov</u>'
'SullivanJJ@state.gov'
'<u>SullivanJJ@state.gov</u>'
'HDR22@<u>clintonernail.com</u>',
'abedinh<u>@state.gov</u>',
'abedin<u>h@state.gov</u>'
abedinh@state.gov'
Abedinfi@state.gov'
'Sullivan33@state.gov',
'<u>OpsNewsTicker@state.gov</u>',
'MillsCD<u>@state.gov</u>',
'<u>MillsCD@state.gov</u>',
'<u>thecable@foreignpolicy.com</u>',
millscd@state.gov',
'miliscd@stategov"'
'hrod17@clintonemail.com',
'hrod17@clintonemail.com',
'miliscd@stategov"',
'MillsCD@state.gov',
'thecable@foreignpolicy,comj',
'<u>MillsCD@state.gov</u>',
'MillsCD@state.gov'
'<u>MillsCD@state.gov</u>'
'<u>MillsCD@state.gov</u>'
```

'<u>paclips@state.gov</u>']

```
for val in result:
    val = val.replace("別","")
    val = val.replace("気"")
    result_.append(val)

with open('./data/emails2.txt','w') as fp:
    fp.write()

val
```