20231559 김준범 oss 실습 8


```
김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff HEAD
fatal: ambiguous argument 'HEAD': unknown revision or path not in the work
ee.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff --staged
diff --git a/h b/h
new file mode 100644
index 0000000..f8b6fa8
--- /dev/null
+++ b/h
@@ -0,0 +1,4 @@
+123
+ABC
+[1, 2]
+{1, 2}

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git checkout HEAD~
error: pathspec 'HEAD~' did not match any file(s) known to git

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git reset --hard HEAD
fatal: ambiguous argument 'HEAD': unknown revision or path not in the work
ee.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   h


김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git checkout HEAD~
error: pathspec 'HEAD~' did not match any file(s) known to git

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ cat h
123
```



```
김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ cat h
123
ABC
[1, 2]
{1, 2}

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git checkout main
error: pathspec 'main' did not match any file(s) known to git
g
김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git checkout HEAD~2
error: pathspec 'HEAD~2' did not match any file(s) known to git

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ cat h
123
ABC
[1, 2]
{1, 2}
g
김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet
g
김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git checkout -
error: pathspec '-' did not match any file(s) known to git

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$
```



```
김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash (main)
$ git init grst
Initialized empty Git repository in C:/Users/김 준 범 /gbrch/ossHomework/gstash/grs
t/.git/

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash (main)
$ cd grst

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ echo 123 > h

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ echo ABC >> h

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ echo '[1, 2]' >> h

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git add h

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ echo '{1, 2}' >> h

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git add h

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   h


김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git stash
You do not have the initial commit yet

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git reset --hard HEAD~
fatal: ambiguous argument 'HEAD~': unknown revision or path not in the working t
ree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$  cat h
123
ABC
[1, 2]
```



```
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff HEAD
fatal: ambiguous argument 'HEAD': unknown revision or path not in the working t
ee.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff --staged
diff --git a/h b/h
new file mode 100644
index 0000000..f8b6fa8
--- /dev/null
+++ b/h
@@ -0,0 +1,4 @@
+123
+ABC
+[1, 2]
+{1, 2}

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git reset --hard ORIG_HEAD
fatal: ambiguous argument 'ORIG_HEAD': unknown revision or path not in the worki
ng tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   h


김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ cat h
123
ABC
[1, 2]
{1, 2}

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet

김 준 범 @LAPTOP-3QU0S5TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff
```

```
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff HEAD
fatal: ambiguous argument 'HEAD': unknown revision or path not in the working tr
ee.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
gi
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff --staged
diff --git a/h b/h
new file mode 100644
index 0000000..f8b6fa8
--- /dev/null
+++ b/h
@@ -0,0 +1,4 @@
+123
+ABC
+[1, 2]
+{1, 2}
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git reset --mixed HEAD~
fatal: ambiguous argument 'HEAD~': unknown revision or path not in the working t
ree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ cat h
123
ABC
[1, 2]
{1, 2}
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff

김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff HEAD
fatal: ambiguous argument 'HEAD': unknown revision or path not in the working tr
ee.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff --staged
diff --git a/h b/h
new file mode 100644
```

```
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git reset --hard ORIG_HEAD
fatal: ambiguous argument 'ORIG_HEAD': unknown revision or path not in the wor
ng tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   h

김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ cat h
123
ABC
[1, 2]
{1, 2}

김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff HEAD
fatal: ambiguous argument 'HEAD': unknown revision or path not in the working
ee.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff --satged
error: invalid option: --satged
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff --staged
diff --git a/h b/h
new file mode 100644
index 0000000..f8b6fa8
--- /dev/null
+++ b/h
@@ -0,0 +1,4 @@
+123
+ABC
+[1, 2]
+{1, 2}
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
```

```
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git reset --soft HEAD~
fatal: ambiguous argument 'HEAD~': unknown revision or path not in the working
ree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
c
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ cat h
123
ABC
[1, 2]
{1, 2}
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff
gi
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff HEAD
fatal: ambiguous argument 'HEAD': unknown revision or path not in the working
ee.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff --staged
diff --git a/h b/h
new file mode 100644
index 0000000..f8b6fa8
--- /dev/null
+++ b/h
@@ -0,0 +1,4 @@
+123
+ABC
+[1, 2]
+{1, 2}
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git reset --hard ORIG_HEAD
fatal: ambiguous argument 'ORIG_HEAD': unknown revision or path not in the wor
ng tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
gi
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git status
On branch main

No commits yet
```

```
$ cat h
123
ABC
[1, 2]
{1, 2}
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff HEAD
fatal: ambiguous argument 'HEAD': unknown revision or path not in the wo
ee.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
g
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git diff --staged
diff --git a/h b/h
new file mode 100644
index 0000000..f8b6fa8
--- /dev/null
+++ b/h
@@ -0,0 +1,4 @@
+123
+ABC
+[1, 2]
+{1, 2}
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git stash apply --index
No stash entries found.
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   h

김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ cat h
123
ABC
[1, 2]
{1, 2}
김 준 범 @LAPTOP-3QUO55TD MINGW64 ~/gbrch/ossHomework/gstash/grst (main)
$ git log --oneline
```