


Concrete current examples of the shared model-data pattern.

fig:model-component-concrete-example | figure

Generated from FIGURE-SPEC comments



Source

- ../source/plugins/data/MaterialHandling/Station.h
- ../source/plugins/data/MaterialHandling/Station.cpp
- ../source/plugins/data/DiscreteProcessing/Queue.h
- ../source/plugins/data/DiscreteProcessing/Queue.cpp
- ../source/plugins/data/DiscreteProcessing/Resource.h
- ../source/plugins/data/DiscreteProcessing/Resource.cpp
- ../source/plugins/data/Logic/Variable.h
- ../source/plugins/data/Logic/Variable.cpp
- ../source/tests/unit/test_station_statistics_lifecycle.cpp
- ../source/tests/unit/test_queue_statistics_lifecycle.cpp
- ../source/tests/unit/test_resource_accounting_lifecycle.cpp
- ../source/tests/unit/test_simulator_runtime.cpp

Purpose

- Show a concrete current example where data
- definitions create internal helpers,
- preserve attached references, and reuse
- the same objects across operations.

Required content

- Station with its internal statistics collectors and attached entity attributes
- Queue and Resource with lazily created accounting collectors
- Variable with its runtime value store and Scope control

Accessibility

- A small set of example panels that help
- the reader map the abstract lifecycle to
- familiar plugin classes.

The source block remains the authoritative specification.
The rendered asset is a compact visual summary.