

← Case report for event ID: 1022

ID	Alert rule	Description	Incident type	Severity level	Date and time detected
1022	Network drive mapped to a local drive	A network drive was mapped to a local drive. Normally, this is not a cause for concern, but investigate further to determine if it is malicious.	Execution	Medium	Dec 27th 2025 at 23:54

Alert details ▾

Incident report

Edit report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

- Time of Incident: 12/27/2025 15:52:19.164

- User Involved: According to Company Information > Directory:

Name: Michael Ascot
Email: michael.ascot@tryhatme.com
Role: CEO
Logged in Host: win-3450

- Device: win-3450 (Windows host)

- Incident Details: At 12/27/2025 15:52:19.164, a network drive was mapped using 'net.exe' (PID 5784) to local drive Z: pointing to '\\FILESRV-01\SSF-FinancialRecords'. The process was launched by 'powershell.exe' (PID 3728) from the user's Downloads folder. While mapping drives is a normal administrative activity, the context of execution from Downloads and via PowerShell warrants further validation.

- Malware Identified: None identified. Suspicious activity detected.

Does this alert require escalation?

☒ Yes

☐ No

Save and close alert

Alert 1022: Execution

- Identified as True Positive
- Requires escalation to L2
- Full Report Documented on the last page

splunk>enterprise Apps

Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards

Search & Reporting

New Search

Save As Create Table View Close

host.name="win-3450" process.name="net.exe" process.parent.name="powershell.exe"

4 of 45 events matched No Event Sampling

Job Visualization

Format Timeline Zoom Out Zoom to Selection Deselect 1 hour per column

< Hide Fields

▮ All Fields

SELECTED FIELDS

a host 1

a source 1

a sourcetype 1

INTERESTING FIELDS

a datasource 1

a event.action 1

event.code 1

a host.name 1

a index 1

linecount 1

a process.command_line 4

a process.name 1

a process.parent.name 1

process.parent.pid 2

process.pid 4

a process.working_directory 2

a punct 1

a splunk_server 1

a timestamp 4

+ Extract New Fields

List Format 50 Per Page

> 12/27/25 3:54:30.248 PM

[{"datasource": "sysmon", "event.action": "Process Create (rule: ProcessCreate)", "event.code": 1, "host.name": "win-3450", "process.command_line": "\"C:\\Windows\\system32\\net.exe\" use Z: /delete", "process.name": "net.exe", "process.parent.name": "powershell.exe", "process.parent.pid": 3728, "process.pid": 8804, "process.working_directory": "C:\\Users\\michael.ascot\\downloads\\", "timestamp": "12/27/2025 15:54:30.248"}]

Show as raw text

host = 1010178106-8989 | source = eventcollector | sourcetype = _json

> 12/27/25 3:53:32.248 PM

[{"datasource": "sysmon", "event.action": "Process Create (rule: ProcessCreate)", "event.code": 1, "host.name": "win-3450", "process.command_line": "\"C:\\Windows\\system32\\net.exe\" use Z: \\FILESRV-01\\SSF-FinancialRecords", "process.name": "net.exe", "process.parent.name": "powershell.exe", "process.parent.pid": 3728, "process.pid": 5784, "process.working_directory": "C:\\Users\\michael.ascot\\downloads\\", "timestamp": "12/27/2025 15:53:32.248"}]

Show as raw text

host = 1010178106-8989 | source = eventcollector | sourcetype = _json

> 12/27/25

[{"

SIEM Investigation

- For reference: The incident occurred four times in the last 6 hours (Starting Dec 27th 2025 at 15:20 to 21:20)

Submitted report:

- Time of Incident: 12/27/2025 15:52:19.164

-User Involved: According to Company Information > Directory:

Name: Michael Ascot

Email: michael.ascot@tryhatme.com

Role: CEO

Logged-in Host: win-3450

- Device: win-3450 (Windows host)

- Incident Details: At 12/27/2025 15:52:19.164, a network drive was mapped using `net.exe` (PID 5784) to local drive Z: pointing to `\\FILESRV-01\SSF-FinancialRecords`. The process was launched by `powershell.exe` (PID 3728) from the user's Downloads folder. While mapping drives is a normal administrative activity, the context of execution from Downloads and via PowerShell warrants further validation.

- Malware Identified: None identified. Suspicious activity detected.

- Additional Investigation: For reference: The incident occurred four times in the last 6 hours (Starting Dec 27th 2025 at 15:20 to 21:20) based on SIEM Logs

- Additional info:

Parent Process: `powershell.exe` is a scripting host capable of executing commands and scripts.

Child Process: `net.exe` is a Windows command-line utility used to map network drives.

Why This Is Uncommon: Mapping network drives from a script in a user Downloads folder is unusual. Legitimate mapping normally occurs via logon scripts, Group Policy, or direct user action in Explorer. This should be validated to ensure it was authorized.

- Recommendations: Escalate to Level 2 (L2) for further investigation and handling.

- This is a True Positive

- This needs escalation to L2 for further investigation