

← Case report for event ID: 8816

ID	Alert rule	Description	Incident type	Severity level	Date and time detected
8816	Access to Blacklisted External URL Blocked by Firewall	This alert was triggered when a user attempted to access an external URL that is listed in the organization's blacklist or threat intelligence feeds. The firewall or proxy successfully blocked the outbound request, preventing the connection. Note: The blacklist only covers known threats. It does not guarantee protection against new or unknown malicious domains.	Firewall	High	Dec 1st 2025 at 19:59

Alert details ▾

Incident report

Edit report

Incident classification

☒ True positive☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

-Time of Incident: 12/01/2025 11:56:50.520

-User Involved: 10.20.2.17

-Device: Firewall / Proxy

-Incident Details: At 12/01/2025 11:56:50.520, an outbound request to the URL http://bit.ly/3sHkX3da12340 was blocked by the firewall under the "Blocked Websites" rule. The request originated from source IP 10.20.2.17 and source port 34257, targeting destination IP 67.199.248.11 on port 80 using the web-browsing application over TCP. The URL is listed in the organization's blacklist or threat intelligence feeds, preventing a potential connection to a known malicious domain.

-Malware Identified: None. Connection was successfully blocked.

-Additional Investigation: The Source IP: 10.20.2.17 has sent 2 emails in the last 5 minutes – from Dec 1, 2025 @ 19:57:40.912 to Dec 1, 2025 @ 20:00:02.912 according to SIEM logs

-Why This Is Uncommon: While outbound web traffic is normal, attempting to reach a blacklisted URL is unusual and may indicate risky user behavior or a compromised system attempting to contact a known malicious domain.

-Recommendations: Review the user's activity and endpoint for potential compromise. Escalate to L2 for correlation with other threat intelligence or suspicious behavior.

Does this alert require escalation?

☒ Yes☐ No

Save and close alert

Alert 8816: Firewall

- Identified as True Positive
- Requires escalation to L2
- Full Report Documented on the last page

elastic

Find apps, content, and more.

Discover

Check out context-aware Discover Try ES|QL Inspect + Save

Data view Scenario ▾

Q SourceIP: "10.20.2.17"

Dec 1, 2025 @ 19:57:40.912 → Dec 1, 2025 @ 20:00:02.912 10 s Refresh

Search field names 0

Available fields 17

1 timestamp

Auto interval ▾ No breakdown ▾

December 1, 2025

Dec 1, 2025 @ 19:57:40.912 - Dec 1, 2025 @ 20:00:02.912 (interval: Auto - second)

Documents (2) Field statistics

☒ timestamp


Summary

☒ Dec 1, 2025 @ 20:00:02.912 SourceIP 10.20.2.17 Action blocked Application web-browsing datasource firewall DestinationIP 67.199.248.11 DestinationPort 80 Protocol TCP Rule Blocked Websites SourcePort 3425 7 timestamp Dec 1, 2025 @ 20:00:02.912 URL http://bit.ly/3sHkX3da12340 _id yu35eZsBXNQZ720PRv9z _ignored - _index logs _score -

☒ Dec 1, 2025 @ 19:57:40.912 SourceIP 10.20.2.17 Action allowed Application web-browsing datasource firewall DestinationIP 142.250.64.78 DestinationPort 443 Protocol TCP Rule Allow-Internet SourcePort 5732 1 timestamp Dec 1, 2025 @ 19:57:40.912 URL https://www.google.com/search?q=how+to+set+up+payroll+system+for+small+business _id te35eZsBXNQZ720PRf9Y _ignored - _index logs _score -

SIEM Investigation

- For reference: The Source IP: 10.20.2.17 has sent 2 emails in the last 5 minutes – from Dec 1, 2025 @ 19:57:40.912 to Dec 1, 2025 @ 20:00:02.912 according to SIEM logs



Detection Tool Result: Malicious

Playbooks		
Search for a playbook		Category ▼
Playbook name	Description	Category
Suspicious Outbound Connection	This playbook guides L1 SOC Analysts in investigating alerts triggered by network connections to suspicious or potentially malicious destinations, such as typosquatted domains and known bad IP addresses. The goal is to determine whether the connection attempt was legitimate, accidental, or malicious, and to assess the need for escalation such as blocking the destination or isolating affected hosts.	Network Outbound
Phishing Email Analysis	This playbook provides step-by-step guidelines for SOC Level 1 analysts to investigate suspected phishing emails reported by end users or detected by security tools. Phishing emails aim to trick recipients into revealing sensitive information, downloading malware, or visiting malicious websites. Timely and accurate triage is essential to determine the threat level, contain any risk, and escalate as needed.	Phishing

Playbooks used: Suspicious Outbound Connection and Phishing Email Analysis

Submitted report:

-Time of Incident: 12/01/2025 11:56:50.520

-User Involved: 10.20.2.17

-Device: Firewall / Proxy

-Incident Details: At 12/01/2025 11:56:50.520, an outbound request to the URL <http://bit.ly/3sHkX3da12340> was blocked by the firewall under the "Blocked Websites" rule. The request originated from source IP 10.20.2.17 and source port 34257, targeting destination IP 67.199.248.11 on port 80 using the web-browsing application over TCP. The URL is listed in the organization's blacklist or threat intelligence feeds, preventing a potential connection to a known malicious domain.

-Malware Identified: None. Connection was successfully blocked.

-Additional Investigation: The Source IP: 10.20.2.17 has sent 2 emails in the last 5 minutes – from Dec 1, 2025 @ 19:57:40.912 to Dec 1, 2025 @ 20:00:02.912 according to SIEM logs

-Why This Is Uncommon: While outbound web traffic is normal, attempting to reach a blacklisted URL is unusual and may indicate risky user behavior or a compromised system attempting to contact a known malicious domain.

-Recommendations: Review the user's activity and endpoint for potential compromise. Escalate to L2 for correlation with other threat intelligence or suspicious behavior.

-This is a True Positive

-This needs escalation to L2 for further investigation