

Day 3

Configuration, Profiles &
Testing

Module 8: Configuration

Properties & @Value

Centralized config in application.properties.

```
server.port=8081  
app.msg=Hello World
```

Inject with `@Value("${app.msg}")`.

Profiles (Dev vs Prod)

Environment specific settings.

- application-dev.properties
- application-prod.properties

Activate: `spring.profiles.active=dev`

Exercise 8.7: Profile Setup

Hands-on Activity 10:45 - 12:00 (75 min)

Objective: Manage environment configs.

- Create application-dev.properties (Port 8081) and application-prod.properties (Port 8082).
- Add a custom property welcome.message with different values in each file.
- Inject this message into a controller and return it at /api/welcome.
- Restart app with dev profile and verify port/message.

Exercise 8.8: Adding DTO

+Hands-on Activity

Objective: Know the difference of DTO and Entity

- Add a BookDTO.
- use it replacing Book to return a requested Object.

Exercise 8.9: Refactoring

+Hands-on Activity

Objective: Refactor and Polish.

- Ensure your API has **GET** (list & single) and **POST** endpoints working.
- Use **Postman** to run a full test flow: Create a book, then Fetch it by ID.
- Add a **DELETE** endpoint.
- Demonstrate the working API by displaying the CRUD operations.