



Movie Theatre Ticket System

Software Requirements Specification

Version 2

Jul 19, 2026

Group #21  
Robert Lopez

Prepared for  
CS 250- Introduction to Software Systems  
Instructor: Gus Hanna, Ph.D.  
Summer 2026

## Revision History

| Date        | Description | Author       | Comments                  |
|-------------|-------------|--------------|---------------------------|
| 07/12/22026 | Version 1   | Robert Lopez | Initial document creation |
| 07/19/22026 | Version 2   | Robert Lopez | Added diagrams & GitHub   |
|             |             |              |                           |
|             |             |              |                           |

## Document Approval

The following Software Requirements Specification has been accepted and approved by the following:

| Signature | Printed Name | Title | Date |
|-----------|--------------|-------|------|
|           |              |       |      |
|           |              |       |      |
|           |              |       |      |

# Table of Contents

|                                                                 |           |
|-----------------------------------------------------------------|-----------|
| <b>REVISION HISTORY.....</b>                                    | <b>II</b> |
| <b>DOCUMENT APPROVAL.....</b>                                   | <b>II</b> |
| <b>1. INTRODUCTION.....</b>                                     | <b>1</b>  |
| 1.1 PURPOSE.....                                                | 1         |
| 1.2 SCOPE.....                                                  | 1         |
| 1.3 DEFINITIONS, ACRONYMS, AND ABBREVIATIONS.....               | 1         |
| 1.4 REFERENCES.....                                             | 1         |
| 1.5 OVERVIEW.....                                               | 1         |
| <b>2. GENERAL DESCRIPTION.....</b>                              | <b>2</b>  |
| 2.1 PRODUCT PERSPECTIVE.....                                    | 2         |
| 2.2 PRODUCT FUNCTIONS.....                                      | 2         |
| 2.3 USER CHARACTERISTICS.....                                   | 2         |
| 2.4 GENERAL CONSTRAINTS.....                                    | 2         |
| 2.5 ASSUMPTIONS AND DEPENDENCIES.....                           | 2         |
| <b>3. SPECIFIC REQUIREMENTS.....</b>                            | <b>2</b>  |
| 3.1 EXTERNAL INTERFACE REQUIREMENTS.....                        | 3         |
| 3.1.1 <i>User Interfaces</i> .....                              | 3         |
| 3.1.2 <i>Hardware Interfaces</i> .....                          | 3         |
| 3.1.3 <i>Software Interfaces</i> .....                          | 3         |
| 3.1.4 <i>Communications Interfaces</i> .....                    | 3         |
| 3.2 FUNCTIONAL REQUIREMENTS.....                                | 3         |
| 3.2.1 <i>&lt;Functional Requirement or Feature #1&gt;</i> ..... | 3         |
| 3.2.2 <i>&lt;Functional Requirement or Feature #2&gt;</i> ..... | 3         |
| 3.3 USE CASES.....                                              | 3         |
| 3.3.1 <i>Use Case #1</i> .....                                  | 3         |
| 3.3.2 <i>Use Case #2</i> .....                                  | 3         |
| 3.4 CLASSES / OBJECTS.....                                      | 3         |
| 3.4.1 <i>&lt;Class / Object #1&gt;</i> .....                    | 3         |
| 3.4.2 <i>&lt;Class / Object #2&gt;</i> .....                    | 3         |
| 3.5 NON-FUNCTIONAL REQUIREMENTS.....                            | 4         |
| 3.5.1 <i>Performance</i> .....                                  | 4         |
| 3.5.2 <i>Reliability</i> .....                                  | 4         |
| 3.5.3 <i>Availability</i> .....                                 | 4         |
| 3.5.4 <i>Security</i> .....                                     | 4         |
| 3.5.5 <i>Maintainability</i> .....                              | 4         |
| 3.5.6 <i>Portability</i> .....                                  | 4         |
| 3.6 INVERSE REQUIREMENTS.....                                   | 4         |
| 3.7 DESIGN CONSTRAINTS.....                                     | 4         |
| 3.8 LOGICAL DATABASE REQUIREMENTS.....                          | 4         |
| 3.9 OTHER REQUIREMENTS.....                                     | 4         |
| <b>4. ANALYSIS MODELS.....</b>                                  | <b>4</b>  |
| 4.1 SEQUENCE DIAGRAMS.....                                      | 5         |
| 4.3 DATA FLOW DIAGRAMS (DFD).....                               | 5         |
| 4.2 STATE-TRANSITION DIAGRAMS (STD).....                        | 5         |
| <b>5. CHANGE MANAGEMENT PROCESS.....</b>                        | <b>5</b>  |
| <b>A. APPENDICES.....</b>                                       | <b>5</b>  |
| A.1 APPENDIX 1.....                                             | 5         |
| A.2 APPENDIX 2.....                                             | 5         |



## 1. Introduction

This SRS describes the requirements for the Movie Theater Ticketing System and explains what the system needs to accomplish, the limits it needs to follow, and the information developers will use to design, build, and test it.

### 1.1 Purpose

To describe the requirements for the Movie Theater Ticketing System. It's written for the team members who will design, build, and maintain the system.

### 1.2 Scope

The Movie Theater Ticketing System will let users choose showings, select and reserve specific seats, buy up to 20 tickets per transaction and pay with a credit card, PayPal, or Bitcoin. It should also support loyalty accounts, returns and exchanges before a showing, multiple languages and currencies, high volume queues, and secure unique tickets. The system should focus on ticket sales and account management only.

### 1.3 Definitions, Acronyms, and Abbreviations

**NFT:** A unique digital token used to prevent tickets from being copied or reused.

**Showing:** A movie screening at a specific theater, date, and time.

**Loyalty Account:** An account that stores customer info, payment info, purchase history, and loyalty points.

**Concurrent Users:** Users accessing the system at the same time.

**API:** A connection that allows the system to exchange information with outside services, such as payment and currency providers.

### 1.4 References

- Theater Ticketing System Requirements, course-provided requirements list, 2026.
- Software Requirements Specification Template, CS 250 course document.

### 1.5 Overview

The rest of this SRS describes the general system, its users and constraints, the functional and non-functional requirements, the UI, and the models we'll use and explain how the Movie Theater Ticketing System works.

## **2. General Description**

This section gives a general overview of the Movie Theater Ticketing System. Describing the functions, users, constraints and assumptions. It provides context for the detailed requirements listed later in the document.

### **2.1 Product Perspective**

The Movie Theater Ticketing System will be a standalone platform for browsing movies, picking seats, buying tickets and managing user accounts. It should also connect with payment services, currency conversion tools and theater scheduling data.

### **2.2 Product Functions**

The Movie Theater Ticketing System should let users browse shows, pick seats, reserve and buy tickets, manage accounts, and return/exchange tickets. It should also handle payments, currency conversion, multiple languages, receipts, large queues, and unique digital tickets.

### **2.3 User Characteristics**

The main users are movie customers. Users can purchase as guests or create accounts, and they can access the system in English, Spanish, or another language.

### **2.4 General Constraints**

Transactions are limited to 20 tickets, and only one device may be logged into an account at a time. The system should support up to 10 million concurrent users, accepted payment methods, local currencies, and secure non-replicable tickets.


### **2.5 Assumptions and Dependencies**

The system depends on payment providers, current currency exchange rates, theater shows and seat information, and the service used to create NFT tickets. It also assumes users have a reliable internet connection and provide valid payment and account information.

## **3. Specific Requirements**

This section lists the detailed requirements for the Movie Theater Ticketing System. These requirements should guide the development and testing of the system.

## Movie Theatre Ticket System



### 3.1 External Interface Requirements

The system will use several interfaces so users can browse movies, choose seats, make payments, and manage their accounts. It will also connect with outside services needed for payments, currency conversion, and ticket security.

#### 3.1.1 User Interfaces

Users will interact with the system through a website or mobile app. The interface should include movie lists, a seat selection screen, checkout, account settings, loyalty information, and language options.

#### 3.1.2 Hardware Interfaces

The system should support computers, phones, tablets, kiosks, and ticket scanning devices. Users will need an internet connection to access the system.

#### 3.1.3 Software Interfaces

The system should connect with credit card, PayPal, and Bitcoin payment services. It should also use currency conversion data, theater showing and seat information, and a service that creates and verifies NFT tickets.

#### 3.1.4 Communications Interfaces

The system should communicate over the internet using secure connections. It should use APIs to exchange information with payment providers, currency services, theater databases, and ticket services.



## **3.2 Functional Requirements**

The Movie Theater Ticketing System should allow users to browse showings, pick seats, buy tickets and manage accounts.

### **3.2.1 Ticket Selection and Purchase**

#### **3.2.1.1 Introduction**

- Users can choose a movie, reserve seats, and buy up to 20 tickets in one transaction.

#### **3.2.1.2 Inputs**

- Movie, showing, seat, number of tickets, and payment method.

#### **3.2.1.3 Processing**

- Check seat availability, apply the ticket price and currency, process payment, and reserve seats.

#### **3.2.1.4 Outputs**

- The user receives a purchase confirmation and a unique digital ticket for each seat.

#### **3.2.1.5 Error Handling**

- The system displays an error if seats aren't available, payment declines, or the user selects more than 20 tickets.

### **3.2.2 User and Loyalty Accounts**

#### **3.2.2.1 Introduction**

- Users can create loyalty accounts and use them to manage their personal information and purchases.

#### **3.2.2.2 Inputs**

- Inputs include personal information, login details, payment info, and preferences.

#### **3.2.2.3 Processing**

- The system stores the user's info, receipts, payment info, and loyalty rewards or points. Only one device can be logged into the account at a time.

#### **3.2.2.4 Outputs**

- The user can view account information, receipts, saved payment methods, and loyalty points.

#### **3.2.2.5 Error Handling**

- The system displays an error for invalid login information, missing account fields, or an account already active on another device.

### **3.2.3 User and Loyalty Accounts**

#### **3.2.3.1 Introduction**

- Users can return or exchange tickets before the movie.

#### **3.2.3.2 Inputs**

- Inputs include the user account, ticket, receipts, and requested returns or exchanges.

#### **3.2.3.3 Processing**

- The system confirms that the ticket was purchased through the account and that the showing hasn't started.

#### 3.2.3.4 Outputs

- The user receives confirmation of the return, refund, or exchanged ticket.

#### 3.2.3.5 Error Handling

- The request is rejected if the ticket was purchased without an account or the showing has already started.

### 3.3 Use Cases

#### 3.3.1 Purchase Movie Ticket

**Actor:** Customer

**Entry Conditions:** The customer has internet access and the selected showing is available.

**Main Flow:**

- Customer selects a movie and showing
- Customer selects up to 20 available seats
- System displays the total in local currency
- customer chooses a payment method
- System processes the payment
- System creates unique NFT tickets and sends confirmation

**Alternate Flow:**

- Customer enters a queue if traffic is high
- Unavailable seats must be replaced
- Orders over 20 tickets are rejected
- Failed payments cancel the reservation

#### 3.3.2 Manage Loyalty Account

**Actor:** *Registered* Customer

**Entry Conditions:** Customer has a loyalty account.

**Main Flow:**

- Customer logs in
- System confirms the account is not active on another device
- Customer views or updates account information
- Customer views purchase history and loyalty points
- System saves any changes

**Alternate Flow:**

- Invalid login information is rejected
- Login is blocked if another device is already using the account

#### 3.3.3 Return or Exchange Ticket

**Actor:** Registered Customer

**Entry Conditions:** The ticket was purchased through the account and the showing hasn't started.

**Main Flow:**

- Customer logs in and selects a ticket
- Customer chooses return or exchange

- System checks that the ticket is eligible
- System processes the refund or exchange
- System updates the ticket and seat status
- Customer receives confirmation

### **Alternate Flow:**

- Guest purchases are not eligible.
- Requests after the showing begins are rejected.
- Exchanges are rejected if the new seat is unavailable.

## **3.4 Classes / Objects**

### **3.4.1 User Account**

#### 3.4.1.1 Attributes

- Name, contact information, login details, payment information, purchase history, and loyalty points.

#### 3.4.1.2 Functions

- Register, log in, log out, update account information, view movie ticket history and manage payment information.

### **3.4.2 Showing**

#### 3.4.2.1 Attributes

- Name, contact information, login details, payment info, purchase history, and loyalty points.

#### 3.4.2.2 Functions

- Register, log in, log out, update account information, view purchase history, and manage payment information.

### **3.4.3 Seat**

#### 3.4.3.1 Attributes

- Seat number, section, showing, price, and availability status.

#### 3.4.3.2 Functions

- Reserve, release, and confirm the seat as purchased.

### **3.4.4 Transaction**

#### 3.4.4.1 Attributes

- User, selected tickets, total price, payment method, currency, date, and transaction status.

#### 3.4.4.2 Functions

- Calculate the total, process payment, record the purchase, and handle refunds or exchanges.

### **3.4.5 Ticket**

#### 3.4.5.1 Attributes

- Ticket ID, NFT information, showing, seat, owner, and ticket status.

#### 3.4.5.2 Functions

- Create, verify, return, exchange, and mark the ticket as used.

## 3.5 Non-Functional Requirements

### 3.5.1 Performance

- The system must support up to 10 million concurrent users. A queue will control high traffic for popular showings, and each transaction will be limited to 20 tickets.

### 3.5.2 Reliability

- Ticket prices and seat availability must remain consistent across the system. The system must prevent the same seat or ticket from being sold more than once.

### 3.5.3 Availability

- The system should maintain close to 100% availability during ticket sale periods and recover from service interruptions within five minutes without losing purchase info.

### 3.5.4 Security

- Payment and personal info must be protected through secure connections and access controls. Only one device can use an account at a time, and every ticket must be unique.

### 3.5.5 Maintainability

- The system should be organized so developers can update payment methods, languages, currency services, and other features without rebuilding the entire thing.

### 3.5.6 Portability

- The system should work on desktop/laptop computers, phones, tablets, kiosks, and on web browsers.

## 3.6 Inverse Requirements

*State any \*useful\* inverse requirements.*

## 3.7 Design Constraints

*Specify design constraints imposed by other standards, company policies, hardware limitation, etc. that will impact this software project.*

## 3.8 Logical Database Requirements

*Will a database be used? If so, what logical requirements exist for data formats, storage capabilities, data retention, data integrity, etc.*

## 3.9 Other Requirements

*Catchall section for any additional requirements.*


## 4. Analysis Models

Here we describe the planned organization and implementation of the Movie Theater Ticketing System. It'll show the system architecture, major classes, class relationships, and the development plan that will be followed by the team.

# Movie Theatre Ticket System


The following are the software architecture and UML class diagrams. Not really sure where to put these right now.

## Movie Theater Ticketing System Software Architecture:



The architecture diagram shows how the user interface connects to the system services, databases, payment providers, currency service, and NFT provider.

## Figure 3. Movie Theater Ticketing System UML Class Diagram:



The UML diagram shows the main classes, attributes, operations, datatypes, parameters, and relationships. The classes include UserAccount, Movie, Showing, Seat, Ticket, Transaction, Payment, CurrencyConverter, QueueManager, and PurchaseLog.

## **4.1 Sequence Diagrams**

## **4.2 State-Transition Diagrams (STD)**

## **4.3 Data Flow Diagrams (DFD)**

# **5. Change Management Process**

*Identify and describe the process that will be used to update the SRS, as needed, when project scope or requirements change. Who can submit changes and by what means, and how will these changes be approved.*

## **A. Appendices**

*Appendices may be used to provide additional (and hopefully helpful) information. If present, the SRS should explicitly state whether the information contained within an appendix is to be considered as a part of the SRS's overall set of requirements.*

*Example Appendices could include (initial) conceptual documents for the software project, marketing materials, minutes of meetings with the customer(s), etc.*

### **A.1 Appendix 1**

### **A.2 Appendix 2**