

Sample Presentation

Typst and Touying

Randy Ridenour

Department of Philosophy

July 5, 2026

1 Section

1.1 Subsection

Files

1. config.typ
2. content.typ
3. slides.typ
4. handout.typ

This is a handout note. They are used for producing detailed handouts that compile as article type documents. Handout notes only appear in the handouts; they are never part of the slide content.

My goal here was to replicate a LaTeX workflow of using Beamer to produce slides and article-format handouts from a single content file. The configuration file requires very minimal editing:

- Change the title, author, etc. in the `#let presentation-info` section.
- Change any desired variants in the `#let-project(variant: "white", slide-level: 3, body)` line.

The content.typ file contains the content shared by both the slides and the handout. The slides.typ and handout.typ are the files compiled to produce the final documents.

Heading Structure

- Structure includes
 - Slides
 - Sections
 - Subsections (optional)

Sections are designated by level-one headings. Slides can be either level-two or level-three, depending on the value of the “slide-level” variant in the config.typ file. Note that changing the slide level requires changing three lines in config.typ:

1. `#let project(variant: "white", slide-level: 3, body) = {`
2. `#let handout-frame-level = state("handout-frame-level", 3)`
3. `#let handout-project(slide-level: 3, body) = {`

Slide Content

- Slide content in `#slide[ ]`
- Speaker notes in `#speaker-note[ ]`

The `#slide[ ]` function can be omitted, as far as I can tell. The only consequence will be that the handout won't have the box designating the slide. If you don't want to produce the handout, then feel free to omit `#slide[ ]`.

2 Special Slides

2.1 Types

Gradual Reveal

- Use `#pause` to hide content.
- Which is then revealed by paging forward.

The `#pause` function can be used to gradually reveal slide content.


Two Column Slide

- | | |
|-----------|-----------|
| • Point 1 | • Point 3 |
| • Point 2 | • Point 4 |

It's helpful sometimes to use two columns for slides. They're very simple to form.

The next slide is an example of a full-frame slide with no visible title.

Full-Frame Graphic



Full-Frame Text

Main Point!

Full-frame slides are sometimes also useful for text, especially for emphasizing something that students especially need to note.

3 Conclusion

3.1 Assessment

Typst vs Beamer

Typst

- Instant compilation
- Helpful error messages
- Messier content file

Beamer

- Better use of Org mode
- Simple content file
- Slow compilation

Making slides with Typst is much easier than making Beamer slides with LaTeX. The Typst syntax is very similar to a lightweight markup language like Markdown. Beamer has a

signifant advantage for Emacs users, however. Beamer export in Emacs Org mode is excellent. So, although I can replicate my Beamer workflow fairly well, I don't know if it's worth moving to Typst for presentations.

I'm considering removing the boxes surrounding the slides. That way I could dispense with the `#slide'` wrapper.