

Sample Presentation

Dr. Ridenour

Department of Philosophy

July 6, 2026



—

Note for title slide.

Section

Section

—

Subsection

Section
— Subsection

Files

1. config.typ
2. content.typ
3. slides.typ
4. handout.typ

Section

— Subsection

- config.typ contains all configuration information.
 - Includes title info and desired theme variants.
- content.typ is the content file shared by both slides.typ and handout.typ.
- slides.typ and handout.typ are compiled to produce the slides and handout.

Heading Structure

- Structure includes
 - Slides
 - Sections
 - Subsections (optional)

Section

— Subsection

- All presentations have sections and slides
- Sections, subsections, and slides are designated by the heading level.

Slide Content

- Anything not contained in a `note[ ]` wrapper becomes slide content.
- Speaker notes in `#speaker-note[ ]`

Section

— Subsection

- Standard Typst syntax used.

Special Slides

Special Slides

—

Types

Special Slides
— Types

Gradual Reveal

- Use #pause to hide content.

Gradual Reveal

- Use #pause to hide content.
- Which is then revealed by paging forward.

Special Slides

— Types

- Use #pause to gradually reveal content.

Two Column Slide

- Point 1
- Point 2
- Point 3
- Point 4

Special Slides

— Types

- Two-column slides are simple.



Special Slides

— Types

- It's helpful to sometimes use slides that do not display a title. The `full-slide` function makes this simple.
- Here's an example with an image.

Main Point!

Special Slides

— Types

- Also helpful for emphasizing key points.

Conclusion

Conclusion

—

Assessment

Conclusion
— Assessment

Typst vs Beamer

Typst

- Instant compilation
- Helpful error messages
- Messier content file

Beamer

- Better use of Org mode
- Simple content file
- Slow compilation

Conclusion

— Assessment

- The main advantages of Typst are compilation speed and readable error messages.
- The main advantage of Beamer is that Emacs Org mode Beamer export is superb.