

Parking Management System (PMS) T09

Roxanne Krause (Manager)

Ellud Garcia Reza

Ayman Hassen

Gabriel Ramirez





Objectives

01

Promote Efficient Parking Spot Searches

- Provides real-time parking availability.
- Reduces cost barriers and controls system access.

02

Consistent and Accurate Space Tracking

- Updates drivers on vehicle activity in the structure.
- Shows different parking spot types for informed choices.

03

Provide Administrative Access

- Allows admins to manage the system and communicate with drivers.



Capabilities For The PMS

01

Real-Time Update Capabilities

- Displays availability by lot and by floor.
- Updates availability automatically via parking sensors (entrance + each floor).
- Updates in-transit counts automatically via entry/exit sensors.

02

Pedestrian and Vehicle Differentiation Capabilities


- Spot sensors detect vehicle type (motorcycle vs. standard).
- Spot sensors distinguish vehicles from pedestrians to mark occupancy.
- Entry/exit gates detect vehicles only.

03


Adaptable System Configuration Capabilities

- Admins can configure sensors for vehicle-type detection.
- Admins can customize availability displays by spot type with clear symbols.

OMT Objectives with Dynamic Behavior






Entrance Gate Dynamic Diagram



Exit Gate Dynamic Diagram

Parking Spot Dynamic Diagram





PMS Software Architecture Overview

