

Nested and Named RouterOutlets



Lara Newsom

Software Technical Leader | Speaker | Angular GDE

[lara-newsom](#) | www.linkedin.com



Adding Additional RouterOutlets

Nested routes

Named routes



Sharing Content with RouterOutlets

BETHANY'S
PIE SHOP

SHOPCONTACTABOUT

Log In0



9

Pies of the Week

Enjoy a weekly selection of our favorite pies

Original Cheesecake



Blueberry Pie



Banana Cream Pie



BETHANY'S
PIE SHOP

SHOPCONTACTABOUT

Log In0

Home >> Shop >> Strawberry Pie

Strawberry Pie



What could be better than homemade apple pie! This family favorite features tart fresh apples sprinkled with just the right amount of cinnamon and sugar, baked in a flaky lattice top pastry.

Price: 15.95

- 0 +

Ingredients: strawberries, sugar, vanilla, butter, wheat flour, corn starch, palm oil, leavening, salt

BETHANY'S
PIE SHOP

SHOPCONTACTABOUT

Log In0

Home >> Login



Welcome Back


Please enter your credentials to log in.

USER NAME


PASSWORD

LOGIN

Nested RouterOutlets



The primary RouterOutlet can be added anywhere in the DOM




Nested RouterOutlets can only be added to the DOM of routed content



Nested RouterOutlets

Nested routes allow already rendered components to be retained in the DOM while the content inside the outlet is changed



Named RouterOutlets

Also called auxiliary or secondary routes

Are not child elements of routed content

Can be added anywhere in the DOM

Useful for adding content that could appear alongside any view



Which to Use?

Nested routes

Use nested routes when the content around the RouterOutlet remains the same

vs.

Named routes

Use named routes when the content around the RouteOutlet can change



Implementing Nested Routes





Declaring Nested Routes

Add a RouterOutlet inside any routed component

Declare child routes on the children property of the Route object

Accepts an array of routes

Child routes can have child routes of their own

Declare the content to be loaded on a property like component



Products Route

```
// This initial implementation did not work
{
  path: PRODUCTS_ROUTE,
  component: AllProductsComponent, ←
  children: [
    {
      path: DETAIL_ROUTE,
      component: ProductDetailComponent, ←
    },
  ]
}
```



Products Route

```
// This implementation worked as expected
{
  path: PRODUCTS_ROUTE,
  children: [
    {
      path: '',
      component: AllProductsComponent, ←
    },
    {
      path: DETAIL_ROUTE,
      component: ProductDetailComponent,
    },
  ],
}
```



Children without Nested RouterOutlets


/products /detail

AllProductsComponent



Primary RouterOutlet

ProductDetailComponent



No RouterOutlet



The Zipper Analogy

ParentComponent

Primary RouterOutlet

ChildComponent

Child RouterOutlet

GrandchildComponent

Grandchild RouterOutlet



The Zipper Analogy

ParentComponent

ChildComponent

GrandchildComponent

Primary RouterOutlet

Child RouterOutlet



The Zipper Analogy

ParentComponent

Primary RouterOutlet

ChildComponent

Child RouterOutlet

Grandchild RouterOutlet

????



Named RouterOutlets



Named routes are not a solution for poorly architected application routing.





Named Routes

Use for routable features that can be displayed from any view

Also called auxiliary or secondary routes


Add a RouterOutlet not related to the primary RouterOutlet

Can be declared anywhere in the DOM


Use the name input on RouterOutlet to name the route



ActivatedRoutes and RouterOutlets



The primary RouterOutlet gets
an ActivatedRoute



Each named RouterOutlet gets
its own ActivatedRoute



Declaring Outlets on Routes

Setting the outlet property tells the router the route belongs to a named route

All of the other Route object properties can be used on named routes

Named routes can have nested routes, but it gets complicated



Navigating to Named Routes



Use a RouterLink or the RouterService to navigate to a named route

Named routes and the primary route do not share navigation handlers



Navigating to a Named Route

```
// Named route declaration  
<router-outlet name="side"/>
```

```
// Route in the named outlet with RouterLink  
[routerLink]="['/', { outlets: { side:'cart' } }]"
```

```
// Route in the named outlet with RouterService  
this.router.navigate([{ outlets: { side:'cart' } }]);
```

```
// Clear the named outlet with RouterLink  
[routerLink]="['/', { outlets: { side:null } }]"
```

```
// Clear the named outlet with RouterService  
this.router.navigate([{ outlets: { side:null } }]);
```



Navigating to Named Routes with RouterLink

```
[routerLink]="[ '/' , { outlets: { side:null } } ]"
```

RouterLink must be told to do absolute routing
by passing a slash as the first segment

Trying to clear the route without passing a slash
causes the navigation to be skipped

This causes a lot of frustration





Named Routes and Query Parameters

QueryParamsHandling must be set to merge to avoid removing query parameters when navigating on a named route

Query parameters are global

Failing to set the handling defaults to replace, which replaces any existing query parameters with no query parameters



Demo: Implementing a Named Route

Add a cart view that can be opened and closed over any view.

