

CRYPTO TRACKER

ASSIGNMENT2



Name: Rmaas Badr

ID:2411185

INTRODUCTION

This project is a functional web application developed to track cryptocurrency data in real-time. It focuses on data retrieval and professional display using web technologies.

1. **Current Price:** Shows the live market value.
2. **Yesterday's Price:** Provides a quick comparison with the previous day.
3. **Market Cap:** Displays the total market value of the coin.
4. **24h Volume:** Shows the total trading activity in the last 24 hours.
5. **24h High:** Tracks the highest price reached during the day.






API INFORMATION

- **API Name:** CoinGecko API.
- **API URL used:** [<https://api.coingecko.com/api/v3/simple/price>]
(<https://api.coingecko.com/api/v3/simple/price>).
- **Description:** A free, public API used to get real-time cryptocurrency data without needing a private key for basic requests.

FILE STRUCTURE



HTML CODE




```
File Edit Selection View Go Run Terminal Help
coin

EXPLORER
> OPEN EDITORS
  COIN
  CSS
  # coin.css
  src
  JS coin.js
  coin.html

coin.html X JS coin.js # coin.css
coin.html > html > body > div.container
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Crypto Price Tracker</title>
7
8   <link rel="stylesheet" href="CSS/coin.css">
9 </head>
10 <body>
11
12   <div class="container">
13     <h1>Crypto Tracker</h1>
14
15     <div class="search-section">
16       <input type="text" id="coinInput" placeholder="Enter coin name (e.g., bitcoin)">
17       <button id="fetchBtn">Get Prices</button>
18     </div>
19
20     <div id="messageArea">Enter a coin name to compare prices</div>
21
22     <div id="resultsContainer"></div>
23
24     <div class="footer-actions">
25       <button id="clearBtn" class="secondary-btn">Clear Search</button>
26     </div>
27   </div>
28
29   <script src="src/coin.js"></script>
30 </body>
31 </html>


OUTLINE
TIMELINE
Ln 23, Col 1 Spaces: 4 UTF-8 CRLF {} HTML Go Live
```

CSS CODE



This screenshot shows the Visual Studio Code editor with a project named 'coin'. The Explorer sidebar on the left shows the file structure: 'COIN' folder containing 'CSS' (with 'coin.css' selected), 'src' folder containing 'coin.js' and 'coin.html'. The main editor area displays the 'coin.css' file with the following CSS code:

```
1 > body {  
8 }  
9  
10 .container {  
11   background: #1e293b;  
12   padding: 30px;  
13   border-radius: 15px;  
14   width: 380px;  
15   text-align: center;  
16   box-shadow: 0 10px 30px rgba(0,0,0,0.5);  
17 }  
18  
19 input {  
20   width: 100%;  
21   padding: 12px;  
22   margin: 15px 0;  
23   border-radius: 8px;  
24   border: 1px solid #334155;  
25   background: #0f172a;  
26   color: white;  
27   box-sizing: border-box;  
28 }  
29  
30 #messageArea {  
31   font-size: 14px;  
32   margin-bottom: 20px;  
33 }  
34  
35 .price-card {  
36   background: #334155;  
37   padding: 20px;  
38   border-radius: 10px;  
39   text-align: left;  
40   border: 1px solid #475569;  
41 }  
42  
43 .price-row {
```



This screenshot continues the Visual Studio Code editor view from the previous one, showing the 'coin.css' file. The code continues from line 43:

```
43 .price-row {  
44   display: flex;  
45   justify-content: space-between;  
46 }  
47  
48 button {  
49   width: 100%;  
50   padding: 12px;  
51   background: #38bdf8;  
52   border: none;  
53   border-radius: 8px;  
54   color: #0f172a;  
55   font-weight: bold;  
56   cursor: pointer;  
57 }  
58  
59 button:hover {  
60   background: #0ea5e9;  
61 }
```






JAVASCRIPT CODE:

```
src > JS coin.js > myButton.addEventListener('click') callback
1  const myButton = document.getElementById('fetchBtn');
2  const myInput = document.getElementById('coinInput');
3  const myResult = document.getElementById('resultsContainer');
4  const myMessage = document.getElementById('messageArea');
5
6  myButton.addEventListener('click', async function() {
7
8      let name = myInput.value.toLowerCase().trim();
9
10     if (name == "") {
11         myMessage.innerText = "Please enter a coin name first!";
12         myMessage.style.color = "orange";
13         return;
14     }
15
16     myMessage.innerText = "Searching...";
17     myResult.innerHTML = "";
18
19     try {
20         | let url = "https://api.coingecko.com/api/v3/coins/" + name + "?localization=false&tickers=false&market_data=true&community_data=false&developer";
21
22         let response = await fetch(url);
23
24         if (!response.ok) {
25             throw new Error("Not Found");
26         }
27
28         let fullData = await response.json();
29         let data = fullData.market_data;
30
31         let priceNow = data.current_price.usd;
32         let marketCap = data.market_cap.usd;
33         let volume = data.total_volume.usd;
34         let high24h = data.high_24h.usd;
35         let change = data.price_change_percentage_24h;
36
37         let priceYesterday = priceNow / (1 + (change / 100));
```

```
Go Bun Terminal Help  coin
< coin.html JS coin.js X # coin.css
src > JS coin.js > myButton.addEventListener('click') callback
6  myButton.addEventListener('click', async function() {
24     if (!response.ok) {
25         throw new Error("Not Found");
26     }
27
28     let fullData = await response.json();
29     let data = fullData.market_data;
30
31     let priceNow = data.current_price.usd;
32     let marketCap = data.market_cap.usd;
33     let volume = data.total_volume.usd;
34     let high24h = data.high_24h.usd;
35     let change = data.price_change_percentage_24h;
36
37     let priceYesterday = priceNow / (1 + (change / 100));
38
39     myMessage.innerText = "Success!";
40     myMessage.style.color = "green";
41
42     myResult.innerHTML = `
43         <div style="background: #334155; padding: 15px; border-radius: 10px; border: 1px solid #475569; text-align: left; margin-top: 10px;"
44         <h3 style="color: #38bdf8; text-align: center;">Result: ${fullData.name}</h3>
45         <p><b>1. Current Price:</b> ${priceNow.toLocaleString()}</p>
46         <p><b>2. Yesterday's Price:</b> ${priceYesterday.toFixed(2)}</p>
47         <p><b>3. Market Cap:</b> ${marketCap.toLocaleString()}</p>
48         <p><b>4. 24h Volume:</b> ${volume.toLocaleString()}</p>
49         <p><b>5. 24h High:</b> ${high24h.toLocaleString()}</p>
50     </div>
51     `;
52
53     } catch (error) {
54         myMessage.innerText = "Error: Coin not found or API Busy!";
55         myMessage.style.color = "red";
56     }
57     });
```

APPLICATION



THANK YOU

