

i18n Registers — Galing Gear

Mirrors of the §16 registers from the governing standard. Updated as the build progresses. Source of truth: `/home/ubuntu/output/galinggear-i18n-plan.md` .

1. Interview answers (§16.1)

#	Decision	Status
D-locales	Two locales: Taglish (default/primary) and English (secondary).	[SETTLED]
D-base	English is the authoring/completeness base. Every item exists in English first; Taglish is derived.	[SETTLED]
D-taglish-register	Taglish is a code-switched register, not Tagalog. Separate locale; never tagged <code>tl</code> .	[SETTLED]
D-url-model	Unmarked = Taglish (default); marked = English. No locale in URL → Taglish; <code>/en/</code> prefix → English.	[SETTLED]
D-url-mechanism	Path prefix , not subdomain. SEO authority consolidation; <code>__Host-</code> cookie safety; single origin.	[SETTLED]
D-lang-tags	English: <code>lang="en-PH"</code> , <code>og:locale="en_PH"</code> . Taglish: <code>lang="fil-PH"</code> , <code>og:locale="fil_PH"</code> .	[SETTLED]
D-scope	Translate everything the reader sees: chrome, articles, rail cards, image captions, alt text.	[SETTLED]
D-review-chrome	Site chrome is human-reviewed before shipping.	[SETTLED]
D-review-content	Articles/rail cards/captions are NOT human-reviewed (AI direct). Owner-accepted risk.	[SETTLED]
D-seo	<code>hreflang</code> , canonicals, per-locale <code>og:</code> in scope.	[SETTLED]
D-admin	Admin/CMS is English only — no translation.	[SETTLED]

#	Decision	Status
D-taglish-trigger	Publish triggers Taglish generation. Phase 1: manual per-publish tick. Phase 2: admin auto-flag.	[SETTLED]
D-reader-repo	Public site: <code>rmccaskie/galinggear</code> → Cloudflare → <code>www.galinggear.com</code> . Admin: <code>galinggear-admin</code> .	[SETTLED]

2. Build-state register (§16.2)

Piece	State
Locale set, fallback chain, resolver	✓ <code>src/lib/i18n.ts</code>
Astro i18n config	✓ <code>astro.config.mjs</code>
Catalogue + namespace table	✓ <code>src/lib/catalogue.ts</code> + <code>catalogues/en.ts</code>
Formatting subset (interpolation, plurals)	✓ <code>fmt()</code> + <code>plural()</code> in <code>catalogue.ts</code>
Track 2 dual-copy storage + drift hash	✓ <code>articles-taglish</code> collection + <code>sourceHash</code> in frontmatter
AI Taglish generation pipeline + glossary/style guide	✓ <code>generate-taglish.ts</code> (admin) + publish-time generation
Empty=fallback behaviour + fallback-path tests	✓ <code>article-locale.ts</code> falls back to English when Taglish absent
Review gate armed in code (chrome)	✓ <code>catalogues/taglish.ts</code> + <code>isReviewed()</code>
Language switcher (signed-out, endonyms)	✓ <code>LocaleSwitcher.astro</code> in Header + mobile drawer
<code><html lang></code> dynamic per locale	✓ <code>BaseLayout.astro</code> (derives from <code>HTML_LANG[locale]</code>)
<code>og:locale</code> , translation suppression	✓ <code>SEO.astro</code> (<code>og:locale</code> + <code>og:locale:alternate</code> per locale)
URL prefix routing + <code>hreflang</code> + canonicals	✓ <code>/en/</code> page tree + <code>hreflang</code> (<code>fil/en/x-default</code>) + <code>canonical</code> in <code>SEO.astro</code>
Named reviewer + cadence (chrome)	⚠ NOT BUILT
Style guide (safeguard 1)	✓ <code>docs/TAGLISH-STYLE-GUIDE.md</code>
Edge locale resolver (Cloudflare Function)	🕒 Resolver logic built (<code>resolveLocale()</code> in <code>i18n.ts</code>); edge auto-redirect deferred to phase 2 — see ADR-010
Chrome catalogue wired to all components	✓ Header, Footer, SubscribeForm, ArticleCard, RaillItem, ScenarioNav
Chrome catalogue wired to all pages	✓ <code>index</code> , <code>subscribe</code> , <code>404</code> , <code>archive</code> , <code>[scenario]</code> , <code>articles/[slug]</code>
Client-side strings via data-strings	✓ SubscribeForm (error/success messages)

Piece	State
Admin English-only (unchanged)	☒ already the case