Final Assessment: Part 1 Assessment and Final Project

The kit's two summative assessments on one page. Part 1 "Themes" ends with the Part 1 project and assessment in Session 8 (the course's final assessment when Part 1 runs on its own). Part 2 "Plugins to Launch" ends with the final project: Lesson 9.1's Reserve & Pick Up, briefed at the end of Session 16, built in the studios of Sessions 17 and 18, shown in Session 18's showcase and submitted one week later. Rubrics, scoring guidance, a grading run and instructor answer notes whose numbers come from real runs on WordPress 7.1.3 and PHP 8.5. For instructors only.

Part 1: **Session 8** · Final project: **Sessions 16–18** · Project rubric **100** points · Portfolio-ready: **80+** · Instructor only

ON THIS PAGE

- **Part 1 Project and Assessment (Session 8)**
- **Final Project: Reserve & Pick Up** (Sessions 16 to 18): the brief, where the minutes go, the checklists, the rubric, scoring guidance, the grading run, the scoring sheet, submission, late work, recording course results
- **Answer Notes · Final Project Reference Numbers**: the download checked against release-3, the numbers, holds-check, the smoke test (and when it fails for the wrong reason), lint and tests, the ZIP check, four flawed builds

PART 1 PROJECT: THE FERNHILL COMMUNITY GARDEN THEME

The project that closes Part 1 (Modules 1 to 4). Each learner builds a block theme, `fernhill`, for a client who is NOT Pages & Co.: the Fernhill Community Garden, a volunteer-run garden on Orchard Lane. Briefed and started in Session 7 (after Lesson 4.3), worked on at home, finished in the Session 8 studio, handed in one week after Session 8. About 3 hours 45 minutes of work for a learner who did the Part 1 lessons; nothing in it is new, everything is a lesson's skill applied to a new client. The timed Part 1 assessment (Session 8) is separate and tests the classic-theme side (Module 4) on its own.

Covers **Modules 1–4** · Kickoff **Session 7** · Studio **Session 8** · Due **1 week** after Session 8 · Met: **14/20**, no row at 1

THE CLIENT (ODETTE MARSH, VOLUNTEER COORDINATOR, BY EMAIL)

“Our website runs on a free theme from 2019 that nobody dares to touch. We would like our own theme, made for us: green and calm, our news on the front page three at a time, a big welcome at the top, a call for Saturday volunteers, and an autumn look we can switch on in October. Our volunteers write news and edit pages in the editor; none of us writes code. And please: nothing that breaks when WordPress updates itself.”

Fictional client, fictional people. The garden's own news is not written yet, so learners build and test on their course site's posts and pages: four posts (three of them in News), About Us, Events and Contact. The theme must not care whose content it shows.

FILES (LABS/MODULE-08/P1-PROJECT/)

- `BRIEF.md`: the learner's brief (this section in the learner's words: requirements, milestones, hand-in, rubric). Hand it out at the Session 7 kickoff.
- `fernhill_starter/`: the starter theme. It activates and runs with no message; the self-check says `Checks passed: 1 of 12`. Ready-made: `assets/css/fernhill.css`, `assets/images/leaf.svg`, `parts/header.html`; half-made: `patterns/hero.php` (the model pattern, three strings left to translate, its category missing); TODOs in `style.css`, `functions.php`; a bare `theme.json` and `templates/index.html`.
- `test_fernhill.php`: the self-check, 12 OK/TODO lines, one per testable piece of R1 to R7. Learners run it as often as they like (`wp eval-file --use-include test_fernhill.php` with fernhill active). It is a help, not the score: R8 and the rubric's quality rows are read by you.
- `fernhill_front.png`: the model solution's front page on the course site (what done looks like; learners may see it).
- `fernhill_solution/`: your model solution (`Checks passed: 12 of 12` on the after:lesson_13 site, checked by `python3 labs/check_labs.py module-08`). Never handed out before the feedback.

REQUIREMENTS (WHAT THE LEARNER'S BRIEF.MD LISTS)

	REQUIREMENT	LESSONS	SELF-CHECK
R1	**Design system.** `style.css` names the theme: Theme Name `Fernhill`, Text Domain `fernhill`, Version `1.0.0`, Requires at least `7.1`, Requires PHP (the version you test on, at least `8.1`), Tested up to `7.1`. `theme.json` is version 3 with the 7.1 `$schema` and holds the design: exactly five colors named by role, in this order: `base` #f7f5ee, `contrast` #23301f, `primary` #3f6b35, `secondary` #e4ecd9, `accent` #9c4426 (`defaultPalette` off); content width `680px`, wide width `1100px`; a serif for text and a sans-serif for headings (system font stacks, no font files); links and buttons in primary, text in contrast on base.	3.2	1 to 4
R2	**Templates and parts.** Templates `index`, `front-page`, `single` and `page` (and `404`, R7). Two template parts declared in `theme.json` with their areas: `header`	3.1, 3.2	5, 6

	REQUIREMENT	LESSONS	SELF-CHECK
	(the site title and a Navigation block) and `footer` (two lines: "Fernhill Community Garden · 48 Orchard Lane · 555-0187" and "Workdays every Saturday, 9 a.m. to noon"). Every template is the header part (tagName `header`), one group with tagName `main`, and the footer part (tagName `footer`): the landmarks screen readers and the skip link need.		
R3	**Patterns and the front page.** Two PHP patterns in `patterns/`: `fernhill/hero` (an h1 "Grow food, grow friendships", the welcome paragraph, a button "About the garden" to `/about/`, the leaf drawing `assets/images/leaf.svg` with its alt text) and `fernhill/volunteer-call` (an h2 "Volunteer on Saturday mornings", a paragraph, a button "Sign up for a workday" to `/contact/` in the accent color). Both in the theme's category `fernhill`; every visible string through `esc_html_e()` or `esc_attr_e()` with the `fernhill` text domain; URLs through `esc_url( home_url( ... ) )`. `front-page.html`: the hero, an h2 "News from the garden", a Query Loop that inherits the main query (title, date, excerpt, pagination), the volunteer call.	3.3, 1.3	7, 9
R4	**Style variation.** `styles/autumn.json`, titled `Autumn`: the same five slugs with autumn colors (the brief suggests base #fbf4ea, contrast #3a2318, primary #8a3b1e, secondary #f1dfc6, accent #4f6b2a). Odette switches it on in Styles; nothing else changes.	3.3	8
R5	**functions.php.** Registers the pattern category `fernhill` (label "Fernhill Garden") on `init`, and enqueues `assets/css/fernhill.css` (shipped in the starter) with the handle `fernhill-style`, versioned with the theme's own Version, on `wp_enqueue_scripts`. One prefixed function (`fernhill_`) per job, each with a docblock.	4.3, 2.3	7, 10
R6	**The main query.** The blog home (the front page of this site, which shows the latest posts) lists **three** posts per page and paginates the rest (the fourth course post on `/page/2/`). Change the main query in `pre_get_posts` with the three guards of Lesson 4.2: not in the admin, the main query only, the blog home only. No second query in the template.	4.2	11
R7	**404 page.** `templates/404.html`: an h1 "This path is overgrown", one sentence, and a Search block, between the same header and footer. WordPress answers with status 404.	3.1	12
R8	**Quality.** No PHP message on any page with debugging on (`debug.log` stays quiet); WordPress coding standards (tabs, spaces inside parentheses, docblocks: Lesson 1.3); every function prefixed; no edits to core, the course themes or another theme's files; no Site Editor copies left in the database (Lesson 3.2: they win over your files); the per-URL check of Lesson 3.2 passes for `/`, `/page/2/`, `/hello-world/`, `/about/`,	1.3, 3.2	all

	REQUIREMENT	LESSONS	SELF-CHECK
	`/category/news/`, `/?s=garden` (200) and `/no-such-path/` (404); a short `NOTES.md` in the theme folder.		

Stretch (not required; evidence for Exemplary): **A section style** (`styles/sections/`, Lesson 3.3) for the volunteer band instead of hand-set colors. `search.html` with a Query Title of the search type and the Query No Results block (Lesson 3.2). **A child theme** `fernhill-kids` for the children's garden page: `Template: fernhill`, a theme.json that only changes the accent color and one `page-kids.html` template (Lesson 3.4). `screenshot.png` (1200 by 900) so the theme looks right in Appearance > Themes.

MILESTONES AND WHERE THEY HAPPEN

	MINUTES	WHAT	REQUIREMENTS	WHERE
M1	15	Set up: copy the starter to `wordpress/wp-content/themes/fernhill/`, activate it, run the self-check (`Checks passed: 1 of 12`), read every starter file and its TODOs.	–	Session 7 studio
M2	45	The design system: the style.css header and theme.json (palette, layout, fonts, element styles).	R1	Session 7 studio (start), home
M3	60	Templates and parts: header and footer parts, index, single, page, 404; the per-URL check.	R2, R7	home
M4	45	Patterns and the front page: the two PHP patterns, front-page.html.	R3	home, Session 8 studio
M5	30	functions.php: the pattern category, the stylesheet, the main query.	R5, R6	Session 8 studio
M6	30	The Autumn variation, NOTES.md, the per-URL check and the self-check (`Checks passed: 12 of 12`), the hand-in.	R4, R8	Session 8 studio, home

225 minutes of solo work: about 35 in the Session 7 studio, 50 in the Session 8 studio, the rest (about 2 hours 20 minutes) at home between the sessions and in the week after Session 8. Learners who finish early take a stretch item.

SESSION 7 KICKOFF (WHAT THE SESSION 7 GUIDE RUNS, ABOUT 35 MINUTES)

- **Read the brief together (5m).** Odette's email aloud; then the requirement list on the slide. Ask: "Which module does each requirement come from?" (R1 to R4 Module 3, R5 and R6 Module 4, R8 every module.) Name the rule that matters most: the theme is a new folder; nothing in pagesco, the course's other themes or core changes.

- **M1 for everyone (10m).** From the project folder: `cp -r labs/module-08/p1-project/fernhill_starter wordpress/wp-content/themes/fernhill`, `wp theme activate fernhill`, `cp labs/module-08/p1-project/test_fernhill.php wordpress/`, `wp eval-file --use-include test_fernhill.php`. Done = `Checks passed: 1 of 12` on every screen. Then a two-minute tour of the starter: which files are ready, which are TODO, and `hero.php` as the model for R3.
- **M2 started (15 to 20m).** The style.css header, then the palette in theme.json (copy the five slugs and hex values from the brief, in order). Run the self-check after each save: once the header, palette and layout widths are in, checks 1 to 4 turn OK (`Checks passed: 4 of 12`). Circulate for JSON commas (a trailing comma = a decode notice and no styles: Lesson 3.2 Mistake 1).
- **Close (2m).** Due dates: M2 and M3 before Session 8 (about 1 hour 45 minutes at home); bring the theme and the last self-check output. And: `wp theme activate pagesco` when you stop for the day.

RULES FOR LEARNERS

- Open book: the lesson pages, your notes, your workbook, your own course code (the pagesco theme is the closest model). Talk ideas through with other learners; write your own code.
- AI assistants may explain an error message; they do not write the theme. Be ready to explain any line of it: the review in Session 8 and the feedback may ask.
- Work on your course site. The test switches nothing: you activate `fernhill` yourself, and when you stop for the day you run `wp theme activate pagesco` (Session 9 and Lesson 5.1 start from pagesco active).
- Edit the theme's FILES. If you try something in the Site Editor, export it or copy its markup into the file, then delete the database copy (Lesson 3.2, Mistake 3): a copy left behind hides your files and is not in your zip.

WHAT LEARNERS HAND IN

- **One zip,** `fernhill-<yourname>.zip`, of the theme folder `wordpress/wp-content/themes/fernhill/` (the folder itself, not its parent), made on your computer.
- `NOTES.md` **in the theme folder:** what is unfinished (or "nothing"); one decision you made and why (a color, a template, where a piece of code lives); the last lines of the self-check.
- **Due one week after Session 8**, to the address your instructor gives you. Feedback comes back within a week, on the rubric below.

THE RUBRIC (SHARED WITH LEARNERS IN BRIEF.MD)

CRITERION	4 EXEMPLARY	3 MET	2 PARTLY	1 NOT YET
Design system (R1, R4) Lessons 3.2, 3.3	All of Met, and the styles live in theme.json only (no hard-coded colors in templates or patterns), plus a stretch item done well.	Header complete; theme.json version 3 with the five role colors in order, default palette off, both widths, two font stacks, link and button styles; the Autumn variation changes only the palette.	theme.json works but a color, a width or the variation is missing or misnamed; or colors are hard-coded hex in markup.	theme.json does not load (a decode notice) or the theme falls back to core styles.
Templates and parts (R2, R7) Lessons 3.1, 3.2	All of Met, and the markup is valid in the Site Editor (no "unexpected or invalid content"), plus search.html or the child theme.	index, front-page, single, page and 404 present; header and footer parts with their areas; every page has one header, one main and one footer; the 404 page answers 404 with its heading and a search.	A template or a part missing, a part slug typo, or a landmark missing on some pages.	Pages fall back to index everywhere, or a part does not render.
Patterns and front page (R3) Lessons 3.3, 1.3	All of Met, and the patterns use only theme presets (spacing, colors) and are useful from the inserter on any page.	Both patterns registered in the fernhill category; every string translatable with the fernhill domain and escaped; URLs with esc_url(home_url()); the front page shows hero, news (inherit) and the call.	One pattern missing, or strings not translatable, or a URL hard-coded to localhost.	No PHP patterns; the front page is plain markup with hard-coded text.
functions.php and the main query (R5, R6) Lessons 2.3, 4.2, 4.3	All of Met, and the learner can say why pre_get_posts beats a second query here (paging, one query, the Query Loop inherits).	Category on init; fernhill-style enqueued on wp_enqueue_scripts with the theme's Version; pre_get_posts with all three guards; 3 posts on /, 1 on /page/2/.	Works, but a guard is missing (admin lists change too), the version is hard-coded or missing, or a hook is wrong but happens to work.	Code runs at the top level of functions.php, a second query replaces the main one, or a fatal error.

CRITERION	4 EXEMPLARY	3 MET	2 PARTLY	1 NOT YET
Quality and verification (R8) Lessons 1.3, 3.2	All of Met, and NOTES.md explains a real trade-off; the code would pass PHPCS (Lesson 8.1) without changes.	No PHP messages; coding standards and prefixes; the per-URL check passes; no Site Editor copies; NOTES.md complete; the self-check output included.	A notice on one page, unprefixed names, or NOTES.md missing a part.	Warnings on several pages, edits outside the theme folder, or no NOTES.md.

Met = at least 14 of 20 points with no row at 1. Below that, the learner revises once, within a week of the feedback.

PART 1 PROJECT: THE RUBRIC

Five rows, four levels, 20 points. Learners have the same table in BRIEF.md.

CRITERION	4 EXEMPLARY	3 MET	2 PARTLY	1 NOT YET
Design system (R1, R4) Lessons 3.2, 3.3	All of Met, and the styles live in theme.json only (no hard-coded colors in templates or patterns), plus a stretch item done well.	Header complete; theme.json version 3 with the five role colors in order, default palette off, both widths, two font stacks, link and button styles; the Autumn variation changes only the palette.	theme.json works but a color, a width or the variation is missing or misnamed; or colors are hard-coded hex in markup.	theme.json does not load (a decode notice) or the theme falls back to core styles.
Templates and parts (R2, R7) Lessons 3.1, 3.2	All of Met, and the markup is valid in the Site Editor (no "unexpected or invalid content"), plus search.html or the child theme.	index, front-page, single, page and 404 present; header and footer parts with their areas; every page has one header, one main and one footer; the 404 page answers 404 with its heading and a search.	A template or a part missing, a part slug typo, or a landmark missing on some pages.	Pages fall back to index everywhere, or a part does not render.

CRITERION	4 EXEMPLARY	3 MET	2 PARTLY	1 NOT YET
Patterns and front page (R3) Lessons 3.3, 1.3	All of Met, and the patterns use only theme presets (spacing, colors) and are useful from the inserter on any page.	Both patterns registered in the fernhill category; every string translatable with the fernhill domain and escaped; URLs with esc_url(home_url()); the front page shows hero, news (inherit) and the call.	One pattern missing, or strings not translatable, or a URL hard-coded to localhost.	No PHP patterns; the front page is plain markup with hard-coded text.
functions.php and the main query (R5, R6) Lessons 2.3, 4.2, 4.3	All of Met, and the learner can say why pre_get_posts beats a second query here (paging, one query, the Query Loop inherits).	Category on init; fernhill-style enqueued on wp_enqueue_scripts with the theme's Version; pre_get_posts with all three guards; 3 posts on /, 1 on /page/2/.	Works, but a guard is missing (admin lists change too), the version is hard-coded or missing, or a hook is wrong but happens to work.	Code runs at the top level of functions.php, a second query replaces the main one, or a fatal error.
Quality and verification (R8) Lessons 1.3, 3.2	All of Met, and NOTES.md explains a real trade-off; the code would pass PHPCS (Lesson 8.1) without changes.	No PHP messages; coding standards and prefixes; the per-URL check passes; no Site Editor copies; NOTES.md complete; the self-check output included.	A notice on one page, unprefixed names, or NOTES.md missing a part.	Warnings on several pages, edits outside the theme folder, or no NOTES.md.

Met = at least 14 of 20 points with no row at 1. Below that, the learner revises once, within a week of the feedback.

PART 1 PROJECT: SCORING GUIDANCE BY ROW

- **Start with the learner's run, not yours:** unzip into a course site at the end of Lesson 4.3 as `wp-content/themes/fernhill/`, `wp theme activate fernhill`, run `test_fernhill.php` and the per-URL check (both below), click through the pages with `tail -f wordpress/wp-content/debug.log` open. Ten minutes per learner, then read the code.
- **Design system.** Open theme.json next to the brief: five slugs in order, `defaultPalette` false, both widths. Grep templates and patterns for `#` hex values: hand-set colors in markup cap the row at 2 (the variation

cannot change them). The Autumn file must reuse the SAME slugs (a variation that renames slugs changes nothing).

- **Templates and parts.** The self-check confirms files and areas; you confirm landmarks on EVERY template (the per-URL check) and the 404 status. A part slug typo shows on one page only: exactly what the check is for.
- **Patterns.** Count translatable strings: every visible string, the alt text with `esc_attr_e()`, the text domain `fernhill` (not `pagesco`, the most common copy-paste slip: the self-check catches it). A hard-coded `http://localhost:8080/about/` caps the row at 2: it breaks on any other site.
- **functions.php and the main query.** Read the pre_get_posts callback: all three guards, `$query->is_home()` (the method) and `$query->set()`. The self-check passes without the main-query guard (see the trap below): you score the code, not the check. The stylesheet's version must come from the theme (wp_get_theme()); a typed '1.0.0' is a 3 only if NOTES.md says why.
- **Quality.** No message in debug.log for the whole click-through; prefixes on every function; `wp post list --post_type=wp_template,wp_template_part,wp_global_styles --fields=ID,post_name` shows no Fernhill copies (or NOTES.md explains one); NOTES.md has its three parts.
- **Revision:** below Met, write the two rows to fix on the sheet; the learner resubmits once within a week. **Own client:** a learner may ask in Session 7 to theme another fictional client with the same requirement shapes (five role colors, two patterns, the main-query change); approve it in writing, and their NOTES.md then lists their exact texts so you can check them.

PART 1 PROJECT: SCORING SHEET

One per learner. Learner: _____ · Part 1 Project (Fernhill) · Scored by: _____ · Date: _____

CRITERION	SCORE (1 TO 4)	EVIDENCE (FILE, LINE, SELF-CHECK)
Design system (R1, R4)		
Templates and parts (R2, R7)		
Patterns and front page (R3)		
functions.php and the main query (R5, R6)		
Quality and verification (R8)		
Total (of 20)		Met = 14 or more, no row at 1

PART 1 PROJECT: MODEL SOLUTION NOTES

`labs/module-08/p1-project/fernhill_solution/`: style.css, theme.json, `templates/` (index, front-page, single, page, 404, and the stretch search), `parts/` (header, footer), `patterns/` (hero, volunteer-call), `styles/autumn.json`, functions.php, `assets/css/fernhill.css`, `assets/images/leaf.svg`. Every template, part and rendered pattern parses as valid in the real WordPress 7.1 editor (`wp.blocks.parse()`, 0 invalid blocks, checked with `kit_generators/S08/blockcheck_S08.py`), and the Site Editor opens it with no console error.

THE SELF-CHECK WITH THE MODEL SOLUTION

```
Success: Switched to 'Fernhill' theme.
Fernhill self-check (Part 1 project, BRIEF.md)
OK    1  Theme header: Fernhill 1.0.0, text domain fernhill, requires WordPress 7.1 and
OK    2  A block theme with a valid theme.json, version 3
OK    3  Palette: base, contrast, primary, secondary, accent (in that order); the defau
OK    4  Layout: content 680px, wide 1100px
OK    5  Templates: index, front-page, single, page, 404
OK    6  Template parts: header (area header) and footer (area footer)
OK    7  Patterns: fernhill/hero and fernhill/volunteer-call in the fernhill category;
OK    8  Style variation: Autumn
OK    9  Front page: header, main, the hero heading, the volunteer heading, footer
OK   10  Stylesheet: fernhill-style, assets/css/fernhill.css?ver=1.0.0
OK   11  Main query: 3 posts on the front page, 1 on /page/2/ (now: 3 and 1)
OK   12  404: status 404 and the heading "This path is overgrown"
Checks passed: 12 of 12
```

THE PER-URL CHECK (LESSON 3.2, FERNHILL'S LANDMARKS)

```
for url in / /page/2/ /hello-world/ /about/ /category/news/ "/?s=garden" /no-such-path/
    page=$(curl -s -w '\n%{http_code}' "http://localhost:8080$url")
    echo "$url  $(echo "$page" | tail -n 1)  header:$(echo "$page" | grep -c '<header c
done
```

```
/  200  header:1  main:1  footer:1  h1: Grow food, grow friendships
/page/2/  200  header:1  main:1  footer:1  h1: Grow food, grow friendships
/hello-world/  200  header:1  main:1  footer:1  h1: Hello world!
/about/  200  header:1  main:1  footer:1  h1: About Us
/category/news/  200  header:1  main:1  footer:1  h1: News
/?s=garden  200  header:1  main:1  footer:1  h1: Search results for: &amp;#8220;garden&amp;#822
/no-such-path/  404  header:1  main:1  footer:1  h1: This path is overgrown
```

FUNCTIONS.PHP, THE PART LEARNERS FIND HARDEST

```php
/**
 * Shows three news posts per page on the blog home (the front page of this site).
 *
 * @param WP_Query $query The query WordPress is about to run.
 */
function fernhill_adjust_main_query( $query ) {
    if ( is_admin() || ! $query->is_main_query() ) {
        return;
    }

    if ( $query->is_home() ) {
        $query->set( 'posts_per_page', 3 );
    }
}
add_action( 'pre_get_posts', 'fernhill_adjust_main_query' );
```

The stylesheet, as the front page links it:

```
<link rel='stylesheet' id='fernhill-style-css' href='http://localhost:8080/wp-content/t
```

Three posts on the front page (the newest first; the fourth is on /page/2/):

```
<li class="wp-block-post post-1 post
<li class="wp-block-post post-17 post
<li class="wp-block-post post-16 post
```

The patterns WordPress registered, with their categories, and the style variations it found:

```
fernhill/hero  fernhill,banner
fernhill/volunteer-call  fernhill,call-to-action
Autumn
```

COMMON MISTAKES, EACH THE MODEL SOLUTION WITH ONE CHANGE (ONLY THE LINES THAT DIFFER FROM THE RUN ABOVE)

A TRAILING COMMA IN THEME.JSON (LESSON 3.2, MISTAKE 1) (THEME.JSON)

```
Notice: wp_json_file_decode(): Error when decoding a JSON file at path /var/www/html/wp
TODO  2  A block theme with a valid theme.json, version 3
TODO  3  Palette: base, contrast, primary, secondary, accent (in that order); the defau
TODO  4  Layout: content 680px, wide 1100px
TODO  6  Template parts: header (area header) and footer (area footer)
Checks passed: 8 of 12
```

NO VERSION ON THE STYLESHEET (LESSON 4.3, MISTAKE 2) (FUNCTIONS.PHP)

```
TODO 10  Stylesheet: fernhill-style, assets/css/fernhill.css?ver=1.0.0
Checks passed: 11 of 12
```

- A TEMPLATE-PART SLUG TYPO IN FRONT-PAGE.HTML (LESSON 3.2, MISTAKE 2) (TEMPLATES/FRONT-PAGE.HTML)

```
TODO  9  Front page: header, main, the hero heading, the volunteer heading, footer
Checks passed: 11 of 12
```

- PRE_GET_POSTS WITHOUT THE IS_ADMIN() AND MAIN-QUERY GUARDS (FUNCTIONS.PHP)

```
Checks passed: 12 of 12
```

The self-check passes, yet the callback now changes EVERY query that looks like the blog home. Proof, on the same site, a query that asks for ten posts:

```
wp eval '$q = new WP_Query( array( "posts_per_page" => 10 ) ); echo $q->post_count, "\n
```

```
3
```

Score the functions.php row at 2: the code works by accident.

PART 1 ASSESSMENT: BRIGHTWATER SWIM SCHOOL

The timed assessment that closes Part 1 (Sessions 1 to 8), run in Session 8 from 1:25 (setup) to 2:35. Each learner works alone for 60 minutes, open book, on a classic theme they have never seen: `brightwater`, half finished by a developer who left. The starter activates and runs without a message; learners add the theme setup, the stylesheet and the Loop, change the main query, and find three bugs from the client's reports. It tests Module 4 (the Loop, template tags, custom queries, functions.php) with escaping and hooks from Modules 1 and 2; the block-theme side (Module 3) is the project's. Score it with the five-row rubric below. This section is for instructors only.

Covers **Modules 1-4** (classic side) · Session **8**, 1:25 to 2:35 · **60 min** of work · Open book, alone · Met: **14/20**, no row at 1 · Instructor only

PART 1 ASSESSMENT: THE BRIEF (AS THE INSTRUCTOR SEES IT)

Files. `labs/module-08/p1-assessment/`: `BRIEF.md` (the client's email, the tasks, the rules, the hand-in, the rubric), `brightwater_starter/` (style.css, functions.php, header.php, footer.php, index.php, singular.php, search.php, 404.php, `template-parts/related-news.php`) and the self-check `test_brightwater.php` (10 OK/TODO lines and a stretch line; the starter scores `Checks passed: 2 of 10`). Your reference is `brightwater_solution/` (never handed out before scoring). Both pass `python3 labs/check_labs.py`

`module-08`. The self-check puts the course site's Main menu into the theme's `primary` location for its own requests and restores the locations afterwards, so every learner's menu check means the same. Programs that skip the Session 8 slot can run the same folder as a take-home task (open book, 48 hours).

The client (Ken Adeyemi, who runs the school): “A developer started a classic theme for us and left halfway. The site works, sort of: our menu never shows, the news page lists bare titles, there is no stylesheet, the search page did something strange when my nephew typed HTML into it, and the previous and next links under a post point to the wrong posts. Can you finish it this afternoon?”

TASK	WHAT THE LEARNER DOES	LESSONS	SELF-CHECK	SUGGESTED MINUTES
T1	**Theme setup** (`functions.php`, `header.php`): WordPress prints the title (`title-tag`; remove the hand-written `<title>`); `wp_body_open()` right after `<body>`; register the menu location `primary` ("Primary menu") and make the header use it. Bug report: "our menu never shows" (the course's Main menu is put into `primary` by the self-check).	3.1, 4.3	2, 3, 5	10
T2	**The stylesheet:** enqueue `style.css` with the handle `brightwater-style`, versioned with the theme's own Version, on the right hook.	4.3	4	5
T3	**The news list** (`index.php`, `functions.php`): inside the Loop, an `<article>` with the post's id and classes (`id="post-<?php the_ID(); ?>"`, `post_class()`), an `h2` with the class `entry-title` whose link goes to the post, the date in a `p` with the class `entry-meta`, the excerpt; after the Loop, the pagination links. Two posts per page on the blog home, by changing the main query (guarded).	4.1, 4.2	6, 7	20
T4	**The search page** (`search.php`). Bug report: "it did something strange when my nephew typed HTML". The heading must print the visitor's words as text.	1.3, 4.1	8	5
T5	**Under a post** (`template-parts/related-news.php`, `singular.php`). Bug report: "previous and next point to the wrong posts". The More news box stays as it is; the links under it must be the post's own neighbors.	4.2	9, 10	10
Stretch	A footer widget area with the id `footer` (footer.php already prints it when it holds widgets): Lesson 4.3.	4.3	stretch line	if time

- **Rules:** 60 minutes, alone, open book: the lesson pages, your notes, the workbook, your own course code. No other people, no AI assistants, no code from the web. Run the self-check as often as you like (it starts at

`Checks passed: 2 of 10`). It is a help, not the score: the instructor reads your code with the rubric. Change only files in `wordpress/wp-content/themes/brightwater/`. Keep the prefix `brightwater_` and the text domain `brightwater`. Unfinished at the end? Write one line at the top of `functions.php` saying what is missing. A clear note beats half-working code you cannot explain.

- **Hand-in: At the end of the 60 minutes:** zip `wordpress/wp-content/themes/brightwater/` as `brightwater-<yourname>.zip` and hand it in as your instructor says (shared folder or USB stick), with the last self-check output pasted into the zip as `selfcheck.txt`. Then: `rm wordpress/test_brightwater.php` and `wp theme activate pagesco`.
- **Timing:** 10 minutes of setup at 1:25, 60 minutes of work from 1:35 (50 for the tasks as sized, the rest for reading, the self-check and the hand-in), handed in at 2:35. Agreed extra time: up to 30 more minutes, or finish at home within 48 hours.

THE STARTER, AS LEARNERS SEE IT

```
Success: Switched to 'Brightwater' theme.
Brightwater self-check (Part 1 assessment, BRIEF.md)
OK    1  A classic theme: Brightwater, text domain brightwater
TODO  2  T1 Title: title-tag support, exactly one <title> (now: 1)
TODO  3  T1 wp_body_open(): the store notice band from mu-plugins/pagesco-site.php appe
TODO  4  T2 Stylesheet: brightwater-style, style.css?ver=1.0.0
TODO  5  T1 Menu: the primary location shows About Us, Events, Contact in the header na
TODO  6  T3 Blog home: 2 posts with linked h2 titles, a link to page 2 (now: 0 posts, (
TODO  7  T3 /page/2/: status 200 and the other 2 posts
TODO  8  T4 Search: the term is printed as text (&lt;b&gt;), never as HTML
OK    9  T5 Related news on /book-club-dune/: Staff picks, then Welcome
TODO 10  T5 Post navigation on /book-club-dune/: previous Staff picks, next Hello worl
Stretch: footer widget area not registered
Checks passed: 2 of 10
```

PART 1 ASSESSMENT: THE RUBRIC

CRITERION	4 EXEMPLARY	3 MET	2 PARTLY	1 NOT YET
Theme setup and hooks (T1, T2) Lessons 3.1, 4.3	All of Met, and the stretch widget area works (id footer, wrappers with %1$s and %2$s).	title-tag on after_setup_theme and one <title>; wp_body_open() after <body>; primary registered and used by has_nav_menu() and wp_nav_menu(); brightwater-style on wp_enqueue_scripts with the theme's Version.	Two of the four pieces done, or a piece done on the wrong hook (top-level code, init) that happens to work.	Setup and stylesheet untouched, or code that breaks the site.
The Loop and template tags (T3, index.php) Lesson 4.1	All of Met, with the_title_attribute() or an aria-label where a link text could repeat, and the translatable no-posts text kept.	article with the_ID() and post_class(); linked h2.entry-title (the_permalink() or esc_url(get_permalink())); the date escaped; the excerpt; the_posts_pagination() after the Loop.	Titles linked but a piece missing (classes, date, pagination), or echo with a the_ function (prints in the wrong place).	The Loop still prints bare titles, or the_post() missing (an endless loop).
Main and secondary queries (T3, T5) Lesson 4.2	All of Met, and the learner explains in one line why the bug moved the links (the global $post).	pre_get_posts with is_admin(), is_main_query() and is_home() guards, 2 per page, page 2 works; wp_reset_postdata() after the related loop, so the navigation is Dune's own.	Two per page by a second query in the template, or a guard missing; or the reset in the wrong place.	posts_per_page in index.php's own WP_Query, query_posts(), or the navigation still wrong.

CRITERION	4 EXEMPLARY	3 MET	2 PARTLY	1 NOT YET
Escaping and safe output (T4, all) Lessons 1.3, 4.1	All of Met, and the learner found and escaped a second spot on their own initiative (or explains why each echo is safe).	The search term printed with esc_html() (or get_search_query() with its default escaping); every new echo escaped for its context.	The search term escaped, but a new unescaped echo elsewhere (a date, a URL).	The search page still prints the visitor's HTML.
Working method (all) Lessons 1.2, 1.3	All of Met, and the code is tidy enough to hand to the next developer as it is.	No PHP messages on any page; prefixes and the text domain kept; WordPress coding standards; the self-check run and handed in; an honest note about anything unfinished.	A notice on one page, a missing prefix, or no self-check output.	Fatal errors, edits outside the theme folder, or nothing handed in.

Met = at least 14 of 20 points with no row at 1. Below that, the learner revises once, within a week of the feedback.

PART 1 ASSESSMENT: SCORING GUIDANCE BY ROW

- **Run first, then read:** unzip into a course site at the end of Lesson 4.3 as `wp-content/themes/brightwater/`, activate, run `test_brightwater.php`, compare with the learner's selfcheck.txt, then read every changed file against the starter (`diff -r brightwater_starter brightwater-<name>`). Fifteen minutes per learner.
- **Theme setup and hooks.** title-tag AND the hand-written `<title>` removed (the self-check reports the count); `wp_body_open()` where the starter's TODO stands; the location registered on after_setup_theme AND the header's two `main` references changed (fixing only one side leaves the menu hidden). The enqueue on wp_enqueue_scripts with the version from the theme header (`wp_get_theme( get_template() )->get( 'Version' )` or `wp_get_theme()->get( 'Version' )`).
- **The Loop.** Linked titles may use `the_permalink()` or `echo esc_url( get_permalink() )`; `get_permalink()` without echo prints nothing (a trap below). `the_posts_pagination()` after the loop, not inside it.
- **Main and secondary queries.** pre_get_posts in functions.php with the three guards (as in the project). `posts_per_page` in a new WP_Query inside index.php is a 1 for this row (the main query still runs, and page 2 breaks). For T5, `wp_reset_postdata()` after the related loop (inside the `if`, after the `while`); `wp_reset_query()` works but is the wrong tool (it is for query_posts()): a 3 only with a correct explanation.

- **Escaping.** `esc_html( get_search_query( false ) )` or `get_search_query()` (escaped by default, a trap below shows it passes); `printf( esc_html__( ... ), ... )` keeps the string translatable. Check every NEW echo the learner wrote (the date, attributes).
- **Working method.** The self-check output handed in, no messages, prefixes and the text domain kept, an honest note when unfinished. A learner who explains a bug correctly in the note but ran out of time to fix it can still reach 3 on that row's understanding, never 4.

PART 1 ASSESSMENT: SCORING SHEET

One per learner. Learner: _____ · Part 1 Assessment (Brightwater) · Scored by: _____ · Date: _____

CRITERION	SCORE (1 TO 4)	EVIDENCE (FILE, LINE, SELF-CHECK)
Theme setup and hooks (T1, T2)		
The Loop and template tags (T3, index.php)		
Main and secondary queries (T3, T5)		
Escaping and safe output (T4, all)		
Working method (all)		
Total (of 20)		Met = 14 or more, no row at 1

PART 1 ASSESSMENT: INSTRUCTOR ANSWER NOTES

THE SELF-CHECK WITH THE MODEL SOLUTION

```
Success: Switched to 'Brightwater' theme.
Brightwater self-check (Part 1 assessment, BRIEF.md)
OK    1  A classic theme: Brightwater, text domain brightwater
OK    2  T1 Title: title-tag support, exactly one <title> (now: 1)
OK    3  T1 wp_body_open(): the store notice band from mu-plugins/pagesco-site.php appe
OK    4  T2 Stylesheet: brightwater-style, style.css?ver=1.0.0
OK    5  T1 Menu: the primary location shows About Us, Events, Contact in the header na
OK    6  T3 Blog home: 2 posts with linked h2 titles, a link to page 2 (now: 2 posts, 2
OK    7  T3 /page/2/: status 200 and the other 2 posts
OK    8  T4 Search: the term is printed as text (&lt;b&gt;), never as HTML
OK    9  T5 Related news on /book-club-dune/: Staff picks, then Welcome
OK   10  T5 Post navigation on /book-club-dune/: previous Staff picks, next Hello world
Stretch: footer widget area registered
Checks passed: 10 of 10
```

THE THREE BUGS AND THEIR FIXES

1. **T1, "our menu never shows":** header.php asks `has_nav_menu( 'main' )` and `wp_nav_menu( array( 'theme_location' => 'main', ... ) )`; the theme must register `primary` and the header must ask for `primary`. Silent: no message, no menu.
2. **T4, the search heading:** the starter prints `get_search_query( false )` raw inside `printf()`. Fixed, `/?s=<b>water</b>` prints `<h1 class="search-title">Results for: <b>water</b></h1>`.
3. **T5, the wrong neighbors:** `related-news.php` runs a secondary WP_Query and never calls `wp_reset_postdata()`, so `the_post_navigation()` in singular.php works from the last related post (Welcome, the oldest News post: no previous, next Staff picks). Fixed, Dune's own neighbors come back: Staff picks for the season Hello world!

THE MODEL SOLUTION'S FUNCTIONS.PHP

```php
<?php
/**
 * Brightwater functions and definitions.
 *
 * @package brightwater
 */

/**
 * Sets up the theme features WordPress should provide, and the menu location.
 */
function brightwater_setup() {
    add_theme_support( 'title-tag' );
    add_theme_support( 'html5', array( 'search-form', 'comment-form', 'comment-list', '

    register_nav_menus(
        array(
            'primary' => __( 'Primary menu', 'brightwater' ),
        )
    );
}
add_action( 'after_setup_theme', 'brightwater_setup' );

/**
 * Loads the theme's stylesheet, versioned with the theme.
 */
function brightwater_enqueue_assets() {
    wp_enqueue_style(
        'brightwater-style',
        get_stylesheet_uri(),
        array(),
        wp_get_theme( get_template() )->get( 'Version' )
    );
}
add_action( 'wp_enqueue_scripts', 'brightwater_enqueue_assets' );

/**
 * Shows two posts per page on the blog home.
 *
 * @param WP_Query $query The query WordPress is about to run.
 */
function brightwater_adjust_main_query( $query ) {
    if ( is_admin() || ! $query->is_main_query() ) {
        return;
    }

    if ( $query->is_home() ) {
        $query->set( 'posts_per_page', 2 );
```

```
    }
}
add_action( 'pre_get_posts', 'brightwater_adjust_main_query' );

/**
 * Registers the footer widget area (stretch task).
 */
function brightwater_widgets_init() {
    register_sidebar(
        array(
            'id'            => 'footer',
            'name'          => __( 'Footer', 'brightwater' ),
            'before_widget' => '<section id="%1$s" class="widget %2$s">',
            'after_widget'  => '</section>',
            'before_title'  => '<h2 class="widget-title">',
            'after_title'   => '</h2>',
        )
    );
}
add_action( 'widgets_init', 'brightwater_widgets_init' );
```

INDEX.PHP'S LOOP IN THE MODEL SOLUTION

```
if ( have_posts() ) {
    while ( have_posts() ) {
        the_post();
        ?>
        <article id="post-<?php the_ID(); ?>" <?php post_class(); ?>>
            <h2 class="entry-title"><a href="<?php the_permalink(); ?>"><?php the_title
            <p class="entry-meta"><?php echo esc_html( get_the_date() ); ?></p>
            <?php the_excerpt(); ?>
        </article>
        <?php
    }
    the_posts_pagination();
}
```

COMMON MISTAKES, EACH THE MODEL SOLUTION WITH ONE CHANGE (ONLY THE SELF-CHECK LINES THAT DIFFER)

TITLE-TAG ADDED, THE HAND-WRITTEN <TITLE> KEPT (HEADER.PHP)

```
TODO  2  T1 Title: title-tag support, exactly one <title> (now: 2)
Checks passed: 9 of 10
```

GET_PERMALINK() WHERE THE_PERMALINK() WAS MEANT (NOTHING PRINTED) (INDEX.PHP)

```
TODO  6  T3 Blog home: 2 posts with linked h2 titles, a link to page 2 (now: 2 posts, (
Checks passed: 9 of 10
```

PRIMARY REGISTERED, THE HEADER STILL ASKS FOR MAIN (HEADER.PHP)

```
TODO  5  T1 Menu: the primary location shows About Us, Events, Contact in the header na
Checks passed: 9 of 10
```

GET_SEARCH_QUERY() WITH ITS DEFAULT ESCAPING (ALSO RIGHT) (SEARCH.PHP)

```
Checks passed: 10 of 10
```

PART 1 ASSESSMENT: ACCOMMODATIONS, LATE WORK AND COMPLETION

- **Accommodations:** agreed extra time up to 30 more minutes in the room, or the same folder at home within 48 hours; a learner whose site breaks during the hour gets the repair time back.
- **Missed session:** the take-home version (48 hours, open book, the same rules); note it on the scoring sheet.
- **Below Met:** one resit within a week, at home, on the same folder with the feedback in hand, or a fresh run of the classroom version if you have another client's variant.
- **Part 1 completion:** the project AND the assessment both Met. When Part 1 runs on its own, issue the certificate of completion after the project feedback; when Part 2 follows, a learner below Met on either may continue and revise in parallel.

FINAL PROJECT: RESERVE & PICK UP

Lesson 9.1 (`lesson_30.html` , 300 minutes for a solo learner, 250 of them for the ten milestones). The brief is the reading at the end of Session 16; Milestones 1 to 3 and the start of 4 in the Session 17 studio; 4 to 6 at home; 7 to 9 in the Session 18 studio, then the showcase; Milestone 10 (the write-up) at home; due **one week after Session 18**.

THE BRIEF (MARIA'S WORDS, FROM THE LESSON)

Maria Lopez runs the shop floor at Pages & Co. (she has been the site's editor since Lesson 2.1). Customers phone every day to ask the staff to put a book aside, the staff write names on sticky notes, and the notes get lost behind the till. Maria wants customers to do it themselves on the website, and she wrote down what the shop needs:

1. "A customer with an account can **reserve** a book from its page. We keep it behind the counter for **three days**; after that the hold has **expired**. We open accounts at the counter, as Subscribers: there is no public sign-up."
2. "Nobody may have more than **three** books waiting, the same book twice makes no sense, and a sold-out book cannot be reserved. I want to change the three days and the three books myself, without a developer."

3. "Customers see their holds on a **My holds** page and can cancel one they no longer want. Nobody can see or cancel anyone else's holds. Ever."
4. "At the counter, we need a list of what is waiting, and a button to mark a hold as collected."
5. "The customer gets an email with the book and the last day to pick it up."
6. "It has to work on old phones and with JavaScript blocked, and for customers who use a screen reader. Reserving should not reload the page when it does not have to."
7. "The staff picks on the home page still show last month's prices. Fix that while you are at it."
8. "Holds are about our customers, so keep them only as long as we need them. And nothing goes live that has not been tested, and nothing goes live on a Thursday evening during the book club."

What learners hand in (lesson):

- Your `wordpress/wp-content` Git repository with a commit per milestone group and the tag `release-3`: Pages & Co. Books 1.2.0 and the pagesco theme 1.2.0
- The release files built from that tag: `pagesco-books.zip` and `pagesco.zip`
- The proof: a clean `composer lint`, the PHPUnit run, the smoke test's output on your development site and on the rehearsal server, and the performance numbers before and after
- A one-page write-up, `RESERVE-AND-PICKUP.md` in your course folder (next to `pagesco-plan.txt`): what you built, where each requirement is handled, the decisions you made and what you would do next (Milestone 10 gives you its outline)
- A five-minute showcase of the feature, live (the checklist is in Showcase and Submission)

OWN DESIGNS, NOT OWN BRIEFS

- The lesson's reference is one design; the rubric scores the brief, the checklist and the checks, so different class names, a different table layout or a different block design are fine (the lesson says so in "How to use this lesson"). Ask for the reasons in the write-up's Decisions.
- This project has no alternative brief: it is built on the learner's own Pages & Co. site and its history (release-2), and Milestones 8 and 9 depend on Lesson 8.4's release process. A learner who wants another business applies the same milestones to a feature of their own plugin only by written agreement in Session 17; the reference numbers below then do not apply, and their write-up must name their own checks and results.

WHERE THE 300 MINUTES GO

#	MILESTONE (LESSON)	USES LESSONS	LESSON ESTIMATE	WHERE IT HAPPENS IN THIS KIT
1	Plan, and measure before you build	1.1, 8.2	15 min	Session 17 studio (15 min; plan check-in per learner)
2	The data: a holds table and two settings	5.1, 5.4, 5.5	25 min	Session 17 studio (25 min)
3	The rules, and the email	1.3, 2.3, 5.3, 1.2	30 min	Session 17 studio (35 min)
4	REST routes, form handlers and the staff screen	5.3, 5.4, 7.1, 7.2	30 min	Session 17 studio (start, 25 min), finished at home
5	Two blocks: Reserve for Pickup and My Holds	3.2, 6.1, 6.3, 6.4	45 min	Home, between Sessions 17 and 18 (needs the internet for npx)
6	Live prices on the front page	3.3, 6.3	15 min	Home, between Sessions 17 and 18
7	Quality: standards, tests, speed, accessibility	8.1, 8.2, 8.3	30 min	Session 18 studio (30 min; wp-env started at home first)
8	Release 1.2.0	8.3, 8.4	20 min	Session 18 studio (15 min)
9	Deploy to the rehearsal server	8.4, 7.3	25 min	Session 18 studio (20 min), on the learner's rehearsal server
10	Write-up and showcase	all	15 min	Home, within the week after Session 18

The remaining 50 of the lesson's 300 minutes are its exercises, quiz and journal: homework after Session 18. Kit labs for the project's habits: `labs/module-17/` (ownership in the query, one rules function, an own action, Common Mistake 2) and `labs/module-18/l9_1-final-project/` (version places, the release file list, a smoke test, a release check).

WHERE EACH REQUIREMENT IS HANDLED (THE LESSON'S MAP)

REQUIREMENT	HANDLED BY	MILESTONE
1. Reserve; three days; expired	`Holds::place()` computes `pickup_by` from the setting; `Holds::status()` computes "expired"	2, 3
2. Limits; no duplicates; not sold out; settings	`Holds::place()`; settings `hold_days` and `max_holds` on Settings > Pages & Co. Books	2, 3

REQUIREMENT	HANDLED BY	MILESTONE
3. My holds; cancel; only your own	the My Holds block; `HoldsTable::finish()` with the user ID in its `WHERE`; a "not found" for anyone else's hold	3, 4, 5
4. Staff list and "collected"	Books > Holds (`Admin\HoldsPage`), the collect handler, capability `edit_others_posts`	4
5. Email	the plugin's own action `pagesco_books_hold_placed`, and `Holds\HoldMail` listening to it	3
6. No JavaScript, screen readers, no reload	forms that post to `admin-post.php`; an Interactivity API store that sends the same form to the REST API; `role="status"` messages	4, 5, 7
7. Live prices on the home page	the `pagesco/book` binding source learns a book's slug; the theme's staff picks pattern binds its prices	6
8. Personal data; tested; safe deploys	the daily job deletes holds 30 days after their pickup date; uninstall drops the table; lint, tests, smoke test; a code-only deploy with a backup first	7, 8, 9

THE LESSON'S PROJECT COMPLETION CHECKLIST (WHAT "DONE" MEANS)

- A customer can reserve a book on its page, with and without JavaScript, gets an email, and sees and cancels holds on My holds; visitors get login links
- The rules hold: three days and three books from the settings, no duplicates, no sold-out books, nobody else's holds; staff mark holds collected under Books > Holds
- The front page's staff picks show live prices, and the theme still works without the plugin
- `composer lint` is clean, the seventeen tests pass, and the smoke test passes on both sites
- Plugin 1.2.0 and theme 1.2.0 are tagged `release-3` and run on the rehearsal server, deployed as code only after a backup
- `RESERVE-AND-PICKUP.md` is written and you have rehearsed the five-minute showcase

THE SECURITY AND PRIVACY CHECKLIST (THE SECURITY AREA IS SCORED AGAINST IT)

THREAT	THE RULE IN RESERVE & PICK UP	PROVEN BY
Cross-site request forgery	Every form carries a nonce for its action *and its ID* (`pagesco_books_place_hold_30`); the REST API needs the `wp_rest` nonce with cookies; nothing changes on GET	Smoke test: a form without a nonce gets 403
Broken access control	Customers need to be logged in (`read`); staff actions need `edit_others_posts`, checked in the handler and in the menu;	Smoke test: visitors get 401, customers cannot collect;

THREAT	THE RULE IN RESERVE & PICK UP	PROVEN BY
	every REST route has a `permission_callback` that returns a `WP_Error` with `rest_authorization_required_code()`	Books > Holds refuses an author
Someone else's hold (IDOR)	The user ID comes from the login, never from a form; cancelling puts it in the SQL `WHERE`; another customer's hold is "not found", not "forbidden", so it does not even confirm that it exists	Milestone 3's checks, PHPUnit
Cross-site scripting	Escape late in every template (`esc_html`, `esc_attr`, `esc_url`); messages chosen from a fixed list by a code in the address, never text from the address; `data-wp-text` sets text, not HTML	Code review, `composer lint`
SQL injection	Every query through `$wpdb->prepare()` with `%i`, `%d` and `%s`, or `$wpdb->insert()` / `update()` with formats	Code review, `composer lint`
Open redirects	Handlers redirect with `wp_safe_redirect()` to addresses they build themselves	Code review
Abuse	At most `max_holds` waiting holds per customer; only logged-in customers, whose accounts the shop creates	Milestone 3's checks, PHPUnit
Personal data	Holds name customers: they are deleted 30 days after their pickup date by the daily job, dropped on uninstall, never sent to the supplier, and listed in the readme	Milestone 2 and 8, `readme.txt`

THE SHOWCASE CHECKLIST AND THE SUBMISSION CHECKLIST (LESSON)

Showcase (five minutes):

1. **The problem** (30 seconds): the sticky notes, in one sentence each from the brief.
2. **A visitor** opens a book: "Log in to reserve". Then **a customer** logs in and reserves it: no reload, the message is announced. Show the email in Mailpit.
3. **The rules**: reserve the same book again, then a sold-out one, then one too many. Change "Holds per customer" in the settings and try again.
4. **My holds**: the list, a cancel. Then turn JavaScript off in the browser and reserve again: it still works.
5. **The counter**: Books > Holds as Maria, "Mark collected".
6. **The home page**: change Dune's price in the editor, reload the home page.
7. **The proof**: `composer lint`, the PHPUnit summary, the smoke test's output on the rehearsal server, `git tag -n`.

8. **One decision you would defend** (why a custom table, why "not found" instead of "forbidden", why expired is computed) and **one thing you would do next**.

Submission:

- `git tag -n` in `wordpress/wp-content` lists `release-3`, and `git status` is clean
- `pagesco-books.zip` (1.2.0) and `pagesco.zip` (1.2.0) are kept with your release notes
- The output of `composer lint`, the PHPUnit run and both smoke tests is saved in your write-up or next to it
- The rehearsal server runs 1.2.0, has a My holds page, and its backup from before the deploy is in `backups/`
- `RESERVE-AND-PICKUP.md` maps every requirement to the code, lists your decisions and next steps
- If you share the project publicly (a portfolio, a Git host), share the code and screenshots only: never `.env`, database dumps or passwords

THE RUBRIC (LESSON 9.1, REPRODUCED EXACTLY)

Score yourself, or swap with a classmate: each area earns 0 (missing), half (meets) or all of its points (exceeds).

AREA	POINTS	MEETS (HALF THE POINTS)	EXCEEDS (FULL POINTS)
Features	20	Reserve, My holds, cancel, staff list and collect, the email and live prices all work in the browser	Every refusal has a clear message; expired holds show as expired; empty states are friendly; the settings change the rules without code
Data and rules	15	A table with keys created by `dbDelta()`; the rules in one place	Indexes for the real queries; "expired" computed, not stored; the table created on update by `maybe_upgrade()`, not only on activation; a custom hook others can use
Security and privacy	20	Nonces, capabilities, escaping and prepared queries everywhere	Every line of the checklist, with ownership in SQL, "not found" for other people's holds, and old holds deleted on schedule
Blocks and experience	15	Both blocks render the right state for visitors, customers and sold-out books	Works without JavaScript; no reload with it; announced to screen readers; no duplicate IDs; a sensible editor preview
Code quality	10	`composer lint` is clean; the feature pattern of Lesson 5.1	Every standards exception documented with a reason; every string translatable with translator comments; a new POT

AREA	POINTS	MEETS (HALF THE POINTS)	EXCEEDS (FULL POINTS)
Testing	10	You tested every rule by hand	PHPUnit tests for the rules and the REST door pass in wp-env, and the smoke test passes on both sites
Release and deploy	5	A tagged release deployed to the rehearsal server	Versions bumped everywhere they live, the ZIP checked before upload, a backup before the deploy, the database untouched
Write-up and showcase	5	A write-up that says what you built	The write-up maps every requirement to code and names a decision you would defend; the showcase follows the checklist and fits five minutes

80 or more out of 100 is a solid, portfolio-ready project. The reference solution is written to score full points; yours can get there with a different design.

THE RESULT

- **Per area:** 0 (missing), half (meets) or full (exceeds), as the lesson says. Half of 15 is 7.5 and half of 5 is 2.5: record halves as they are; the total may end in .5.
- **Portfolio-ready (the lesson's bar):** 80 or more out of 100.
- **Completed (this kit's recommendation; adjust it to your program):** every area at least "meets", which is 50 or more with no area at 0: a working feature on the learner's site with nonces, capabilities, escaping and prepared queries, a tagged release, and a write-up.
- **Not yet:** any area at 0, or a release that does not install and run on a copy of the course site. Return written feedback (one strength per area and the single change that would gain the most points) and allow one resubmission within two weeks; re-score the changed areas only.
- **Security has a floor:** a working IDOR (another customer's hold cancelled by its ID), a state-changing form without a nonce, or SQL glued from request values scores 0 for Security and privacy whatever else the project does: say so in the feedback and offer the resubmission. The grading run below finds the first two in minutes.
- **The showcase** is scored live in Session 18 (the 5 points of Write-up and showcase are shared: the showcase line on the Session 18 sheet, the write-up with the submission). A learner who missed it sends a five-minute recording following the checklist.

SCORING GUIDANCE BY AREA

AREA	MEETS (HALF)	EXCEEDS (FULL): LOOK FOR	QUICK TEST
Features (20)	Reserve, My holds, cancel, staff list and	A clear message for every refusal; expired holds shown as expired;	The grading run's holds-check and smoke test; then 3 minutes

AREA	MEETS (HALF)	EXCEEDS (FULL): LOOK FOR	QUICK TEST
	collect, the email, live prices work in the browser.	friendly empty states; the settings change the rules.	in the browser as a customer and as Maria (Books > Holds).
Data and rules (15)	A table with keys created by dbDelta(); the rules in one class.	Indexes for the two real queries; "expired" computed; maybe_upgrade() on init; the plugin's own action (`do_action`) at the moment a hold is placed.	`SHOW CREATE TABLE wp_pagesco_holds` ; `grep -rn do_action src/Holds` ; no `expired` value in the status column.
Security and privacy (20)	Nonces, capabilities, escaping and prepared queries everywhere.	Every checklist line: ownership in SQL, "not found" for others' holds, old holds deleted on schedule (DailySync), the table dropped on uninstall.	holds-check.php's "Priya cancels hold 1" line, the smoke test's nonce line, the greps below; read `finish()` and the three handlers.
Blocks and experience (15)	Both blocks render the right state for visitors, customers and sold-out books.	Works without JavaScript; no reload with it; role="status" messages; no duplicate IDs (no `wp_nonce_field()` in a loop); a sensible editor preview.	View Source of a book page as a customer (one `_wpnonce` per form, no `id="_wpnonce"` repeated); JavaScript off in the browser.
Code quality (10)	`composer lint` clean; one class per feature, one line in the list.	Every exception documented with a reason (phpcs.xml.dist); every string translatable with translators comments; a new POT.	`composer lint; echo $?` (0); `grep -c msgid languages/pagesco-books.pot` .
Testing (10)	Every rule tested by hand (the write-up says how).	PHPUnit tests for the rules and the REST door pass in wp-env; the smoke test passes on both sites.	Their saved PHPUnit summary and both smoke outputs (the submission); rerun the smoke test in the grading run.
Release and deploy (5)	A tagged release deployed to the rehearsal server.	Versions bumped in all five places, the ZIP checked before upload, a backup before the deploy, the live database untouched.	`git tag -n` , `git show release-3 --stat` ; their deploy notes (pagesco-plan.txt "Deployment"); the backup's name.
Write-up and showcase (5)	A write-up that says what was built.	Every requirement mapped to code, a defended decision, numbers before and after; a showcase that follows the checklist in five minutes.	Pick requirements 3 and 8: can RESERVE-AND-PICKUP.md point to the lines?

THE GRADING RUN (ABOUT 30 MINUTES PER PROJECT)

On YOUR copy of the course site at the end of Lesson 8.4 (the state every learner started from; keep a database export of it to restore between learners), installed exactly like Milestone 9 installs on the rehearsal server, so that you grade what the learner released, not their development site.

1. **Restore** your Lesson 8.4 copy (`wp db import` of your export, the plugin and theme at 1.1.1). From the project folder.
2. **Install their release:** `wp plugin install /path/to/pagesco-books.zip --force` and `wp theme install /path/to/pagesco.zip --force` (copy the ZIPs into `wordpress/` first: the WP-CLI container sees only that folder). Then `wp plugin list --name=pagesco-books --fields=name,status,version` must say active, 1.2.0. A ZIP that stops the site with "Class not found" is Common Mistake 1: score Release and deploy and ask for a fixed release within 48 hours before scoring the rest.
3. **Content the feature needs:** the My holds page and two Subscribers, exactly as the lesson creates them (`wp post create ... --post_content='<!-- wp:pagesco/my-holds /-->'`, `wp user create jordan ...`, `wp user create priya ...`).
4. **The rules:** the lesson's holds-check.php (Milestone 3) in the WordPress root, `wp eval-file holds-check.php`. It needs the reference's class and method names (`PagesCo\Books\Holds\Holds`, `place()`, `cancel()`, `status()`); with other names, run the learner's own rule checks from their write-up instead. Compare with the reference's eleven lines below; the line that matters most is "Priya cancels hold 1".
5. **The smoke test:** THEIR holds-smoke.sh (in the submission) with a customer who has no waiting hold on the book, e.g. `sh holds-smoke.sh http://localhost:8080 priya priya-pass dune`. Eight ok lines and exit status 0 on the reference. Do not use jordan right after holds-check.php: he has three books waiting, and the limit refuses the reservation (the reference's output below).
6. **Lint and read:** in their source (the repository at release-3, with `composer install` for the dev tools): `composer lint; echo "exit status $?"`, then the quick greps below, then the three handlers, `finish()` and the two render.php files with the rubric beside you.
7. **Their evidence:** the PHPUnit summary, both smoke outputs, the before/after numbers and `git tag -n` from the submission; spot-check one by rerunning it.
8. **Restore** your copy for the next learner.

QUICK GREPS, MEASURED ON THE REFERENCE (A FULL-POINTS BUILD; LEADS, NOT VERDICTS)

In `wp-content/plugins/pagesco-books`. Every state-changing handler checks a nonce (the reference: one place, `posted_id()`, used by all three handlers):

```
grep -rn 'check_admin_referer\|wp_verify_nonce' src
```

```
src/Admin/BookMetaBox.php:105:      if ( ! wp_verify_nonce( sanitize_key( wp_unslash( $
src/Admin/StockAction.php:66:       check_admin_referer( self::ACTION . '_' . $book_id
src/Holds/HoldActions.php:98:       check_admin_referer( $action . '_' . $id );
```

Capability checks in the feature's doors (a customer capability for place and cancel, the staff capability for collect and the screen, the REST route's own callback):

```
grep -rn 'current_user_can\|STAFF_CAP\|CUSTOMER_CAP' src/Holds src/Rest/HoldsEndpoint.p
```

```
src/Holds/HoldActions.php:28:   public const CUSTOMER_CAP = 'read';
src/Holds/HoldActions.php:33:   public const STAFF_CAP = 'edit_others_posts';
src/Holds/HoldActions.php:62:       $book_id = $this->posted_id( 'book', self::PLACE, $
src/Holds/HoldActions.php:72:       $hold_id = $this->posted_id( 'hold', self::CANCEL,
src/Holds/HoldActions.php:82:       $hold_id = $this->posted_id( 'hold', self::COLLECT,
src/Holds/HoldActions.php:100:      if ( ! current_user_can( $capability ) ) {
src/Rest/HoldsEndpoint.php:87:      if ( is_user_logged_in() && current_user_can( HoldA
src/Admin/HoldsPage.php:41:         HoldActions::STAFF_CAP,
src/Admin/HoldsPage.php:51:     if ( ! current_user_can( HoldActions::STAFF_CAP ) ) {
```

Public REST routes (the books and events lists are public by design; a holds route here is a FAIL for Security):

```
grep -rn "'__return_true'" src/Rest
```

```
src/Rest/EventsEndpoint.php:41:                 'permission_callback' => '__return_true
src/Rest/BooksEndpoint.php:56:                  'permission_callback' => '__return_true
src/Rest/BooksEndpoint.php:70:                  'permission_callback' => '__return_true
```

Unescaped output in the two new blocks (the reference prints nothing: its only bare echoes are core's own escaping helpers):

```
grep -n 'echo ' src/blocks/reserve/render.php src/blocks/my-holds/render.php | grep -v
```

```
(no output)
```

Ownership in the cancel path (the user ID must be the third argument of the cancel call):

```
grep -n "finish(" src/Holds/Holds.php
```

```
85:     if ( ! $user_id || ! HoldsTable::finish( $hold_id, 'cancelled', $user_id ) ) {
99:     if ( ! HoldsTable::finish( $hold_id, 'collected' ) ) {
```

SCORING SHEET

Learner: _____ · Date received: _____ · On time: yes / no · Release installs: yes / after fix · holds-check matches: yes / differs at _____ · Smoke test: ____ ok / ____ FAILED · Showcase (Session 18): done / recording

AREA	POINTS	0 / HALF / FULL	SCORE	EVIDENCE (FILE AND LINE, OR WHAT YOU RAN)
Features	20			
Data and rules	15			
Security and privacy	20			
Blocks and experience	15			
Code quality	10			
Testing	10			
Release and deploy	5			
Write-up and showcase	5			
Total	**100**			Result: portfolio-ready / completed / not yet

SUBMISSION AND ACADEMIC HONESTY

- **Deadline:** one week after Session 18. The wp-content repository (a link to a private repository you can read, or `git archive release-3` as a ZIP), the two release ZIPs, the saved outputs (lint, PHPUnit, both smoke tests, the numbers) and RESERVE-AND-PICKUP.md with the self-scored rubric.
- **Secrets:** no .env, no database dump, no passwords; the course's development passwords (jordan-pass ...) only in the smoke test's command line in the write-up. Lesson 9.2's step 4 (the history search) before sharing a repository.
- **The reference solution is on the lesson page and in `downloads/pagesco-final.zip`.** Comparing after trying is what the lesson asks. A submission that IS the reference (the download's files, unchanged: `diff -ru` against it shows nothing) scores "meets" at most on Code quality and Write-up and showcase, and its write-up must say which parts were taken and why.
- **AI assistants and code from the web** are allowed on the terms a working developer accepts: the learner is responsible for every line and says in the write-up what help was used. **The explain-two-lines check:** pick two

lines (good candidates: the `finish()` call with `$user_id`, `check_admin_referer( $action . '_' . $id )`, `%d = 0 OR user_id = %d`, `withSyncEvent`, `maybe_upgrade()`) and ask for five minutes of explanation; anything the learner cannot explain is revised before it is scored.

- **Shared ideas, not shared files:** learners may compare plans, error messages and smoke-test outputs; code and the write-up are their own.
- Do not share these notes with learners; feedback refers to the rubric and their own files.

LATE WORK AND ALTERNATIVES

- **Extension:** one extra week on request before the deadline, no reason needed; later requests at your discretion.
- **Late without an extension:** scored as usual; record the date.
- **Missed Session 17 or 18:** the milestones are on the lesson page with references; book a 15-minute check-in instead of each missed studio. Missed showcase: a five-minute recording following the checklist.
- **No working rehearsal server** (Lesson 8.4 not completed): Release and deploy is scored on the tag and the ZIP check only (half at most), and the live smoke test is replaced by the grading run's install of their ZIPs.
- **Part 2 only learners** (who joined at Session 9): no change; the project needs no Part 1 theme work beyond Milestone 5's template line and Milestone 6's pattern, both given in full by the lesson.
- **Accessibility:** the showcase can be a recording; the write-up can be dictated.

RECORDING COURSE RESULTS

The course has two formative checkpoints and two summative assessments. Checkpoints are scored with their own five-row rubrics (Session 4 and Session 13 answer keys) and are not weighted into the assessments.

LEARNER	CHECKPOINT 1 (S4)	PART 1 PROJECT + ASSESSMENT (S8)	CHECKPOINT 2 (S13)	FINAL PROJECT /100	RESULT

- **Full program completion (kit recommendation):** Part 1 complete (its own rule, in the Part 1 sections above: the project and the assessment both Met) and the final project completed (every area at least "meets"). Checkpoints: Met, or redone once at home.
- **Part 1 only:** Part 1 is the course's final assessment; Checkpoint 1 is recorded beside it.
- **Part 2 only:** the final project alone, with Checkpoint 2 beside it.

ANSWER NOTES · FINAL PROJECT REFERENCE NUMBERS

Two kinds of real runs, both on WordPress 7.1.3, PHP 8.5, MySQL 9.7 and WP-CLI 2.12 (`~/projects/_kit_tools/php_wordpress/kit_generators/final/gen_final.py`). First, Lesson 9.1's whole reference chain: every runnable block of the page in order (95 blocks) from a site at the end of Lesson 8.4; all 51 output cards of the page reproduced (lines the page prints as `...` are timings and dates). Second, the grading run on the reference as the lesson leaves it (`after:lesson_30`), and on four copies of it with ONE change each.

THE DOWNLOAD AND RELEASE-3

`downloads/pagesco-final/wp-content/` has 109 files, the same paths as `git ls-tree -r release-3` of the reference site; every one byte-identical to the tag: the download is exactly what the lesson's learner tags. The release in one line (`git diff --stat release-2 release-3`):

```
33 files changed, 1648 insertions(+), 50 deletions(-)
```

(Lesson 9.1's own card after the tag shows the diffstat of the release COMMIT, which counts against the previous commit, not against release-2; both are right for their command.) The reference site's customers and holds as the lesson leaves them:

```
+----+------------+
| ID | user_login |
+----+------------+
| 4  | jordan     |
| 5  | priya      |
+----+------------+
id  book_id user_id status
1   30  4   cancelled
2   30  4   waiting
3   31  4   waiting
```

Holds 2 and 3 have the pickup date of the day the state was saved: from three days later they show as expired, which changes Jordan's answers in any check that is not started from an empty table (hence the TRUNCATE in the grading run).

MILESTONE 1 AND MILESTONE 7: THE NUMBERS (A VISITOR, THE QUERY REPORT)

Before:

```
Success: Added the constant 'SAVEQUERIES' to the 'wp-config.php' file with the raw valu
[26-Oct-2026 13:04:15 UTC] /: 22 queries; missing options: can_compress_scripts, site_
[26-Oct-2026 13:04:15 UTC] /books/dune/: 25 queries; missing options: can_compress_scri
[26-Oct-2026 13:04:15 UTC] /find-a-book/: 25 queries; missing options: can_compress_scr
Success: Deleted the constant 'SAVEQUERIES' from the 'wp-config.php' file.
```

After:

```
Success: Added the constant 'SAVEQUERIES' to the 'wp-config.php' file with the raw valu
[26-Oct-2026 13:04:42 UTC] /: 31 queries; missing options: can_compress_scripts, site_l
[26-Oct-2026 13:04:43 UTC] /books/dune/: 25 queries; missing options: can_compress_scri
[26-Oct-2026 13:04:43 UTC] /find-a-book/: 25 queries; missing options: can_compress_scr
Success: Deleted the constant 'SAVEQUERIES' from the 'wp-config.php' file.
```

Front page 22 → 31 (+9: three per staff pick, the live prices), book page and Find a book unchanged. A write-up that gives different numbers measured logged in is not wrong, but must say so; the baseline must be measured the same way as the after.

MILESTONE 3: HOLDS-CHECK.PHP ON AN EMPTY TABLE (THE GRADING RUN)

```
Jordan reserves Dune                 hold 1: waiting
Jordan reserves Dune again           pagesco_hold_duplicate
Jordan reserves The Great Gatsby     pagesco_hold_sold_out
Jordan reserves 1984                 hold 2: waiting
Jordan reserves The Hobbit           hold 3: waiting
Jordan reserves Animal Farm          pagesco_hold_limit
Priya cancels hold 1                 pagesco_hold_not_found
Jordan cancels hold 1                hold 1: cancelled
Jordan reserves Animal Farm          hold 4: waiting
A visitor reserves Dune              pagesco_hold_login_required
Animal Farm waits until: 3 days from today
```

Equal to the lesson's card. A learner's version that differs is a finding only on the rule lines; the last line says "3 days from today" with the default setting.

MILESTONE 5 AND THE GRADING RUN: THE SMOKE TEST

```
sh holds-smoke.sh http://localhost:8080 priya priya-pass dune; echo "exit status $?"
```

```
ok      visitor sees the login link
ok      REST refuses a visitor (status 401)
ok      priya can log in
ok      a form without a nonce is refused (status 403)
ok      the form reserves the book
ok      My holds shows the waiting hold
ok      the customer cancels the hold
ok      a customer cannot mark holds collected (status 403)
exit status 0
```

The same test as Jordan right after holds-check.php (he has three books waiting):

```
sh holds-smoke.sh http://localhost:8080 jordan jordan-pass the-hobbit; echo "exit statu
```

```
ok      visitor sees the login link
ok      REST refuses a visitor (status 401)
ok      jordan can log in
ok      a form without a nonce is refused (status 403)
FAILED  the form reserves the book
ok      My holds shows the waiting hold
ok      the customer cancels the hold
ok      a customer cannot mark holds collected (status 403)
exit status 1
```

A FAILED line is not always a bug: the limit refused the reservation, and the next two checks ran on the hold that was not made. Use a customer with room for one more hold. The lesson's recorded run on the rehearsal server:

```
ok      visitor sees the login link
ok      REST refuses a visitor (status 401)
ok      shoptest can log in
ok      a form without a nonce is refused (status 403)
ok      the form reserves the book
ok      My holds shows the waiting hold
ok      the customer cancels the hold
ok      a customer cannot mark holds collected (status 403)
exit status 0
```

MILESTONE 7: STANDARDS AND TESTS

Before the documented exception, 11 warnings in one file:

```
PHP CODE SNIFFER REPORT SUMMARY
----------------------------------------------------------------------
FILE                                                  ERRORS  WARNINGS
----------------------------------------------------------------------
src/Holds/HoldsTable.php                              0       11
----------------------------------------------------------------------
A TOTAL OF 0 ERRORS AND 11 WARNINGS WERE FOUND IN 1 FILE
----------------------------------------------------------------------

...

Script phpcs handling the lint event returned with error code 1
exit status 1
```

After, on the reference:

```
exit status 0
```

The lesson's recorded PHPUnit run in wp-env (17 tests, 47 assertions):

```
Installing...
Running as single site... To run multisite, use -c tests/phpunit/multisite.xml
Not running ajax tests. To execute these, use --group ajax.
Not running ms-files tests. To execute these, use --group ms-files.
Not running external-http tests. To execute these, use --group external-http.
PHPUnit 9.6.38 by Sebastian Bergmann and contributors.

Book Shortcode (PagesCo\Books\Tests\BookShortcode)
 ✔ Renders a published book
 ✔ Prints nothing for drafts and pages
 ✔ Escapes the author

Books Endpoint (PagesCo\Books\Tests\BooksEndpoint)
 ✔ Filters by genre and sorts by price
 ✔ Rejects an unknown genre
 ✔ Every book matches the schema

Daily Sync (PagesCo\Books\Tests\DailySync)
 ✔ Schedules one daily event at three
 ✔ Run removes only past events

Holds (PagesCo\Books\Tests\Holds)
 ✔ Place keeps the book for the set days and sends an email
 ✔ Refuses duplicates sold out books and too many holds
 ✔ An expired hold is computed and frees the book
 ✔ Only the customer can cancel their hold
 ✔ The rest route needs a logged in customer

Supplier Client (PagesCo\Books\Tests\SupplierClient)
 ✔ Reads availability by isbn
 ✔ Turns an error status into a wp error
 ✔ Rejects an answer without items
 ✔ Passes on a network failure

Time: 00:00.214, Memory: 46.50 MB

OK (17 tests, 47 assertions)
```

MILESTONE 8: THE ZIP CHECK

```
4
8
bool(true)
bool(true)
Version: 1.2.0
pagesco-books.zip  pagesco.zip
```

4 files from src/Holds, 8 from the Reserve block's build, both classes found by the ZIP's own autoloader. A learner's ZIP check that prints 0 on the first line is Common Mistake 1 caught in time.

WHAT FLAWED BUILDS PRINT (EACH A COPY OF THE REFERENCE WITH ONE CHANGE)

THE FLAW	HOLDS-CHECK.PHP: THE LINES THAT DIFFER	SMOKE TEST: FAILED LINES
`Holds::cancel()` calls `finish()` without the user ID (the IDOR of Common Mistake 2)	Priya cancels hold 1 hold 1: cancelled Jordan cancels hold 1 pagesco_hold_not_found	(eight ok)
`Holds::place()` never reaches its limit (the check compares with 99)	Jordan reserves Animal Farm hold 4: waiting Jordan reserves Animal Farm pagesco_hold_duplicate	(eight ok)
`posted_id()` without `check_admin_referer()`	(the same eleven lines)	FAILED a form without a nonce is refused (status 303) FAILED the form reserves the book
the collect handler checks the customers' capability instead of the staff's	(the same eleven lines)	(eight ok)

Read it as a grader: the smoke test finds the missing nonce and nothing else here (its second FAILED line is a consequence: the forged request without a nonce already reserved the book, so the real one is a duplicate). The IDOR and the missing limit are visible only to the rule checks (holds-check.php, or the learner's PHPUnit test, which fails for the IDOR as the lesson's recorded run shows). The wrong capability on the collect handler passes BOTH: the smoke test's last check sends the cancel form's nonce, so the request is refused by the nonce before the capability is ever asked. Score that line by reading `collect()`; it is the reason the rubric asks for code review beside the tests.

The changed line of each copy, for the record: m_idor: `HoldsTable::finish( $hold_id, 'cancelled', $user_id )` → `HoldsTable::finish( $hold_id, 'cancelled' )`; m_limit: `) >= $limit ) {` → `) >= 99 ) {`; m_nonce: `check_admin_referer( $action . '_' . $id );` → (removed); m_cap: `'hold', self::COLLECT, self::STAFF_CAP` → `'hold', self::COLLECT, self::CUSTOMER_CAP`.

THE LESSON'S OWN QUICK QUIZ

Correct letters, Questions 1 to 5: **B A C C B** (read from the page; explanations in the Session 18 Answer Key).

© 2026 Ray de la Paz · PHP and WordPress Development