

互联网数据库开发_作业 1

1611309 卢政先

一、视觉 me 社区的不同类型请求

1. POST 请求:

视觉 me 社区用户登录

请求网址: <http://shijue.me/user/v2/tologin>

请求方法: POST

远程地址: 101.201.173.40:80

状态码: 200 ⓘ 编辑和重发 原始头

版本: HTTP/1.1

▼ 请求头 (779 字节)

ⓘ Accept: application/json, text/javascript, */*; q=0.01
ⓘ Accept-Encoding: gzip, deflate
ⓘ Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
ⓘ Connection: keep-alive
ⓘ Content-Length: 25
ⓘ Content-Type: application/x-www-form-urlencoded; charset=UTF-8
ⓘ Cookie: Hm_lvt_7acfb4d7bdb93be5cf0ee2...
be5cf0ee26c52160bf=1530786471
ⓘ DNT: 1
ⓘ Host: shijue.me
ⓘ Referer: <http://shijue.me/user/login?re...>
ue.me%2Fcommunity%2Findex.html
ⓘ User-Agent: Mozilla/5.0 (Windows NT 10.0; ...) Gecko/20100101
Firefox/61.0
X-Requested-With: XMLHttpRequest

▼ 表单数据

password: 123
userName: 123

▼ 响应头 (662 字节)

Cache-Control: must-revalidate, private, max-age=0
Connection: keep-alive
Content-Language: zh-CN
Content-Length: 58
Content-Type: application/json;charset=UTF-8
Date: Thu, 05 Jul 2018 20:05:41 GMT
Server: nginx/1.0.15
Set-Cookie: JSESSIONID=AC7DD8F4AFE3D39C9D6...A88CBC04ADF; Path=/; HttpOnly
Set-Cookie: token=; Max-Age=0; Expires=Thu...GMT; Domain=shijue.me; Path=/
Set-Cookie: ticket=; Max-Age=0; Expires=Th...GMT; Domain=shijue.me; Path=/
Set-Cookie: token=; Max-Age=0; Expires=Thu...Jan-1970 00:00:10 GMT; Path=/
Set-Cookie: ticket=; Max-Age=0; Expires=Th...Jan-1970 00:00:10 GMT; Path=/
X-Application-Context: application:prod:8092

▼ JSON

message: 用户名或密码错误
status: 500

▼ 响应载荷

```
1  
2  
3  
4 {"message": "用户名或密码错误", "status": "500"}  
5  
6
```

▼ 响应 Cookie
<div> <div>▼ ticket: {...}</div> <div> <div>expires: 1970-01-01T00:00:10.000Z</div> <div>path: /</div> <div>value:</div> </div> </div> <div> <div>▼ token: {...}</div> <div> <div>expires: 1970-01-01T00:00:10.000Z</div> <div>path: /</div> <div>value:</div> </div> </div>
▼ 请求 Cookie
<div> <div>_ga: GA1.2.1349325402.1530786474</div> <div>_gid: GA1.2.2002765625.1530786474</div> <div>Hm_lpv: 7acfb4d7bdb93be5cf0ee26c52160bf: 1530786471</div> <div>Hm_lvt: 7acfb4d7bdb93be5cf0ee26c52160bf: 1530786471</div> <div>JSESSIONID: AC7DD8F4AFE3D39C9D631A88CBC04ADF</div> </div>

2. GET 请求

获得视觉 me 社区注册界面

请求网址: http://shijue.me/user/registerMe?redirect=https://shijue ...
请求方法: GET
远程地址: 101.201.173.40:80
状态码: 200 ⓘ 编辑和重发 原始头
版本: HTTP/1.1

▼ 请求头 (755 字节)
<div> <div>ⓘ Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8</div> <div>ⓘ Accept-Encoding: gzip, deflate</div> <div>ⓘ Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2</div> <div>ⓘ Connection: keep-alive</div> <div>ⓘ Cookie: Hm_lvt_7acfb4d7bdb93be5cf0ee2... be5cf0ee26c52160bf=1530786471</div> <div>ⓘ DNT: 1</div> <div>ⓘ Host: shijue.me</div> <div>ⓘ Referer: http://shijue.me/user/login?re... ue.me%2Fcommunity%2Findex.html</div> <div>ⓘ Upgrade-Insecure-Requests: 1</div> <div>ⓘ User-Agent: Mozilla/5.0 (Windows NT 10.0; ...) Gecko/20100101 Firefox/61.0</div> </div>

▼ 响应头 (595 字节)
Cache-Control: must-revalidate, private, max-age=0
Connection: keep-alive
Content-Language: zh-CN
Content-Length: 1395
Content-Type: text/html; charset=UTF-8
Date: Thu, 05 Jul 2018 20:15:00 GMT
Server: nginx/1.0.15
Set-Cookie: token=; Max-Age=0; Expires=Thu...GMT; Domain=shijue.me; Path=/
Set-Cookie: ticket=; Max-Age=0; Expires=Th...GMT; Domain=shijue.me; Path=/
Set-Cookie: token=; Max-Age=0; Expires=Thu...Jan-1970 00:00:10 GMT; Path=/
Set-Cookie: ticket=; Max-Age=0; Expires=Th...Jan-1970 00:00:10 GMT; Path=/
X-Application-Context: application:prod:8092
▼ 响应 Cookie
ticket: {...}
expires: 1970-01-01T00:00:10.000Z
path: /
value:
token: {...}
expires: 1970-01-01T00:00:10.000Z
path: /
value:
▼ 请求 Cookie
_ga: GA1.2.1349325402.1530786474
_gid: GA1.2.2002765625.1530786474
Hm_lpv: 7acfb4d7bdb93be5cf0ee26c52160bf: 1530786471
Hm_lvt: 7acfb4d7bdb93be5cf0ee26c52160bf: 1530786471
JSESSIONID: AC7DD8F4AFE3D39C9D631A88CBC04ADF


二、用 Jquery 语句触发百度上三个事件

1. 触发百度搜索按钮点击事件。


jquery 语句：

```
$("#su")[0].click()
```

触发前：



触发后：




2. 触发百度用户登录的下次自动登录勾选框点击事件


jquery 语句：

`$("#TANGRAM_PSP_10_memberPass")[0].click()`

触发前：



触发后:




3. 触发百度关闭用户登录按钮点击事件

jquery 语句:

```
$("#TANGRAM_PSP_4_closeBtn")[0].click()
```

触发前:



触发后:

