

BACK

Skeleton and Muscles of the Back

Vertebral Column (Location, Structure, Relationships)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Curvatures	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Features of a typical vertebra (e.g., spinous process, pedicles, laminae)	5.67	7.00	N/A	7.00	5.00	N/A	5.92
Regional characteristics of vertebrae (e.g., cervical transverse foraminae)	5.78	7.00	N/A	7.00	6.00	N/A	6.08
Ligaments of the vertebral column (e.g., ligamentum flavum, interspinous)	5.22	6.50	N/A	7.00	6.00	N/A	5.62
Craniovertebral joints (atlas-occipital)	5.78	7.00	N/A	7.00	6.00	N/A	6.08
Vertebral joints (atlas-axial, uncovertebral (Luschka), zygapophysial/facet)	5.44	7.00	N/A	7.00	6.00	N/A	5.85
Intervertebral discs (anulus fibrosus, nucleus pulposus)	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Sacro-iliac joints	5.56	7.00	N/A	7.00	6.00	N/A	5.92
Nerve supply	4.78	6.50	N/A	7.00	3.00	N/A	5.08
Vascular supply	5.00	6.50	N/A	7.00	3.00	N/A	5.23
Lymphatic drainage	3.78	4.50	N/A	7.00	1.00	N/A	3.92
Back Muscles (Actions, Nerve Supply, Blood Supply, Relationships)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Extrinsic Back Muscles - Superficial Group (Trapezius, latissimus dorsi, levator scapulae, rhomboids)	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Extrinsic Back Muscles - Intermediate group (Serratus posterior superior & inferior)	4.67	6.50	N/A	7.00	3.00	N/A	5.00
Intrinsic Back Muscles - Superficial group (Splenius capitis and cervicis)	5.78	7.00	N/A	7.00	7.00	N/A	6.15

Intrinsic Back Muscles - Intermediate group (Erector spinae muscles)	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Intrinsic Back Muscles - Deep group: (Transversospinal group (e.g., semispinalis, multifidus))	5.11	7.00	N/A	7.00	5.00	N/A	5.54
Intrinsic Back Muscles - Suboccipital group (e.g., rectus capitis posterior major)	4.89	6.50	N/A	7.00	5.00	N/A	5.31
Spinal Nerves, Spinal Cord, Spinal Meninges of the Back							
Spinal Nerve (Course, Branches, and Composition/Function)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Nerve rootlets/roots (ventral/anterior, dorsal/posterior)	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Spinal (dorsal/posterior root) ganglion	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Spinal nerve	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Rami (ventral/anterior, dorsal/posterior)	6.00	7.00	N/A	7.00	7.00	N/A	6.31
Cauda equina	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Spinal Cord (Location, Structure, Relationships)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Dorsal and ventral horns	6.22	7.00	N/A	7.00	7.00	N/A	6.46
White matter	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Gray matter	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Cervical enlargement	6.00	7.00	N/A	6.00	7.00	N/A	6.23
Lumbar enlargement	5.89	7.00	N/A	6.00	7.00	N/A	6.15
Conus medullaris	5.78	7.00	N/A	6.00	7.00	N/A	6.08
Spinal Meninges (Location, Structure, Relationships)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Extradural (epidural) space	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Dura mater	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Arachnoid mater	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Subarachnoid space	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Arachnoid trabeculae	4.89	7.00	N/A	7.00	2.00	N/A	5.15
Pia mater	6.11	7.00	N/A	7.00	7.00	N/A	6.38

Denticulate ligaments	5.89	7.00	N/A	6.00	7.00	N/A	6.15
Filum terminale (internum, externum)	5.89	7.00	N/A	6.00	7.00	N/A	6.15
Blood Vessels of the Back							
Arteries of the Back (Course, Relationships, Branches)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Anterior spinal a.	5.33	7.00	N/A	7.00	3.00	N/A	5.54
Posterior spinal a.	5.33	7.00	N/A	7.00	3.00	N/A	5.54
Segmental medullary aa.	3.89	6.50	N/A	6.00	2.00	N/A	4.31
Great anterior segmental medullary a. (Ademkiewicz)	4.11	6.50	N/A	6.00	2.00	N/A	4.46
Radicular aa	3.78	6.50	N/A	6.00	2.00	N/A	4.23
Veins of the Back (Course, Relationships, Tributaries)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Anterior spinal v.	4.33	6.00	N/A	6.00	2.00	N/A	4.54
Posterior spinal vv.	4.33	6.00	N/A	6.00	2.00	N/A	4.54
Segmental medullary vv.	3.56	6.00	N/A	6.00	2.00	N/A	4.00
Radicular vv.	3.44	6.00	N/A	5.00	2.00	N/A	3.85
Internal vertebral venous plexus	4.89	7.00	N/A	5.00	3.00	N/A	5.08
External vertebral venous plexus	4.56	6.00	N/A	5.00	2.00	N/A	4.62
Surface Anatomy of the Back							
Vertebra prominens (C7 spinous process)	5.89	7.00	N/A	7.00	7.00	N/A	6.23
Vertebral spinous processes	5.44	7.00	N/A	7.00	7.00	N/A	5.92
Nuchal ligament (ligamentum nuchae)	5.33	7.00	N/A	6.00	7.00	N/A	5.77
L4 vertebra	5.56	7.00	N/A	7.00	7.00	N/A	6.00
Iliac crest	5.56	7.00	N/A	7.00	7.00	N/A	6.00
Posterior superior iliac spine (PSIS)	5.56	7.00	N/A	7.00	7.00	N/A	6.00
Sacro-iliac joint	5.56	7.00	N/A	7.00	7.00	N/A	6.00
Scapula	5.56	7.00	N/A	7.00	7.00	N/A	6.00
Rib 12	5.00	7.00	N/A	7.00	3.00	N/A	5.31
External occipital protuberance	5.56	7.00	N/A	7.00	7.00	N/A	6.00
Occipital artery	5.89	7.00	N/A	6.00	7.00	N/A	6.15

A/AG: Anatomist / Anatomy Graduate | A/M-O: Anatomist / Medicine - Osteopathic
 A/C: Anatomist / Chiropractic | A/P: Anatomist / Pharmacy | A: Anatomist
 A/OT: Anatomist / Occupational Therapy

Trapezius	5.56	7.00	N/A	7.00	7.00	N/A	6.00
Latissimus dorsi	5.44	7.00	N/A	7.00	7.00	N/A	5.92
Triangle of auscultation	5.67	7.00	N/A	7.00	7.00	N/A	6.08

UPPER LIMB

Skeleton of the Upper Limb

<i>Bones of the Shoulder</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Scapula	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Clavicle	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Sternum	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Rib 2	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Humerus	5.40	5.00	N/A	7.00	7.00	N/A	5.53
<i>Bones of the Forearm</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Radius	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Ulna	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Interosseous membrane	4.90	5.00	N/A	7.00	4.00	N/A	5.00
<i>Bones of the Wrist and Hand</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Carpals	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Metacarpals	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Phalanges and sesamoids	5.00	5.00	N/A	7.00	7.00	N/A	5.27

Joints of the Upper Limb

<i>Sternoclavicular Joint</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Movements	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	4.00	5.00	N/A	7.00	2.00	N/A	4.27
Blood supply	3.90	5.00	N/A	7.00	2.00	N/A	4.20
<i>Acromioclavicular Joint</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Movements	4.80	5.00	N/A	7.00	7.00	N/A	5.13

Nerve supply	4.00	5.00	N/A	7.00	2.00	N/A	4.27
Blood supply	3.90	5.00	N/A	7.00	2.00	N/A	4.20
<i>Glenohumeral (Shoulder) Joint</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Movements	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Nerve supply	4.50	5.00	N/A	7.00	3.00	N/A	4.67
Blood supply	4.90	5.00	N/A	7.00	6.00	N/A	5.13
<i>Elbow (Humeroradial, Humero-ulnar, Proximal Radio-ulnar) Joint.</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.20	5.00	N/A	7.00	7.00	N/A	5.40
<i>Elbow (Humeroradial, Humero-ulnar, Proximal Radio-ulnar) Joint</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Movements	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Nerve supply	4.40	5.00	N/A	7.00	3.00	N/A	4.60
Blood supply	4.20	5.00	N/A	7.00	2.00	N/A	4.40
<i>Distal Radio-ulnar and Wrist Joints</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Movements	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Blood supply	4.40	5.00	N/A	7.00	3.00	N/A	4.60
<i>Distal Radio-ulnar and Wrist Joints</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Nerve supply	4.40	5.00	N/A	7.00	3.00	N/A	4.60
<i>Joints of the Hand</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Movements	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Nerve supply	4.40	5.00	N/A	7.00	3.00	N/A	4.60
Blood supply	4.30	5.00	N/A	7.00	2.00	N/A	4.47
Fascia of the Upper Limb							
<i>Fascia of the Upper Limb</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Axillary sheath	4.00	3.67	N/A	6.00	3.00	N/A	4.00

Brachial fascia	4.00	3.67	N/A	6.00	3.00	N/A	4.00
Antebrachial fascia	3.80	3.67	N/A	6.00	3.00	N/A	3.87
Bicipital aponeurosis	4.10	3.67	N/A	6.00	4.00	N/A	4.13
Intermuscular septae of arm and forearm	3.20	3.33	N/A	6.00	2.00	N/A	3.33
Flexor retinaculum (transverse carpal ligament)	4.30	3.67	N/A	7.00	6.00	N/A	4.47
Extensor retinaculum	4.10	3.67	N/A	6.00	6.00	N/A	4.27
Palmar aponeurosis	4.30	3.67	N/A	6.00	6.00	N/A	4.40
Fibrous digital sheath	3.90	3.67	N/A	6.00	6.00	N/A	4.13
Muscles of the Upper Limb							
<i>Posterior Shoulder Muscles (trapezius, latissimus dorsi, rhomboids, levator scapulae)</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Action(s)	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Nerve supply	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Blood supply	4.90	5.00	N/A	7.00	7.00	N/A	5.20
<i>Anterior Shoulder Muscles (pectoralis major/minor, serratus anterior, subclavius)</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Action(s)	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Nerve supply	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Blood supply	4.70	5.00	N/A	7.00	7.00	N/A	5.07
<i>Scapulohumeral Muscles (deltoid, teres major, rotator cuff)</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Action(s)	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Nerve supply	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Blood supply	4.80	5.00	N/A	7.00	7.00	N/A	5.13

Anterior Arm Muscles (biceps brachii, brachialis, coracobrachialis)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Action(s)	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Nerve supply	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Blood supply	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Posterior Arm Muscles (triceps brachii, anconeus)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Action(s)	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Nerve supply	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Blood supply	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Anterior Forearm Muscles – Superficial (pronator teres, FCR, palmaris longus, FCU, FDS)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Action(s)	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Blood supply	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Anterior Forearm Muscles – Deep (FDP, FPL, pronator quadratus)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Action(s)	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Blood supply	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Posterior Forearm Muscles – Superficial (brachioradialis, ECR longus/brevis, extensor digitorum & digiti minimi, ECU)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Action(s)	4.90	5.00	N/A	7.00	7.00	N/A	5.20

Nerve supply	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Blood supply	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Posterior Forearm Muscles – Deep (supinator, extensor indicis, snuff box – APL, EPL, EPB)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Attachments	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Action(s)	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Nerve supply	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Blood supply	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Intrinsic Hand Muscles (Thenar, adductor pollicis, hypothenar, lumbricals, interossei)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Attachments	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Action(s)	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Blood supply	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Nerves and Plexuses of the Upper Limb							
Brachial Plexus – Supraclavicular part	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Roots	5.70	5.00	N/A	7.00	7.00	N/A	5.73
Trunks	5.70	5.00	N/A	7.00	7.00	N/A	5.73
Divisions	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Dorsal scapular n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Long thoracic n.	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Suprascapular n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Subclavian n.	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Brachial Plexus – Infraclavicular part	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Cords	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Lateral pectoral n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Medial pectoral n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Upper subscapular n.	5.00	5.00	N/A	7.00	7.00	N/A	5.27

Thoracodorsal (middle subscapular) n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Lower subscapular n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Brachial Plexus – Terminal branches	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Musculocutaneous n. (motor and sensory branches)	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Median n. (motor and sensory branches)	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Anterior interosseous n.	4.40	5.00	N/A	7.00	7.00	N/A	4.87
Recurrent branch of median n.	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Ulnar n. (motor and sensory branches)	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Axillary n. (motor and sensory branches)	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Radial n. (motor and sensory branches)	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Superficial branch of the radial n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Deep branch of the radial n.	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Posterior interosseous n.	4.40	5.00	N/A	7.00	7.00	N/A	4.87
Cranial Nerves	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Accessory n. (Spinal Accessory; CN XI)	5.90	5.00	N/A	7.00	7.00	N/A	5.87
Blood Vessels of the Upper Limb							
Arteries of the Upper Limb (Course, Relationships, Branches)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Subclavian a.	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Suprascapular a.	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Dorsal scapular a.	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Axillary a.	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Superior thoracic a.	4.40	5.00	N/A	7.00	7.00	N/A	4.87
Thoraco-acromial trunk	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Lateral thoracic a.	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Subscapular a.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Thoracodorsal a.	5.20	5.00	N/A	7.00	7.00	N/A	5.40

Circumflex scapular a.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Circumflex humeral (anterior and posterior) a.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Brachial a.	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Profunda brachii a. (deep artery of the arm)	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Ulnar collateral aa. (superior and inferior)	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Radial a.	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Radial recurrent a.	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Deep palmar arterial arch	5.00	5.00	N/A	6.00	7.00	N/A	5.20
Palmar metacarpal aa.	5.00	5.00	N/A	6.00	7.00	N/A	5.20
Ulnar a.	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Ulnar recurrent aa. (anterior and posterior)	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Common interosseous a.	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Anterior interosseous a.	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Posterior interosseous a.	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Superficial palmar arterial arch	5.30	5.00	N/A	7.00	7.00	N/A	5.47
<i>Veins of the Upper Limb (Course, Relationships, Tributaries)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Dorsal venous network	5.60	5.00	N/A	6.00	7.00	N/A	5.60
Cephalic v.	5.90	5.00	N/A	7.00	7.00	N/A	5.87
Basilic v.	5.90	5.00	N/A	7.00	7.00	N/A	5.87
Median cubital (antecubital) v.	5.90	5.00	N/A	7.00	7.00	N/A	5.87
Brachial v.	5.60	5.00	N/A	7.00	7.00	N/A	5.67
Axillary v.	5.70	5.00	N/A	7.00	7.00	N/A	5.73
Subclavian v.	5.70	5.00	N/A	7.00	7.00	N/A	5.73
Lymphatics of the Upper Limb							
Axillary nodes	5.20	5.00	N/A	7.00	5.00	N/A	5.27
Cubital nodes	3.50	3.67	N/A	6.00	2.00	N/A	3.60
Anatomical Spaces of the Upper Limb							
Axilla	4.60	5.00	N/A	7.00	5.00	N/A	4.87
Quadrangular (quadrilateral) space	3.50	4.00	N/A	6.00	2.00	N/A	3.67

Triangular space	3.50	4.00	N/A	6.00	2.00	N/A	3.67
Triceps hiatus (triangular interval)	3.50	4.00	N/A	6.00	2.00	N/A	3.67
Cubital fossa	5.00	4.67	N/A	7.00	5.00	N/A	5.07
Cubital tunnel	4.10	4.00	N/A	6.00	7.00	N/A	4.40
Carpal tunnel	5.40	5.00	N/A	6.00	7.00	N/A	5.47
Ulnar canal (Guyon's)	4.20	4.00	N/A	6.00	7.00	N/A	4.47
Surface Anatomy of the Upper Limb							
Dermatomes	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Myotomes	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Cutaneous distribution of named nerves in arm	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Cutaneous distribution of named nerves in forearm	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Cutaneous distribution of named nerves in hand	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Coracoid process	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Acromion	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Scapular spine	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Inferior scapular angle	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Clavicle	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Sternoclavicular joint	5.40	5.00	N/A	7.00	7.00	N/A	5.53
UL Surface Anatomy of the Upper Limb- Acromioclavicular joint	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Glenohumeral joint	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Humeral tubercles (greater, lesser, intertubercular sulcus)	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Humeral epicondyles (medial, lateral)	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Radius (head, styloid process)	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Ulna (olecranon, styloid process)	5.20	5.00	N/A	7.00	7.00	N/A	5.40
UL Surface Anatomy of the Upper Limb- Pisiform	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Hamate (hamulus)	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Scaphoid	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Trapezium	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Lunate	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Capitate	4.90	5.00	N/A	7.00	7.00	N/A	5.20

Metacarpals	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Phalanges	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Deltoid	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Teres major	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Biceps brachii tendon	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Triceps brachii tendon	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Brachioradialis tendon	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Brachial artery	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Radial artery	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Ulnar artery	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Superficial palmar arterial arch	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Deep palmar arterial arch	4.80	5.00	N/A	6.00	7.00	N/A	5.07
Cephalic vein	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Basilic vein	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Median cubital vein	5.50	5.00	N/A	7.00	7.00	N/A	5.60
Axillary folds	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Palpable lymph nodes	5.10	5.00	N/A	7.00	7.00	N/A	5.33

LOWER LIMB

Skeleton of the Lower Limb

<i>Bones of the Hip and Thigh</i>	<i>A</i> <i>n=10</i>	<i>A/AG</i> <i>n=3</i>	<i>A/C</i> <i>n=0</i>	<i>A/M-O</i> <i>n=1</i>	<i>A/OT</i> <i>n=1</i>	<i>A/P</i> <i>n=0</i>	<i>Total</i>
Hip bone (innominate, os coxae)	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Femur	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Patella	5.00	5.00	N/A	7.00	7.00	N/A	5.27
<i>Bones of the Leg and Foot</i>	<i>A</i> <i>n=10</i>	<i>A/AG</i> <i>n=3</i>	<i>A/C</i> <i>n=0</i>	<i>A/M-O</i> <i>n=1</i>	<i>A/OT</i> <i>n=1</i>	<i>A/P</i> <i>n=0</i>	<i>Total</i>
Tibia	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Fibula	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Interosseous membrane	4.00	4.67	N/A	7.00	4.00	N/A	4.33
Tarsals	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Metatarsals	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Phalanges and sesamoids	4.90	5.00	N/A	7.00	7.00	N/A	5.20

Joints of the Lower Limb

Hip Joint	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Movements	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	4.60	5.00	N/A	7.00	7.00	N/A	5.00
Blood supply	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Knee Joint	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Knee Joint	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Movements	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	4.30	5.00	N/A	7.00	4.00	N/A	4.60
Blood supply	4.40	5.00	N/A	7.00	4.00	N/A	4.67
Ankle Joint	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Movements	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	4.30	5.00	N/A	7.00	4.00	N/A	4.60
Blood supply	4.40	5.00	N/A	7.00	4.00	N/A	4.67
Joints of the Foot	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Movements	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Nerve supply	3.90	5.00	N/A	7.00	3.00	N/A	4.27
Blood supply	3.90	5.00	N/A	7.00	3.00	N/A	4.27
Fascia of the Lower Limb							
Fascia lata	3.90	3.67	N/A	7.00	4.00	N/A	4.07
Iliotibial tract (band)	4.50	4.67	N/A	7.00	4.00	N/A	4.67
Femoral sheath	4.50	4.67	N/A	7.00	4.00	N/A	4.67
Crural fascia (deep fascia of leg)	4.00	3.67	N/A	7.00	4.00	N/A	4.13
Intermuscular septae of thigh and leg	3.30	3.33	N/A	6.00	2.00	N/A	3.40
Flexor retinaculum	3.70	3.67	N/A	6.00	4.00	N/A	3.87
Extensor retinacula	3.70	3.67	N/A	6.00	4.00	N/A	3.87

Plantar aponeurosis	4.40	4.67	N/A	6.00	4.00	N/A	4.53
Muscles of the Lower Limb							
Gluteal Muscles (<i>maximus, medius, minimus</i>), <i>tensor fasciae latae, piriformis, obturator internus, gemelli, quadratus femoris</i>)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Action(s)	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Blood supply	4.50	5.00	N/A	7.00	4.00	N/A	4.73
Thigh Muscles Anterior: <i>Quadriceps, sartorius, iliopsoas</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Action(s)	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Nerve supply	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Blood supply	4.40	5.00	N/A	7.00	4.00	N/A	4.67
Medial: Adductors, <i>gracilis, pectineus, obturator externus</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Action(s)	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Blood supply	4.30	5.00	N/A	7.00	4.00	N/A	4.60
Posterior: Hamstrings, <i>short head of biceps femoris</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Action(s)	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Nerve supply	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Blood supply	4.30	5.00	N/A	7.00	4.00	N/A	4.60
Anterior: Tibialis anterior, <i>EHL, EDL, fibularis tertius</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Attachments	4.60	5.00	N/A	7.00	7.00	N/A	5.00
Action(s)	5.00	5.00	N/A	7.00	7.00	N/A	5.27

Nerve supply	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Blood supply	4.30	5.00	N/A	7.00	4.00	N/A	4.60
Posterior: Gastrocnemius, soleus, plantaris, popliteus, tibialis posterior, FHL, FDL	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Attachments	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Action(s)	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Posterior: Gastrocnemius, soleus, plantaris, popliteus, tibialis posterior, FHL, FDL	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Nerve supply	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Blood supply	4.30	5.00	N/A	7.00	4.00	N/A	4.60
Fibularis (peroneus) longus and brevis	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Attachments	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Action(s)	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Nerve supply	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Blood supply	4.30	5.00	N/A	7.00	4.00	N/A	4.60
Intrinsic Foot: Dorsum: EHB, EDB	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Attachments	4.60	5.00	N/A	7.00	7.00	N/A	5.00
Action(s)	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Nerve supply	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Blood supply	4.20	5.00	N/A	7.00	4.00	N/A	4.53
Intrinsic Foot: Plantar: Adductor hallucis, FDB, abductor digiti minimi, quadratus plantae, lumbricals, FHB, adductor hallucis, flexor digiti minimi brevis, interossei	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Attachments	4.30	5.00	N/A	7.00	7.00	N/A	4.80
Action(s)	4.50	5.00	N/A	7.00	7.00	N/A	4.93
Nerve supply	4.60	5.00	N/A	7.00	7.00	N/A	5.00

Blood supply	3.90	5.00	N/A	7.00	4.00	N/A	4.33
Nerves and Plexuses of the Lower Limb							
<i>Lumbar Plexus</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Ilio-inguinal n.	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Genitofemoral n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Lateral femoral cutaneous n.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Obturator (motor, sensory branches) n.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Femoral (motor, sensory branches) n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Saphenous n.	5.00	5.00	N/A	7.00	7.00	N/A	5.27
<i>Sacral Plexus</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Superior and inferior gluteal nn.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Posterior femoral cutaneous n.	4.70	5.00	N/A	7.00	7.00	N/A	5.07
Sciatic n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Common fibular n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Superficial fibular (motor, sensory branches) n.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Deep fibular (motor, sensory branches) n.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Sural n.	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Tibial (motor, sensory branches) n.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Medial and lateral plantar (motor, sensory branches) nn.	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Blood Vessels of the Lower Limb							
<i>Arteries of the Lower Limb (Course, Relationships, Branches)</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Superior and inferior gluteal aa.	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Femoral a.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Superficial circumflex iliac a.	4.00	5.00	N/A	7.00	2.00	N/A	4.27
External pudendal artery a.	4.00	5.00	N/A	7.00	2.00	N/A	4.27
Profunda femoris (deep artery of thigh) a.	4.90	5.00	N/A	7.00	7.00	N/A	5.20

Medial circumflex femoral a.	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Lateral circumflex femoral a.	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Obturator a.	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Cruciate anastomosis	4.30	5.00	N/A	7.00	3.00	N/A	4.53
Perforating aa.	3.70	4.67	N/A	7.00	2.00	N/A	4.00
Popliteal a.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Genicular, genicular anastomosis a.	4.30	5.00	N/A	7.00	3.00	N/A	4.53
Anterior tibial a.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Posterior tibial a.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Fibular a.	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Malleolar branches	3.90	5.00	N/A	6.00	3.00	N/A	4.20
Tarsal branches	4.00	5.00	N/A	6.00	3.00	N/A	4.27
Dorsalis pedis a.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Medial and lateral plantar aa.	4.20	5.00	N/A	7.00	3.00	N/A	4.47
Plantar arterial arch	4.00	5.00	N/A	6.00	3.00	N/A	4.27
<i>Veins of the Lower Limb (Course, Relationships, Tributaries)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Femoral v.	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Profunda femoris v.	4.60	5.00	N/A	7.00	4.00	N/A	4.80
Popliteal v.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Great saphenous v.	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Small saphenous v.	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Dorsal venous arch v.	4.60	5.00	N/A	7.00	3.00	N/A	4.73
Lymphatics of the Lower Limb							
Inguinal nodes (superficial and deep)	4.40	4.67	N/A	7.00	4.00	N/A	4.60
Popliteal nodes	3.40	3.67	N/A	6.00	2.00	N/A	3.53
Anatomical Spaces of the Lower Limb							
Femoral triangle and sheath	4.90	5.00	N/A	7.00	5.00	N/A	5.07
Femoral canal	3.80	4.33	N/A	6.00	2.00	N/A	3.93
Saphenous opening	3.70	4.00	N/A	6.00	2.00	N/A	3.80
Subsartorial (adductor) canal (Hunter)	3.40	4.00	N/A	6.00	2.00	N/A	3.60
Adductor hiatus	3.70	4.00	N/A	6.00	2.00	N/A	3.80

Popliteal fossa	4.10	4.67	N/A	6.00	5.00	N/A	4.40
Tarsal tunnel	4.40	4.67	N/A	6.00	5.00	N/A	4.60
Surface Anatomy of the Lower Limb							
Dermatomes	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Myotomes	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Cutaneous distribution of named nerves	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Sciatic nerve	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Tibial nerve	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Common fibular nerve	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Iliac crest	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Anterior superior iliac spine (ASIS)	5.40	5.00	N/A	7.00	7.00	N/A	5.53
Pubic tubercle	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Greater trochanter	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Femoral epicondyles	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Patella	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Patellar ligament (tendon)	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Tibial epicondyles	4.90	5.00	N/A	7.00	7.00	N/A	5.20
Tibial tuberosity	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Anterolateral tibial tubercle (Gerdy's)	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Medial and lateral malleolus	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Fibular head & neck	5.00	5.00	N/A	7.00	7.00	N/A	5.27
Calcaneus	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Talus	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Navicular	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Cuboid	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Cuneiform (3)	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Metatarsals	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Phalanges	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Gracilis	4.80	5.00	N/A	7.00	7.00	N/A	5.13
Semitendinosus and semimembranosus tendons	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Biceps femoris tendon	5.10	5.00	N/A	7.00	7.00	N/A	5.33
Quadriceps tendon	5.20	5.00	N/A	7.00	7.00	N/A	5.40

Gastrocnemius	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Calcaneal tendon (Achilles)	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Femoral artery	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Popliteal artery	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Dorsalis pedis artery	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Posterior tibial artery	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Femoral vein	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Great saphenous vein	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Saphenous nerve	5.30	5.00	N/A	7.00	7.00	N/A	5.47
Lesser saphenous vein	5.20	5.00	N/A	7.00	7.00	N/A	5.40
Palpable lymph nodes	4.90	5.00	N/A	7.00	7.00	N/A	5.20

THORAX

Walls and Regions of the Thorax

<i>Skeleton of Thoracic Wall (Bones, Joints, Intercostal Spaces)</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Function in respiration	5.78	7.00	N/A	7.00	6.00	N/A	6.08
Nerve supply	4.89	6.00	N/A	7.00	4.00	N/A	5.15
Blood supply	5.00	6.00	N/A	7.00	3.00	N/A	5.15
<i>Muscles of the Thoracic Wall</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function in respiration	5.89	7.00	N/A	7.00	6.00	N/A	6.15
Nerve supply	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Blood supply	5.33	7.00	N/A	7.00	3.00	N/A	5.54
<i>Thoracic (Respiratory) Diaphragm</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	6.00	7.00	N/A	7.00	6.00	N/A	6.23
Function in respiration	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Nerve supply	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Blood supply	5.44	7.00	N/A	7.00	3.00	N/A	5.62

Organs and Systems of the Thorax

Breasts	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	5.00	N/A	5.77
Mammary glands and lactiferous ducts	5.11	6.00	N/A	7.00	4.00	N/A	5.31
Nerve supply	4.89	6.00	N/A	7.00	4.00	N/A	5.15
Blood supply	5.33	7.00	N/A	7.00	4.00	N/A	5.62
Lymphatic drainage	5.56	7.00	N/A	7.00	5.00	N/A	5.85
Mediastinum	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.89	7.00	N/A	7.00	5.00	N/A	6.08
Divisions and major contents: superior and inferior (anterior, middle, posterior)	5.89	7.00	N/A	7.00	4.00	N/A	6.00
Pericardium and Pericardial Sac	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.78	7.00	N/A	7.00	3.00	N/A	5.85
Transverse pericardial sinus	5.00	6.00	N/A	7.00	2.00	N/A	5.08
Oblique pericardial sinus	5.00	6.00	N/A	7.00	2.00	N/A	5.08
Nerve supply	5.22	6.50	N/A	7.00	2.00	N/A	5.31
Blood supply	4.89	6.50	N/A	7.00	2.00	N/A	5.08
Fascia of the Thorax (Location, Structure, Relationships)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Clavipectoral	3.67	4.50	N/A	7.00	2.00	N/A	3.92
Endothoracic	4.33	5.00	N/A	7.00	1.00	N/A	4.38
Heart	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Chambers	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Valves	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Conducting system (location and function of nodes, conducting fibers)	5.78	7.00	N/A	7.00	3.00	N/A	5.85
Nerve supply	5.78	7.00	N/A	7.00	3.00	N/A	5.85
Blood supply (coronary arteries, cardiac veins)	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Lymphatic drainage	4.22	4.50	N/A	6.00	2.00	N/A	4.23

<i>Pleura</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Nerve supply	5.67	6.50	N/A	7.00	3.00	N/A	5.69
<i>Lungs</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Lobes and segments	5.89	7.00	N/A	7.00	4.00	N/A	6.00
Function	6.11	7.00	N/A	7.00	6.00	N/A	6.31
Nerve supply	5.33	7.00	N/A	7.00	3.00	N/A	5.54
Blood supply	5.33	7.00	N/A	7.00	3.00	N/A	5.54
Lymphatic drainage	4.78	6.00	N/A	6.00	2.00	N/A	4.85
<i>Trachea and Bronchi</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Nerve supply	5.33	7.00	N/A	7.00	3.00	N/A	5.54
Blood supply	5.33	7.00	N/A	7.00	3.00	N/A	5.54
Lymphatic drainage	4.89	6.50	N/A	6.00	2.00	N/A	5.00
<i>Esophagus (thoracic part)</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Nerve supply	5.44	7.00	N/A	7.00	2.00	N/A	5.54
Blood supply	5.33	6.50	N/A	7.00	2.00	N/A	5.38
Lymphatic drainage	4.11	4.50	N/A	6.00	2.00	N/A	4.15
<i>Thymus</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.44	7.00	N/A	6.00	4.00	N/A	5.62
Function	5.44	7.00	N/A	6.00	4.00	N/A	5.62
Blood supply	4.33	6.00	N/A	6.00	3.00	N/A	4.62
Lymphatic drainage	3.67	4.50	N/A	6.00	2.00	N/A	3.85
Nerves, Plexuses, and Ganglia of the Thorax							
<i>Nerves (Course, Branches, Composition/Function)</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Intercostal n.	5.78	7.00	N/A	7.00	4.00	N/A	5.92

Phrenic n.	6.33	7.00	N/A	7.00	7.00	N/A	6.54
Vagus n. (CN X)	6.44	7.00	N/A	7.00	7.00	N/A	6.62
Left recurrent laryngeal n.	6.44	7.00	N/A	7.00	7.00	N/A	6.62
Right recurrent laryngeal n.	6.44	7.00	N/A	7.00	7.00	N/A	6.62
Thoracic parasympathetic visceral branches (vagal)	5.11	6.00	N/A	7.00	2.00	N/A	5.15
Thoracic sympathetic trunk	5.44	7.00	N/A	7.00	2.00	N/A	5.54
Rami communicantes (gray and white)	4.56	6.00	N/A	6.00	2.00	N/A	4.69
Thoracic sympathetic visceral branches (cervical, thoracic)	4.89	6.00	N/A	7.00	2.00	N/A	5.00
Thoracic splanchnics (greater, lesser, least)	5.00	6.50	N/A	7.00	2.00	N/A	5.15
<i>Plexuses and Ganglia (Course, Branches, Composition/Function)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Esophageal	4.89	6.50	N/A	7.00	2.00	N/A	5.08
Aortic	4.78	6.00	N/A	7.00	2.00	N/A	4.92
Cardiac	4.78	6.00	N/A	7.00	2.00	N/A	4.92
Pulmonary	4.78	6.00	N/A	7.00	2.00	N/A	4.92

Blood Vessels of the Thorax

<i>Arteries of the Thorax (Location, Function, Relationships)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Aorta (thoracic part)	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Anterior intercostal a.	5.11	6.50	N/A	7.00	2.00	N/A	5.23
Posterior intercostal a.	5.44	7.00	N/A	7.00	3.00	N/A	5.62
Bronchial a.	5.22	7.00	N/A	7.00	3.00	N/A	5.46
Brachiocephalic trunk	6.11	7.00	N/A	7.00	6.00	N/A	6.31
Left common carotid a.	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Right common carotid a.	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Left subclavian a.	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Right subclavian a.	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Internal thoracic (mammary) a.	6.00	7.00	N/A	7.00	7.00	N/A	6.31
Right coronary a.	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Left coronary a.	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Pulmonary trunk and arteries	6.22	7.00	N/A	7.00	7.00	N/A	6.46

Esophageal a.	5.33	6.50	N/A	7.00	2.00	N/A	5.38
Veins of the Thorax (Course, Relationships, Tributaries)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Internal jugular v.	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Subclavian v.	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Brachiocephalic veins	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Superior vena cava	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Inferior vena cava	6.22	7.00	N/A	7.00	7.00	N/A	6.46
Azygos venous system	6.00	7.00	N/A	7.00	6.00	N/A	6.23
Esophageal v.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Cardiac (small, middle, great) vv.	5.56	7.00	N/A	7.00	3.00	N/A	5.69
Coronary sinus	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Pulmonary veins	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Intercostal v.	5.11	7.00	N/A	7.00	2.00	N/A	5.31
Bronchial v.	4.89	6.50	N/A	7.00	2.00	N/A	5.08
Lymphatics of the Thorax							
Bronchopulmonary (hilar) nodes	4.56	6.00	N/A	6.00	2.00	N/A	4.69
Inferior tracheobronchial (carinal) nodes	4.44	6.00	N/A	6.00	2.00	N/A	4.62
Superior tracheobronchial (carinal) nodes	4.44	6.00	N/A	6.00	2.00	N/A	4.62
Paratracheal nodes	4.56	6.00	N/A	6.00	2.00	N/A	4.69
Posterior mediastinal nodes	4.56	6.00	N/A	6.00	2.00	N/A	4.69
Thoracic duct	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Surface Anatomy of the Thorax							
Dermatomes	5.89	7.00	N/A	7.00	6.00	N/A	6.15
Referred pain from thoracic organs	5.78	7.00	N/A	7.00	6.00	N/A	6.08
Ribs, costal cartilages, intercostal spaces, costal margin	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Sternum (manubrium, body, xiphoid process)	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Sternal angle	5.56	7.00	N/A	6.00	4.00	N/A	5.69
Clavicle	5.67	7.00	N/A	7.00	4.00	N/A	5.85
Jugular notch	5.44	7.00	N/A	6.00	4.00	N/A	5.62

Breast	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Nipple	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Mediastinal subdivisions	5.44	7.00	N/A	6.00	4.00	N/A	5.62
Heart (surfaces, borders, locations of valves)	5.78	7.00	N/A	7.00	6.00	N/A	6.08
Pericardium, pericardial sac	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Trachea	5.67	7.00	N/A	7.00	4.00	N/A	5.85
Pleura (including costodiaphragmatic recess)	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Lungs (lobes)	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Aortic arch	5.67	7.00	N/A	7.00	4.00	N/A	5.85
Subclavian vein	5.78	6.50	N/A	7.00	7.00	N/A	6.08
Palpable lymph nodes	5.56	7.00	N/A	7.00	4.00	N/A	5.77

ABDOMEN

Abdominal Wall and Peritoneum

<i>Abdominal Wall and Inguinal Region</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Location, structure, relationships	5.44	7.00	N/A	7.00	6.00	N/A	5.85
<i>Muscles of Anterior/Lateral Abdominal Wall</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Muscles of anterior/lateral abdominal wall (rectus abdominis, obliques)	5.56	7.00	N/A	7.00	6.00	N/A	5.92
Function	5.44	7.00	N/A	7.00	6.00	N/A	5.85
Inguinal triangle (Hasselbach's)	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Nerve supply	5.22	7.00	N/A	7.00	4.00	N/A	5.54
Blood supply	4.89	7.00	N/A	7.00	2.00	N/A	5.15
<i>Inguinal Region, Inguinal Canal (Including Contents)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Location, structure, relationships	5.78	7.00	N/A	7.00	6.00	N/A	6.08
Function	5.33	7.00	N/A	7.00	6.00	N/A	5.77
Nerve supply	5.11	7.00	N/A	7.00	3.00	N/A	5.38

Posterior Abdominal Wall	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Muscles (psoas major, quadratus lumborum)	5.44	7.00	N/A	7.00	6.00	N/A	5.85
Function	5.33	7.00	N/A	7.00	6.00	N/A	5.77
Nerve supply	5.00	7.00	N/A	7.00	3.00	N/A	5.31
Blood supply	4.44	7.00	N/A	7.00	2.00	N/A	4.85
Fascia	4.33	7.00	N/A	6.00	2.00	N/A	4.69
Peritoneum	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.33	7.00	N/A	7.00	3.00	N/A	5.54
Greater sac (including gutters, recesses, and spaces)	5.11	7.00	N/A	7.00	2.00	N/A	5.31
Lesser sac	5.11	7.00	N/A	7.00	2.00	N/A	5.31
Epiploic/Omental foramen (Winslow)	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Nerve supply	4.89	7.00	N/A	7.00	2.00	N/A	5.15
Blood supply	4.33	6.00	N/A	7.00	1.00	N/A	4.54
Organs of the Abdomen							
Esophagus	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.89	7.00	N/A	7.00	4.00	N/A	6.00
Function	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Nerve supply	5.44	7.00	N/A	7.00	2.00	N/A	5.54
Blood supply	5.44	7.00	N/A	7.00	2.00	N/A	5.54
Lymphatic drainage	4.00	5.00	N/A	6.00	1.00	N/A	4.08
Stomach	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.78	7.00	N/A	7.00	4.00	N/A	5.92
Mesenteries/ligaments	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Function	5.89	7.00	N/A	7.00	5.00	N/A	6.08
Nerve supply	5.44	7.00	N/A	7.00	2.00	N/A	5.54
Blood supply	5.44	7.00	N/A	7.00	2.00	N/A	5.54
Lymphatic drainage	4.11	5.00	N/A	6.00	1.00	N/A	4.15

Small Intestine	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.67	7.00	N/A	7.00	4.00	N/A	5.85
Duodenal papilla (major, minor)	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Mesenteries/ligaments	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Suspensory ligament of duodenum (Treitz)	5.11	7.00	N/A	7.00	2.00	N/A	5.31
Function	5.78	7.00	N/A	7.00	5.00	N/A	6.00
Nerve supply	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Blood supply	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Lymphatic drainage	4.11	5.00	N/A	6.00	1.00	N/A	4.15
Large Intestine (Appendix, Cecum, Colon, Rectum, Anal Canal)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.67	7.00	N/A	7.00	4.00	N/A	5.85
Mesenteries/ligaments	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.78	7.00	N/A	7.00	5.00	N/A	6.00
Nerve supply	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Blood supply	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Lymphatic drainage	4.11	5.50	N/A	6.00	1.00	N/A	4.23
Pancreas	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.67	7.00	N/A	7.00	4.00	N/A	5.85
Pancreatic ducts (main, accessory)	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Mesenteries/ligaments	5.33	7.00	N/A	7.00	4.00	N/A	5.62
Function	5.89	7.00	N/A	7.00	5.00	N/A	6.08
Nerve supply	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Blood supply	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Lymphatic drainage	4.00	5.00	N/A	6.00	1.00	N/A	4.08
Liver	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.89	7.00	N/A	7.00	4.00	N/A	6.00
Lobes and segments	5.67	7.00	N/A	7.00	4.00	N/A	5.85
Mesenteries/ligaments	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Function	6.00	7.00	N/A	7.00	5.00	N/A	6.15

Nerve supply	5.44	7.00	N/A	7.00	2.00	N/A	5.54
Blood supply (hepatic and portal)	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Lymphatic drainage	4.00	5.00	N/A	6.00	1.00	N/A	4.08
<i>Gallbladder and Biliary Tree</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.78	7.00	N/A	7.00	4.00	N/A	5.92
Function	5.89	7.00	N/A	7.00	5.00	N/A	6.08
Nerve supply	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Blood supply	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Lymphatic drainage	4.00	5.00	N/A	6.00	1.00	N/A	4.08
<i>Spleen</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.78	7.00	N/A	7.00	4.00	N/A	5.92
Mesenteries/ligaments	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.89	7.00	N/A	7.00	5.00	N/A	6.08
Nerve supply	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Blood supply	5.44	7.00	N/A	7.00	2.00	N/A	5.54
Lymphatic drainage	4.11	5.00	N/A	6.00	1.00	N/A	4.15
<i>Kidneys and Ureters</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.89	7.00	N/A	7.00	4.00	N/A	6.00
Fasciae and fat of kidney (perirenal, pararenal)	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Function	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Nerve supply	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Blood supply	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Lymphatic drainage	4.00	4.50	N/A	6.00	1.00	N/A	4.00
<i>Adrenal (Suprarenal) Glands</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.89	7.00	N/A	7.00	4.00	N/A	6.00
Function	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Nerve supply	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Blood supply	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Lymphatic drainage	3.89	4.50	N/A	6.00	1.00	N/A	3.92
Nerves, Plexuses, and Ganglia of the Abdomen							

Nerves (Course, Branches, Composition/Function)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Subcostal n.	5.11	6.50	N/A	7.00	2.00	N/A	5.23
Iliohypogastric n.	5.44	7.00	N/A	7.00	3.00	N/A	5.62
Ilio-inguinal n.	5.67	7.00	N/A	7.00	3.00	N/A	5.77
Genitofemoral n.	5.56	7.00	N/A	7.00	2.00	N/A	5.62
Obturator n.	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Femoral n.	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Lumbosacral trunk	5.44	7.00	N/A	7.00	3.00	N/A	5.62
Vagal trunks	6.00	7.00	N/A	7.00	6.00	N/A	6.23
Abdominal sympathetic trunk	5.56	7.00	N/A	7.00	3.00	N/A	5.69
Thoracic splanchnic (greater, lesser, least) nn.	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Lumbar splanchnic nn.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Plexuses (Autonomic) (Location, Function, Relationships)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Esophageal plexus	4.89	6.50	N/A	7.00	1.00	N/A	5.00
Celiac	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Renal	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Superior mesenteric	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Intermesenteric	4.67	7.00	N/A	6.00	1.00	N/A	4.85
Inferior mesenteric	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Superior hypogastric	4.78	6.50	N/A	7.00	1.00	N/A	4.92
Hypogastric nerves	4.78	6.50	N/A	7.00	1.00	N/A	4.92
Ganglia (Location, Function, Relationships)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Celiac	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Superior mesenteric	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Aorticorenal	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Inferior mesenteric	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Vessels of the Abdomen							
Arteries of the Abdomen (Course, Relationships, Branches)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total

Abdominal aorta	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Inferior phrenic a.	4.67	6.50	N/A	7.00	3.00	N/A	5.00
Celiac trunk	5.56	7.00	N/A	7.00	3.00	N/A	5.69
Left gastric a.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Splenic a.	5.44	7.00	N/A	7.00	3.00	N/A	5.62
Pacreatic branches	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Left gastro-omental (gastro-epiploic) a.	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Short gastrics aa.	4.89	7.00	N/A	6.00	2.00	N/A	5.08
Common hepatic a.	5.44	7.00	N/A	7.00	3.00	N/A	5.62
Gastroduodenal a. (GDA)	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Superior pancreaticoduodenal a.	4.78	7.00	N/A	7.00	2.00	N/A	5.08
Right gastro-omental (gastro-epiploic) a.	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Hepatic artery proper	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Right gastric a.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
ABD Arteries of the Abdomen- Cystic a.	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Hepatic (left, right) aa.	5.11	7.00	N/A	7.00	2.00	N/A	5.31
Superior mesenteric a.	5.56	7.00	N/A	7.00	3.00	N/A	5.69
Inferior pancreaticoduodenal a.	4.78	7.00	N/A	7.00	2.00	N/A	5.08
Intestinal (jejunal, ileal) aa.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Intestinal arcades (within mesentery of small intestine)	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Ateriae (vasa) recta	4.89	7.00	N/A	7.00	2.00	N/A	5.15
Ileocolic a.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Appendicular a.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Right colic a.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Middle colic a.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Inferior mesenteric a.	5.56	7.00	N/A	7.00	3.00	N/A	5.69
Left colic a.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Marginal (Drummond) a.	5.22	7.00	N/A	6.00	2.00	N/A	5.31
Sigmoidal branches	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Superior rectal a.	5.22	7.00	N/A	7.00	2.00	N/A	5.38
Lumbar aa.	4.78	7.00	N/A	7.00	2.00	N/A	5.08
Renal aa.	5.44	7.00	N/A	7.00	3.00	N/A	5.62

Superior adrenal (suprarenal) a.	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Middle adrenal (suprarenal) a.	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Inferior adrenal (suprarenal) a.	5.00	7.00	N/A	7.00	2.00	N/A	5.23
Gonadal aa.	5.33	7.00	N/A	7.00	3.00	N/A	5.54
<i>Veins of the Abdomen (Course, Relationships, Branches)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Inferior vena cava	6.00	7.00	N/A	7.00	7.00	N/A	6.31
Right gonadal v.	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Right renal v.	5.44	7.00	N/A	7.00	3.00	N/A	5.62
Left gonadal v.	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Left renal v.	5.44	7.00	N/A	7.00	3.00	N/A	5.62
Hepatic portal v.	5.67	7.00	N/A	7.00	3.00	N/A	5.77
Splenic v.	5.56	7.00	N/A	7.00	3.00	N/A	5.69
Superior mesenteric v.	5.56	7.00	N/A	7.00	3.00	N/A	5.69
Inferior mesenteric v.	5.56	7.00	N/A	7.00	3.00	N/A	5.69
Portal-systemic (portocaval) anastomoses	5.33	7.00	N/A	6.00	2.00	N/A	5.38
Lymphatics of the Abdomen							
Celiac nodes	4.67	6.50	N/A	6.00	2.00	N/A	4.85
Pancreaticoduodenal nodes	3.67	4.50	N/A	6.00	2.00	N/A	3.85
Superior mesenteric nodes	4.67	6.50	N/A	6.00	2.00	N/A	4.85
Epiploic nodes	3.67	4.50	N/A	6.00	2.00	N/A	3.85
Paracolic nodes	4.33	6.50	N/A	6.00	2.00	N/A	4.62
Intermediate colic nodes	3.67	4.50	N/A	6.00	2.00	N/A	3.85
Inferior mesenteric nodes	4.67	6.50	N/A	6.00	2.00	N/A	4.85
Common, external, internal iliac nodes	4.67	6.50	N/A	7.00	2.00	N/A	4.92
Thoracic duct	6.11	7.00	N/A	7.00	7.00	N/A	6.38
Cisterna chyli	4.78	6.50	N/A	7.00	2.00	N/A	5.00
Surface Anatomy of the Abdomen							
Dermatomes	5.44	7.00	N/A	7.00	6.00	N/A	5.85
Referred pain from abdominal organs	5.56	7.00	N/A	7.00	6.00	N/A	5.92

Cutaneous distribution of ilio-inguinal nerve (cremaster reflex)	5.11	7.00	N/A	7.00	3.00	N/A	5.38
Abdominal cavity (regions, quadrants, planes)	5.22	7.00	N/A	7.00	3.00	N/A	5.46
Umbilicus	5.22	7.00	N/A	7.00	3.00	N/A	5.46
Linea alba	5.11	7.00	N/A	7.00	3.00	N/A	5.38
Semilunar line	4.67	6.00	N/A	7.00	3.00	N/A	4.92
Xiphoid process	5.22	7.00	N/A	7.00	3.00	N/A	5.46
Anterior superior iliac spine (ASIS)	5.22	7.00	N/A	7.00	3.00	N/A	5.46
Iliac crest	5.00	7.00	N/A	7.00	3.00	N/A	5.31
Pubic symphysis and tubercle	5.00	7.00	N/A	7.00	3.00	N/A	5.31
Inguinal ligament	5.22	7.00	N/A	7.00	3.00	N/A	5.46
Superficial (external) inguinal ring	5.11	7.00	N/A	7.00	3.00	N/A	5.38
Liver and gallbladder	5.22	7.00	N/A	7.00	3.00	N/A	5.46
Stomach	5.00	7.00	N/A	7.00	3.00	N/A	5.31
Appendix	5.22	7.00	N/A	7.00	3.00	N/A	5.46
Transverse colon	5.00	7.00	N/A	7.00	3.00	N/A	5.31
Kidneys	5.11	7.00	N/A	7.00	3.00	N/A	5.38
Spleen	5.00	7.00	N/A	7.00	3.00	N/A	5.31

PELVIS & PERINEUM

Skeleton, Muscles, and Fasciae of the Pelvis and Perineum

<i>Skeleton of Pelvis and Perineum (Bones, Joints, Ligaments)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Location, structure, relationships	5.11	7.00	N/A	7.00	3.00	N/A	5.38
<i>Pelvic Diaphragm</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.78	7.00	N/A	7.00	6.00	N/A	6.08
Nerve supply	5.56	7.00	N/A	7.00	6.00	N/A	5.92
Blood supply	4.00	5.00	N/A	7.00	2.00	N/A	4.23

<i>Pelvic Fascia (Endopelvic, Pubocervical, Lateral Cervical, Uterosacral)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Location, structure, relationships	4.67	7.00	N/A	6.00	1.00	N/A	4.85
Function	4.56	7.00	N/A	7.00	1.00	N/A	4.85
<i>Perineal Fascia (Superficial/Colles', Deep/Buck's, Perineal Membrane)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Location, structure, relationships	4.44	7.00	N/A	6.00	1.00	N/A	4.69
Function	4.33	7.00	N/A	6.00	1.00	N/A	4.62
<i>Female Perineum (Assigned Female at Birth)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Deep perineal pouch (external urethral sphincter, deep transverse perineal muscles)	4.56	7.00	N/A	7.00	1.00	N/A	4.85
Crura of clitoris	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Bulbs of vestibule	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Muscles of urogenital triangle (bulbospongiosus, ischiocavernosus, superficial transverse perineal)	5.00	7.00	N/A	7.00	1.00	N/A	5.15
Perineal body	4.67	7.00	N/A	6.00	1.00	N/A	4.85
Ischio-anal fossae	4.22	7.00	N/A	6.00	1.00	N/A	4.54
<i>Anterior Recess of Ischio-anal Fossae (AFAB)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Function	4.11	7.00	N/A	6.00	1.00	N/A	4.46
Nerve supply	4.00	7.00	N/A	7.00	1.00	N/A	4.46
Blood supply	4.00	7.00	N/A	7.00	1.00	N/A	4.46
Lymphatic drainage	3.33	4.50	N/A	6.00	1.00	N/A	3.54
<i>Male Perineum (Assigned Male at Birth)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Deep perineal pouch (external urethral sphincter, deep transverse perineal muscles)	4.67	7.00	N/A	7.00	1.00	N/A	4.92
Crura of penis	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Bulb of penis	4.89	7.00	N/A	7.00	1.00	N/A	5.08

Muscles of urogenital triangle (bulbospongiosus, ischiocavernosus, superficial transverse perineal)	5.00	7.00	N/A	7.00	1.00	N/A	5.15
Perineal body	4.67	7.00	N/A	6.00	1.00	N/A	4.85
Ischio-anal fossae	4.22	7.00	N/A	6.00	1.00	N/A	4.54
Anterior Recess of Ischio-anal Fossae (AMAB)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Function	4.00	7.00	N/A	6.00	1.00	N/A	4.38
Nerve supply	3.89	7.00	N/A	7.00	1.00	N/A	4.38
Blood supply	3.89	7.00	N/A	7.00	1.00	N/A	4.38
Lymphatic drainage	3.22	4.50	N/A	6.00	1.00	N/A	3.46
Organs of the Pelvis and Perineum							
Bladder	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Function	5.78	7.00	N/A	7.00	7.00	N/A	6.15
Nerve supply	5.22	7.00	N/A	7.00	4.00	N/A	5.54
Blood supply	4.67	7.00	N/A	7.00	1.00	N/A	4.92
Lymphatic drainage	3.44	5.00	N/A	6.00	1.00	N/A	3.69
Rectum	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Function	5.78	7.00	N/A	7.00	7.00	N/A	6.15
Nerve supply	5.22	7.00	N/A	7.00	4.00	N/A	5.54
Blood supply	5.00	7.00	N/A	7.00	1.00	N/A	5.15
Lymphatic drainage	3.78	5.50	N/A	6.00	1.00	N/A	4.00
Anal Canal	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Anal sphincters	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Function	5.78	7.00	N/A	7.00	7.00	N/A	6.15
Nerve supply	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Blood supply	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Lymphatic drainage	3.89	5.50	N/A	6.00	1.00	N/A	4.08

Uterus	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Ligaments of uterus	5.11	7.00	N/A	7.00	1.00	N/A	5.23
Nerve supply	5.00	7.00	N/A	7.00	1.00	N/A	5.15
Blood supply	5.11	7.00	N/A	7.00	1.00	N/A	5.23
Lymphatic drainage	3.44	5.00	N/A	6.00	1.00	N/A	3.69
Uterine (Fallopian) Tubes	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	4.44	7.00	N/A	7.00	1.00	N/A	4.77
Blood supply	4.56	7.00	N/A	7.00	1.00	N/A	4.85
Lymphatic drainage	3.33	4.50	N/A	6.00	1.00	N/A	3.54
Ovaries	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Blood supply	5.11	7.00	N/A	7.00	1.00	N/A	5.23
Lymphatic drainage	3.67	4.50	N/A	6.00	1.00	N/A	3.77
Vagina	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	4.78	7.00	N/A	7.00	1.00	N/A	5.00
Blood supply	4.67	7.00	N/A	7.00	1.00	N/A	4.92
Lymphatic drainage	3.67	5.00	N/A	6.00	1.00	N/A	3.85
Labia (Majora and Minora)	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.44	7.00	N/A	7.00	6.00	N/A	5.85
Nerve supply	4.78	7.00	N/A	7.00	1.00	N/A	5.00
Blood supply	4.67	7.00	N/A	7.00	1.00	N/A	4.92

Lymphatic drainage	3.78	5.00	N/A	6.00	1.00	N/A	3.92
Clitoris	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Blood supply	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Lymphatic drainage	3.78	5.00	N/A	6.00	1.00	N/A	3.92
Prostate	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Blood supply	4.56	7.00	N/A	7.00	1.00	N/A	4.85
Lymphatic drainage	4.22	6.50	N/A	6.00	1.00	N/A	4.46
Seminal Gland/Vesicle	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	4.44	7.00	N/A	7.00	1.00	N/A	4.77
Blood supply	4.22	7.00	N/A	7.00	1.00	N/A	4.62
Lymphatic drainage	3.44	5.00	N/A	6.00	1.00	N/A	3.69
Spermatic Cord and Vas/Ductus Deferens	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	4.56	7.00	N/A	7.00	1.00	N/A	4.85
Blood supply	4.22	7.00	N/A	7.00	1.00	N/A	4.62
Lymphatic drainage	3.33	5.00	N/A	6.00	1.00	N/A	3.62
Scrotum, Testis, Epididymis	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	4.67	7.00	N/A	7.00	1.00	N/A	4.92
Blood supply	4.33	7.00	N/A	7.00	1.00	N/A	4.69

Lymphatic drainage	3.67	4.50	N/A	6.00	1.00	N/A	3.77
<i>Penis (including Corpus Spongiosum and Corpora Cavernosa)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	5.11	7.00	N/A	7.00	1.00	N/A	5.23
Blood supply	5.11	7.00	N/A	7.00	1.00	N/A	5.23
Lymphatic drainage	3.56	4.50	N/A	6.00	1.00	N/A	3.69
<i>Urethra (Preprostatic, Prostatic, Membranous, Spongy/Penile including Bulbar Part)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Location, structure, relationships	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Function	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Nerve supply	4.67	7.00	N/A	7.00	1.00	N/A	4.92
Blood supply	4.22	7.00	N/A	7.00	1.00	N/A	4.62
Lymphatic drainage	2.89	4.50	N/A	6.00	1.00	N/A	3.23
Nerves, Plexuses, and Ganglia of the Pelvis and Perineum							
<i>Nerves (Course, Branches, Composition/Function)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Sciatic n.	5.89	7.00	N/A	7.00	7.00	N/A	6.23
Gluteal (superior and inferior) nn.	5.56	7.00	N/A	7.00	6.00	N/A	5.92
P&P; Nerves of the Pelvis and Perineum- Pudendal n.	5.56	7.00	N/A	7.00	5.00	N/A	5.85
Obturator n.	5.78	7.00	N/A	7.00	7.00	N/A	6.15
Lumbosacral trunk	5.44	7.00	N/A	7.00	5.00	N/A	5.77
Hypogastric nn.	4.67	6.50	N/A	7.00	1.00	N/A	4.85
Pelvic splanchnic nn.	5.11	7.00	N/A	7.00	1.00	N/A	5.23
Sacral splanchnic nn.	5.11	7.00	N/A	7.00	1.00	N/A	5.23
Sacral sympathetic trunk (including ganglion impar)	5.00	7.00	N/A	7.00	1.00	N/A	5.15
<i>Plexuses and Ganglia (Location, Function, Relationships)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Lumbar	5.56	7.00	N/A	7.00	7.00	N/A	6.00

Inferior hypogastric (pelvic)	4.78	6.50	N/A	7.00	1.00	N/A	4.92
Sacral and coccygeal	5.33	7.00	N/A	7.00	7.00	N/A	5.85
Blood Vessels of the Pelvis and Perineum							
<i>Arteries of the Pelvis and Perineum (Courses, Relationships, Branches)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Abdominal aorta	5.89	7.00	N/A	7.00	7.00	N/A	6.23
Superior rectal a.	5.33	7.00	N/A	7.00	3.00	N/A	5.54
Median sacral a.	4.11	6.50	N/A	7.00	1.00	N/A	4.46
Common iliac a.	5.89	7.00	N/A	7.00	7.00	N/A	6.23
External iliac a.	5.89	7.00	N/A	7.00	7.00	N/A	6.23
Internal iliac a.	5.78	7.00	N/A	7.00	6.00	N/A	6.08
Iliolumbar a.	4.33	6.50	N/A	7.00	1.00	N/A	4.62
Lateral sacral a.	4.11	6.50	N/A	7.00	1.00	N/A	4.46
Superior gluteal a.	5.22	7.00	N/A	7.00	5.00	N/A	5.62
Umbilical a.	4.67	7.00	N/A	7.00	1.00	N/A	4.92
Superior vesical a.	4.89	7.00	N/A	7.00	1.00	N/A	5.08
Obturator a.	5.00	7.00	N/A	7.00	5.00	N/A	5.46
Middle rectal a.	4.56	7.00	N/A	7.00	1.00	N/A	4.85
Inferior vesical a.	4.44	7.00	N/A	7.00	1.00	N/A	4.77
Internal pudendal a.	5.33	7.00	N/A	7.00	4.00	N/A	5.62
Inferior gluteal a.	5.22	7.00	N/A	7.00	5.00	N/A	5.62
Uterine a.	5.00	7.00	N/A	7.00	1.00	N/A	5.15
Ovarian a.	5.00	7.00	N/A	7.00	1.00	N/A	5.15
Testicular a.	5.00	7.00	N/A	7.00	1.00	N/A	5.15
Vaginal a.	4.89	7.00	N/A	7.00	1.00	N/A	5.08
<i>Veins of the Pelvis and Perineum (Courses, Relationships, Tributaries)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Inferior vena cava	6.00	7.00	N/A	7.00	7.00	N/A	6.31
Common iliac v.	5.89	7.00	N/A	7.00	7.00	N/A	6.23
External iliac v.	5.89	7.00	N/A	7.00	7.00	N/A	6.23
Internal iliac v.	5.89	7.00	N/A	7.00	7.00	N/A	6.23
Left gonadal (from pampiniform venous plexus) v.	5.22	7.00	N/A	7.00	3.00	N/A	5.46

Right gonadal (from pampiniform venous plexus) v.	5.00	7.00	N/A	7.00	1.00	N/A	5.15
Pampiniform plexus	4.78	7.00	N/A	7.00	1.00	N/A	5.00
Internal pudendal v.	4.78	7.00	N/A	7.00	1.00	N/A	5.00
Prostatic venous plexus	4.78	7.00	N/A	6.00	1.00	N/A	4.92
Paravertebral venous plexus (Batson's)	4.56	5.50	N/A	6.00	1.00	N/A	4.54
Lymphatics of the Pelvis and Perineum							
Common iliac nodes	4.78	6.00	N/A	6.00	2.00	N/A	4.85
External iliac nodes	4.78	6.00	N/A	6.00	2.00	N/A	4.85
Internal iliac nodes	4.56	6.00	N/A	6.00	2.00	N/A	4.69
Sacral nodes	3.89	5.00	N/A	6.00	1.00	N/A	4.00
Pararectal nodes	4.22	6.00	N/A	6.00	1.00	N/A	4.38
Lumbar (caval/aortic) nodes	4.11	5.00	N/A	6.00	1.00	N/A	4.15
Inferior mesenteric nodes	4.11	6.00	N/A	6.00	1.00	N/A	4.31
Superficial inguinal nodes	4.78	6.00	N/A	6.00	3.00	N/A	4.92
Deep inguinal nodes	4.22	5.50	N/A	6.00	1.00	N/A	4.31
Anatomical Spaces of the Pelvis and Perineum							
Vesico-uterine pouch	5.11	7.00	N/A	6.00	2.00	N/A	5.23
Recto-uterine pouch	5.11	7.00	N/A	6.00	2.00	N/A	5.23
Rectovesical pouch	5.11	7.00	N/A	6.00	2.00	N/A	5.23
Ischio-anal (ischiorectal) fossa	4.44	7.00	N/A	6.00	2.00	N/A	4.77
Surface Anatomy of the Pelvis and Perineum							
Surface Anatomy Common to Both Sexes	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Dermatomes	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Sacral hiatus	4.11	5.00	N/A	7.00	4.00	N/A	4.46
Sacroiliac (SI) joints	5.11	7.00	N/A	7.00	4.00	N/A	5.46
Iliac crest	5.89	7.00	N/A	7.00	6.00	N/A	6.15
Anterior superior iliac spine (ASIS)	5.89	7.00	N/A	7.00	6.00	N/A	6.15
Coccyx	5.67	7.00	N/A	7.00	6.00	N/A	6.00
L4 vertebra	5.67	7.00	N/A	7.00	4.00	N/A	5.85
Superficial inguinal ring	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Anus	5.67	7.00	N/A	7.00	6.00	N/A	6.00

Urinary bladder, urethra	5.67	7.00	N/A	7.00	6.00	N/A	6.00
Peritoneum (pelvic portion)	5.11	7.00	N/A	7.00	2.00	N/A	5.31
Urogenital diaphragm	4.44	7.00	N/A	6.00	2.00	N/A	4.77
Ischio-anal (ischiorectal) fossa	4.89	7.00	N/A	6.00	2.00	N/A	5.08
Major groups of lymph nodes	5.22	6.50	N/A	6.00	4.00	N/A	5.38
Surface Anatomy of Specific to Female (Assigned Female at Birth)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Referred pain from female pelvic organs	5.56	7.00	N/A	7.00	5.00	N/A	5.85
Uterine (Fallopian) tube	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Uterus	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Cervix	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Vagina (including vestibule, canal, fornices)	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Mons pubis	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Labia minora/majora, and perineal body	5.44	7.00	N/A	7.00	4.00	N/A	5.69
Clitoris	5.56	7.00	N/A	7.00	4.00	N/A	5.77
Surface Anatomy of Specific to Male (Assigned Male at Birth)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Referred pain from male pelvic organs	5.56	7.00	N/A	7.00	5.00	N/A	5.85
Prostate	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Seminal gland	5.11	7.00	N/A	6.00	2.00	N/A	5.23
Spermatic cord and vas/ductus deferens	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Scrotum, testis, epididymis	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Penis (including spongy/penile urethra)	5.56	7.00	N/A	7.00	4.00	N/A	5.77

HEAD & NECK

Skeleton, Muscles, and Fasciae of the Head and Neck

Skull	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
--------------	---------------	-----------------	----------------	------------------	-----------------	----------------	--------------

A/AG: Anatomist / Anatomy Graduate | A/M-O: Anatomist / Medicine - Osteopathic
A/C: Anatomist / Chiropractic | A/P: Anatomist / Pharmacy | A: Anatomist
A/OT: Anatomist / Occupational Therapy

Location, structure, relationships	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Sutures and fontanelles	6.00	7.00	N/A	6.00	3.00	N/A	5.92
Cranial foramina	6.22	7.00	N/A	6.00	3.00	N/A	6.08
Nerve supply	5.33	7.00	N/A	7.00	1.00	N/A	5.38
Blood supply	5.00	5.00	N/A	7.00	1.00	N/A	4.85
Lymphatic drainage	4.22	4.00	N/A	6.00	1.00	N/A	4.08
<i>Skeleton of the Neck (Cervical Spine, Hyoid Bone)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Nerve supply	5.22	7.00	N/A	6.00	1.00	N/A	5.23
Blood supply	5.56	7.00	N/A	7.00	1.00	N/A	5.54
Lymphatic drainage	4.33	4.00	N/A	7.00	1.00	N/A	4.23
<i>Scalp and Face</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Nerve supply	6.67	7.00	N/A	7.00	6.00	N/A	6.69
Blood supply	6.67	7.00	N/A	7.00	5.00	N/A	6.62
Lymphatic drainage	4.78	5.00	N/A	6.00	2.00	N/A	4.69
<i>Muscles of Facial Expression</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.78	7.00	N/A	7.00	7.00	N/A	6.85
Function	6.78	7.00	N/A	7.00	7.00	N/A	6.85
Nerve supply	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Blood supply	5.78	7.00	N/A	7.00	3.00	N/A	5.85
Lymphatic drainage	4.56	4.50	N/A	6.00	1.00	N/A	4.38
<i>Temporomandibular Joint and Muscles of Mastication</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.78	7.00	N/A	7.00	7.00	N/A	6.85
Function	6.78	7.00	N/A	7.00	7.00	N/A	6.85
Nerve supply	6.33	7.00	N/A	7.00	3.00	N/A	6.23
Blood supply	5.33	5.50	N/A	7.00	3.00	N/A	5.31
Lymphatic drainage	4.33	4.50	N/A	6.00	1.00	N/A	4.23

<i>Muscles of the Neck (Structure, Relationships, Actions, Nerve Supply, Blood Supply)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Sternocleidomastoid	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Suprahyoid	6.33	7.00	N/A	7.00	5.00	N/A	6.38
Infrahyoid	6.33	7.00	N/A	7.00	5.00	N/A	6.38
Anterior scalene	6.56	7.00	N/A	7.00	7.00	N/A	6.69
Middle scalene	6.33	7.00	N/A	7.00	7.00	N/A	6.54
Longus capitis and colli	4.56	5.00	N/A	7.00	2.00	N/A	4.62
Regions and Organs of the Head							
<i>Fascia of the Neck (Locations, Structure, Relationships)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Fascial spaces of the neck	5.67	6.00	N/A	6.00	3.00	N/A	5.54
Carotid sheath and contents	7.00	7.00	N/A	7.00	7.00	N/A	7.00
<i>Cranial Meninges (Including Dural Infoldings and Spaces)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
Location, structure, relationships	6.67	7.00	N/A	7.00	6.00	N/A	6.69
Function	6.44	7.00	N/A	7.00	6.00	N/A	6.54
Cerebrum (lobes, gyri, sulci, fissures)	6.44	7.00	N/A	7.00	6.00	N/A	6.54
Diencephalon (epithalamus, thalamus, hypothalamus)	6.33	7.00	N/A	7.00	6.00	N/A	6.46
Midbrain	6.44	7.00	N/A	7.00	6.00	N/A	6.54
Pons	6.56	7.00	N/A	7.00	6.00	N/A	6.62
Medulla oblongata	6.56	7.00	N/A	7.00	6.00	N/A	6.62
Cerebellum	6.44	7.00	N/A	7.00	6.00	N/A	6.54
Ventricular system	6.67	7.00	N/A	7.00	6.00	N/A	6.69
<i>Ear (Structure, Function)</i>	<i>A n=10</i>	<i>A/AG n=3</i>	<i>A/C n=0</i>	<i>A/M-O n=1</i>	<i>A/OT n=1</i>	<i>A/P n=0</i>	<i>Total</i>
External ear	5.22	6.00	N/A	7.00	3.00	N/A	5.31
Tympanic membrane	6.56	7.00	N/A	7.00	6.00	N/A	6.62
Tympanic cavity (middle ear)	6.56	7.00	N/A	7.00	5.00	N/A	6.54
Ossicles	6.44	7.00	N/A	7.00	5.00	N/A	6.46

Pharyngotympanic/Eustachian tube	6.56	7.00	N/A	7.00	6.00	N/A	6.62
Inner ear	6.33	7.00	N/A	7.00	6.00	N/A	6.46
<i>Eye, Eyelids, Conjunctiva, Lacrimal Gland</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.56	7.00	N/A	7.00	6.00	N/A	6.62
Function	6.56	7.00	N/A	7.00	6.00	N/A	6.62
Nerve supply	6.00	7.00	N/A	7.00	5.00	N/A	6.15
Blood supply	5.67	6.50	N/A	7.00	3.00	N/A	5.69
Lymphatic drainage	4.00	4.50	N/A	6.00	1.00	N/A	4.00
<i>Extra-ocular Muscles</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.56	7.00	N/A	7.00	6.00	N/A	6.62
Function	6.56	7.00	N/A	7.00	6.00	N/A	6.62
Nerve supply	6.56	7.00	N/A	7.00	6.00	N/A	6.62
Blood supply	5.67	7.00	N/A	7.00	3.00	N/A	5.77
<i>Intrinsic Eye Muscles (Ciliary Muscle, Sphincter Pupillae, Constrictor Pupillae)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.67	7.00	N/A	7.00	6.00	N/A	6.69
Function	6.67	7.00	N/A	7.00	6.00	N/A	6.69
Nerve supply	6.67	7.00	N/A	7.00	6.00	N/A	6.69
Blood supply	5.22	6.00	N/A	7.00	2.00	N/A	5.23
<i>Nasal Cavity and Paranasal Sinuses</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.22	7.00	N/A	7.00	5.00	N/A	6.31
Nerve supply	5.89	7.00	N/A	7.00	5.00	N/A	6.08
Blood supply	5.67	7.00	N/A	7.00	4.00	N/A	5.85
Lymphatic drainage	4.22	4.50	N/A	6.00	2.00	N/A	4.23
<i>Oral Cavity and Tongue</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.67	7.00	N/A	7.00	6.00	N/A	6.69
Function	6.67	7.00	N/A	7.00	6.00	N/A	6.69
Nerve supply	6.67	7.00	N/A	7.00	5.00	N/A	6.62
Blood supply	6.00	7.00	N/A	7.00	3.00	N/A	6.00

Lymphatic drainage	4.89	5.00	N/A	6.00	2.00	N/A	4.77
Salivary Glands: Parotid, Submandibular, Sublingual	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.67	7.00	N/A	7.00	5.00	N/A	6.62
Nerve supply	6.11	7.00	N/A	7.00	3.00	N/A	6.08
Blood supply	5.33	6.00	N/A	7.00	2.00	N/A	5.31
Lymphatic drainage	4.33	4.50	N/A	6.00	1.00	N/A	4.23
Tonsils: Palatine, Pharyngeal (Adenoids), Lingual	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.67	7.00	N/A	7.00	5.00	N/A	6.62
Nerve supply	5.67	7.00	N/A	7.00	3.00	N/A	5.77
Blood supply	5.33	6.00	N/A	7.00	2.00	N/A	5.31
Lymphatic drainage	5.11	4.50	N/A	6.00	1.00	N/A	4.77
Soft Palate	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.44	7.00	N/A	7.00	5.00	N/A	6.46
Function	6.56	7.00	N/A	7.00	5.00	N/A	6.54
Nerve supply	6.44	7.00	N/A	7.00	3.00	N/A	6.31
Blood supply	5.22	6.00	N/A	7.00	2.00	N/A	5.23
Lymphatic drainage	4.33	4.50	N/A	6.00	1.00	N/A	4.23
Organs of the Neck							
Pharynx (Cervical)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Function	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Nerve supply	6.67	7.00	N/A	7.00	5.00	N/A	6.62
Blood supply	5.56	6.00	N/A	7.00	3.00	N/A	5.54
Lymphatic drainage	4.67	4.50	N/A	6.00	2.00	N/A	4.54
Esophagus (Cervical)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Function	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Nerve supply	6.56	7.00	N/A	7.00	5.00	N/A	6.54
Blood supply	5.56	6.50	N/A	7.00	3.00	N/A	5.62

Lymphatic drainage	4.56	4.50	N/A	6.00	2.00	N/A	4.46
Larynx (Location, Structure, Relationships)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Function	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Epiglottis	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Thyroid cartilage	6.67	7.00	N/A	7.00	5.00	N/A	6.62
Cricoid cartilage	6.67	7.00	N/A	7.00	5.00	N/A	6.62
Arytenoid cartilages	5.22	6.00	N/A	7.00	2.00	N/A	5.23
Corniculate and cuneiform cartilages	4.22	5.00	N/A	6.00	1.00	N/A	4.23
Median cricothyroid ligament	6.44	7.00	N/A	6.00	5.00	N/A	6.38
True vocal cord/vocal fold	6.56	7.00	N/A	6.00	5.00	N/A	6.46
False vocal cord/vestibular fold	6.33	7.00	N/A	6.00	5.00	N/A	6.31
Laryngeal regions (inlet, vestibule, ventricle, rima glottidis, glottis, infraglottic cavity)	6.11	6.50	N/A	7.00	2.00	N/A	5.92
Intrinsic laryngeal muscles (e.g., posterior cricoarytenoid, cricothyroid)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Nerve supply	6.44	7.00	N/A	7.00	3.00	N/A	6.31
Blood supply	5.33	7.00	N/A	7.00	2.00	N/A	5.46
Lymphatic drainage	4.11	4.50	N/A	6.00	1.00	N/A	4.08
Trachea	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.78	7.00	N/A	7.00	6.00	N/A	6.77
Function	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Nerve supply	5.67	7.00	N/A	7.00	3.00	N/A	5.77
Blood supply	5.44	6.50	N/A	7.00	3.00	N/A	5.54
Lymphatic drainage	4.89	5.00	N/A	6.00	1.00	N/A	4.69
Thyroid and Parathyroid Glands	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Location, structure, relationships	6.33	7.00	N/A	7.00	3.00	N/A	6.23
Blood supply	6.00	7.00	N/A	7.00	2.00	N/A	5.92
Lymphatic drainage	4.67	4.50	N/A	6.00	1.00	N/A	4.46
Nerves, Plexuses, and Ganglia of the Head and Neck							

<i>Cranial Nerves</i>	A <i>n=10</i>	A/AG <i>n=3</i>	A/C <i>n=0</i>	A/M-O <i>n=1</i>	A/OT <i>n=1</i>	A/P <i>n=0</i>	Total
Olfactory n. (CN I)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Olfactory bulb and tract	6.33	7.00	N/A	6.00	6.00	N/A	6.38
Optic n. (CN II)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Optic chiasm	6.78	7.00	N/A	7.00	6.00	N/A	6.77
Optic tract	6.78	7.00	N/A	7.00	6.00	N/A	6.77
Oculomotor n. (CN III) – somatic and parasympathetic components	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Oculomotor n. (CN III) – superior division	6.11	7.00	N/A	7.00	3.00	N/A	6.08
Oculomotor n. (CN III) – inferior division	6.11	7.00	N/A	7.00	3.00	N/A	6.08
Trochlear n. (CN IV)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Trigeminal n. (CN V)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Ophthalmic n. (CN V1)	6.78	7.00	N/A	7.00	7.00	N/A	6.85
Lacrimal n.	6.33	7.00	N/A	7.00	6.00	N/A	6.46
Frontal n.	6.00	7.00	N/A	7.00	3.00	N/A	6.00
Nasociliary n.	5.89	7.00	N/A	7.00	3.00	N/A	5.92
Maxillary n. (CN V2)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Zygomatic n.	5.89	7.00	N/A	7.00	3.00	N/A	5.92
Infra-orbital n.	6.33	7.00	N/A	7.00	6.00	N/A	6.46
Superior alveolar n.	6.11	7.00	N/A	7.00	3.00	N/A	6.08
Palatine (greater and lesser) n.	5.89	7.00	N/A	7.00	3.00	N/A	5.92
Mandibular n. (CN V3)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Lingual n.	6.33	7.00	N/A	7.00	3.00	N/A	6.23
Inferior alveolar n.	6.33	7.00	N/A	7.00	3.00	N/A	6.23
Auriculotemporal n.	6.11	7.00	N/A	7.00	3.00	N/A	6.08
Buccal (long) n.	6.00	7.00	N/A	7.00	3.00	N/A	6.00
Motor branches of the mandibular n. (mastication mm., suprahyoid mm., tensor tympani m., tensor veli palatini m.)	6.11	7.00	N/A	7.00	3.00	N/A	6.08
Abducens n. (CN VI)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Facial n. (CN VII) – somatic, parasympathetic, taste	6.78	7.00	N/A	7.00	6.00	N/A	6.77

Intermediate nerve (nervus intermedius) – parasympathetic, taste	5.78	7.00	N/A	7.00	3.00	N/A	5.85
Nerve to stapedius	5.56	7.00	N/A	7.00	2.00	N/A	5.62
Chorda tympani n.	6.33	7.00	N/A	7.00	3.00	N/A	6.23
Greater petrosal n.	6.00	7.00	N/A	7.00	3.00	N/A	6.00
Nerve of pterygoid canal	6.00	7.00	N/A	7.00	3.00	N/A	6.00
Motor branches of the facial n. (facial expression mm., suprahyoid mm.)	6.78	7.00	N/A	7.00	6.00	N/A	6.77
Vestibulocochlear n. (CN VIII)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Vestibular n.	6.67	7.00	N/A	7.00	6.00	N/A	6.69
Cochlear n.	6.67	7.00	N/A	7.00	6.00	N/A	6.69
Glossopharyngeal n. (CN IX) – somatic, parasympathetic, taste	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Lesser petrosal n.	5.89	7.00	N/A	7.00	2.00	N/A	5.85
Tympanic n.	5.56	7.00	N/A	7.00	2.00	N/A	5.62
Carotid branch of glossopharyngeal nerve	5.78	7.00	N/A	7.00	3.00	N/A	5.85
Vagus n. (CN X) – somatic, parasympathetic	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Superior laryngeal n.	6.11	7.00	N/A	7.00	3.00	N/A	6.08
External branch – Superior laryngeal n.	5.89	7.00	N/A	7.00	3.00	N/A	5.92
Internal branch – Superior laryngeal n.	5.89	7.00	N/A	7.00	3.00	N/A	5.92
Recurrent laryngeal n.	6.78	7.00	N/A	7.00	6.00	N/A	6.77
Inferior laryngeal n.	5.89	7.00	N/A	7.00	3.00	N/A	5.92
Accessory n. – Spinal Accessory (CN XI)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Hypoglossal n. (CN XII)	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Cervical Plexus Nerves (Somatic)	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Cutaneous branches	5.78	7.00	N/A	6.00	3.00	N/A	5.77
Motor branches (ansa cervicalis, nerves to thyrohyoid and geniohyoid)	5.78	7.00	N/A	7.00	3.00	N/A	5.85
Autonomic Nerves	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total

Deep petrosal n.	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Sympathetic trunk	6.56	7.00	N/A	7.00	4.00	N/A	6.46
Cervical cardiac nn.	5.67	6.50	N/A	7.00	2.00	N/A	5.62
<i>Plexuses of the Head and Neck (Location, Function, Relationships)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Internal carotid	5.89	7.00	N/A	7.00	3.00	N/A	5.92
Esophageal	5.78	7.00	N/A	7.00	3.00	N/A	5.85
Pharyngeal	5.89	7.00	N/A	7.00	3.00	N/A	5.92
<i>Sensory Ganglia of the Head and Neck (Location, Function, Relationships)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Trigeminal	6.56	7.00	N/A	7.00	4.00	N/A	6.46
Geniculate	5.89	7.00	N/A	7.00	2.00	N/A	5.85
<i>Parasympathetic Ganglia of the Head and Neck (Location, Function, Relationships)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Submandibular	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Pterygopalatine	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Ciliary	6.00	7.00	N/A	7.00	2.00	N/A	5.92
Otic	5.67	7.00	N/A	7.00	2.00	N/A	5.69
<i>Sympathetic Ganglia</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Superior, middle, and inferior (cervicothoracic; stellate) cervical	5.78	7.00	N/A	7.00	2.00	N/A	5.77
Blood Vessels of the Head and Neck							
<i>Arteries of the Head and Neck (Course, Relationships, Branches)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Common carotid a.	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Internal carotid a. (ICA)	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Carotid body and sinus	6.33	7.00	N/A	7.00	2.00	N/A	6.15
Petrous part of ICA	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Cavernous part of ICA	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Intracranial (cranial) part of ICA	6.11	7.00	N/A	7.00	2.00	N/A	6.00
Ophthalmic a.	6.67	7.00	N/A	7.00	4.00	N/A	6.54

Central retinal a.	6.44	7.00	N/A	7.00	2.00	N/A	6.23
Anterior cerebral a.	6.89	7.00	N/A	7.00	6.00	N/A	6.85
Anterior communicating a.	6.67	7.00	N/A	7.00	4.00	N/A	6.54
Middle cerebral a.	6.89	7.00	N/A	7.00	6.00	N/A	6.85
Posterior communicating a.	6.67	7.00	N/A	7.00	4.00	N/A	6.54
Posterior cerebral a.	6.89	7.00	N/A	7.00	6.00	N/A	6.85
Superior cerebellar a.	6.56	7.00	N/A	7.00	3.00	N/A	6.38
Basilar a.	6.56	7.00	N/A	7.00	3.00	N/A	6.38
Anterior inferior cerebellar a. (AICA)	6.44	7.00	N/A	7.00	3.00	N/A	6.31
Posterior inferior cerebellar a.(PICA)	6.44	7.00	N/A	7.00	3.00	N/A	6.31
Vertebral a. (cervical and cranial parts)	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Anterior spinal a.	6.44	7.00	N/A	7.00	3.00	N/A	6.31
Posterior spinal a.	6.44	7.00	N/A	7.00	3.00	N/A	6.31
External carotid a.	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Superior thyroid a.	6.22	7.00	N/A	7.00	3.00	N/A	6.15
Ascending pharyngeal a.	5.67	7.00	N/A	7.00	3.00	N/A	5.77
Lingual a.	6.33	7.00	N/A	7.00	3.00	N/A	6.23
Facial a.	6.78	7.00	N/A	7.00	5.00	N/A	6.69
Labial a.	5.67	7.00	N/A	7.00	3.00	N/A	5.77
Occipital a.	5.89	7.00	N/A	7.00	3.00	N/A	5.92
Posterior auricular a.	5.89	7.00	N/A	7.00	3.00	N/A	5.92
Superficial temporal a.	6.44	7.00	N/A	7.00	5.00	N/A	6.46
Maxillary a.	6.56	7.00	N/A	7.00	3.00	N/A	6.38
Inferior alveolar a.	6.44	7.00	N/A	7.00	3.00	N/A	6.31
Middle meningeal a.	6.78	7.00	N/A	7.00	5.00	N/A	6.69
Posterior superior alveolar a.	5.78	7.00	N/A	7.00	2.00	N/A	5.77
Infra-orbital a.	5.78	7.00	N/A	7.00	2.00	N/A	5.77
Descending palatine a.	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Greater palatine a.	5.78	7.00	N/A	7.00	2.00	N/A	5.77
Lesser palatine a.	5.78	7.00	N/A	7.00	2.00	N/A	5.77
Sphenopalatine a.	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Subclavian a.	6.89	7.00	N/A	7.00	6.00	N/A	6.85
Internal thoracic (mammary) a.	6.89	7.00	N/A	7.00	6.00	N/A	6.85

Thyrocervical trunk	6.22	7.00	N/A	7.00	4.00	N/A	6.23
Inferior thyroid a.	6.78	7.00	N/A	7.00	6.00	N/A	6.77
Dorsal scapular a.	5.78	7.00	N/A	7.00	2.00	N/A	5.77
<i>Veins of the Head and Neck (Course, Relationships, Tributaries)</i>	A n=10	A/AG n=3	A/C n=0	A/M-O n=1	A/OT n=1	A/P n=0	Total
Subclavian v.	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Internal jugular v.	7.00	7.00	N/A	7.00	7.00	N/A	7.00
External jugular v.	6.89	7.00	N/A	7.00	6.00	N/A	6.85
Facial v.	6.78	7.00	N/A	7.00	5.00	N/A	6.69
Ophthalmic v.	6.56	7.00	N/A	7.00	4.00	N/A	6.46
Superior sagittal sinus	6.67	7.00	N/A	7.00	4.00	N/A	6.54
Bridging vv.	6.11	7.00	N/A	6.00	3.00	N/A	6.00
Great cerebral v. (Galen)	5.89	7.00	N/A	7.00	2.00	N/A	5.85
Transverse sinuses	6.44	7.00	N/A	7.00	4.00	N/A	6.38
Sigmoid sinuses	6.44	7.00	N/A	7.00	4.00	N/A	6.38
Cavernous sinuses	6.44	7.00	N/A	7.00	3.00	N/A	6.31
Petrosal sinuses	5.67	7.00	N/A	7.00	2.00	N/A	5.69
Diploic vv.	4.78	5.50	N/A	6.00	1.00	N/A	4.69
Emissary vv.	5.33	5.50	N/A	6.00	6.00	N/A	5.46
Lymphatics of the Head and Neck							
Superficial cervical nodes (parotid, submandibular, submental, parotid, mastoid, occipital, facial)	5.67	6.00	N/A	6.00	2.00	N/A	5.46
Deep cervical nodes (jugular, infrahyoid, thyroid, tracheal, retropharyngeal)	5.11	5.00	N/A	6.00	2.00	N/A	4.92
Jugulodigastric nodes	5.22	5.00	N/A	6.00	2.00	N/A	5.00
Jugulo-omohyoid nodes	5.11	5.00	N/A	6.00	2.00	N/A	4.92
Supraclavicular nodes	5.67	6.00	N/A	6.00	2.00	N/A	5.46
Thoracic duct	6.67	7.00	N/A	7.00	5.00	N/A	6.62
Right lymphatic duct	6.67	7.00	N/A	7.00	5.00	N/A	6.62
Venous angles	6.00	7.00	N/A	6.00	2.00	N/A	5.85
Surface Anatomy of the Head and Neck							

Scalp and face	6.78	7.00	N/A	7.00	7.00	N/A	6.85
Skull – major bones and palpable features	6.78	7.00	N/A	7.00	7.00	N/A	6.85
Temporomandibular joint	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Hyoid bone	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Clavicle	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Spinous process of C7 (vertebra prominens)	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Thyroid and cricoid cartilages	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Trachea	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Thyrohyoid membrane	6.78	7.00	N/A	7.00	5.00	N/A	6.69
Cricothyroid ligaments	6.78	7.00	N/A	7.00	5.00	N/A	6.69
Thyroid gland	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Salivary glands (parotid, submandibular)	6.78	7.00	N/A	7.00	7.00	N/A	6.85
Carotid bifurcation (including carotid sinus)	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Facial artery	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Superficial temporal artery	6.78	7.00	N/A	7.00	7.00	N/A	6.85
External jugular vein	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Internal jugular vein	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Sternocleidomastoid muscle	7.00	7.00	N/A	7.00	7.00	N/A	7.00
Scalene muscles	6.89	7.00	N/A	7.00	7.00	N/A	6.92
Palpable lymph nodes	6.89	7.00	N/A	6.00	7.00	N/A	6.85