Blood pressure variables till 60-64 years(2006-10)

Claudia Langenberg, Darya Gaysina

Blood pressure till 53 years (1999)

Contents

Document details 2

Measures till 2006-10 2

1982 . . . 3

1989 . . . 3

1999 . . . 3

2006-10 . . . 3

Variables in this document 3

Document details

Categories of variables	Cardiovascular health
Summary of work undertaken	Derivation and labelling of Metabolic syndrome variables: **DIABMS** - Diabetes status at age 53y (recoded for metabolic syndrome) **WCBIN99** - High waist circumference **SHYP992M** - High systolic blood pressure **DHYP992M** - High diastolic blood pressure **HYP992M** - Hypertension **HBABIN99** - High level of glycated haemoglobin (using quartile as cut-off) **HBABIN99M** - High level of glycated haemoglobin (using quartile as cut-off) or medication for diabetes at age 53y **HDLBIN99** - Low level of high density lipoprotein at age 53y **TRIGBIN99** - High level of triglyceride at age 53y **MSSCORE99** - Number of metabolic syndrome symptoms at age 53y **METABOL99** - Metabolic syndrome at age 53y **TRIGBIN99X** - High level of triglyceride at age 53y (quartile as a cut-off) **MSSCORE99X** - Number of metabolic syndrome symptoms at age 53y (TRIGBINX) **METABOL99X** - Metabolic syndrome at age 53y (TRIGBINX)
Names of source variables	sbp992, dbp992, hba99n, chol99n, trig99n, hdl99n, ldl99n, abc, hipc, bmi99u, b02299a, b02499a, b02599a, b026299a, b06199a, b212099a, diabty, abcc, hipcc, whr99, medbp99
Output variables	sbpff, dbpff, sbpfxx, dbpfxx, sbp82, dbp82, sbpf89f, dbpf89f, sbp289f, dbp289f, sbp89rh, dbp89rh, sbp89, dbp89, sbp991, dbp991, sbp992, dbp992, sbp99, dbp99, sbp109, sbp209, dbp109, dbp209, pulse109, pulse209, bpcnstf09, bpcnst09, bpcnstr09, omron09, rtemp09, sbp09, dbp09, msbp09, mdbp09, pp109, pp209, pp09, map109, map209, map09, pulse09, hypert109, hypert209, hypert09
Papers using these variables	Gaysina, D, Pierce, M, Richards, M, Hotopf, M, Kuh, D, Hardy, R. Association between adolescent emotional problems and metabolic syndrome: the modifying effect of C-reactive protein gene polymorphisms. Brain, Behavior, and Immunity 2011; 25: 750-758.

Measures till 2006-10

Blood pressure at 53 years was measured twice, while the survey member was seated and after 5 minutes of rest, using the validated Omron HEM-705 (Omron Corp.,) automated digital oscillometric sphygmomanometer. At age 36 and 43 years blood pressure was measured twice using a Hawksley random zero sphygmomanometer.

Missing for all reasons are coded to 9999 for all variables All are in mmHg (SBP=systolic blood pressure and DBP=diastolic blood pressure)

For 1982 and 1989 Uses raw measure minus random zero Use formulae to adjust for arm circumference: SBP+(32-(1.05*(RUAC/10))), DBP+(22-(0.72*(RUAC/10)))

1982

First measures: SBPFF DBPFF Second measures: SBPFXX DBPFXX

Use second measure if available – otherwise use first SBP82 DBP82

1989

MW cleaned these variables for a subset who also had a bp measured in 1982. RH followed same procedure to add those not seen in 1982. First measures: SBPF89F DBPF89F Second measures: SBP289F DBP289F

Use second measure – if invalid then use first in a few case. SBP89RH DBP89RH

Also created Use SBP89RH/DBP89RH measure if available – otherwise use first (SBPF89F/DBPF89F) SBP89 DBP89

1999

First measure: SBP991 DBP991 Second measure: SBP992 DBP992

Use second measure if available – otherwise use first SBP99 DBP99

2006-10

First measure: sbp109, sbp209 Second measure: dbp109, dbp209

Variables in this document

40 high-confidence matches

Variable	Label	How it was found
Clinical data [51] › Physical measures [110] › Blood pressure [1103]		
bpcnst09	Would you be willing to have your blood pressure taken? - at age 60-64 years	topsheet field
bpcnstr09	Reason why participant is unable/unwilling to have blood pressure taken - at age 60-64 years	topsheet field
dbp09	Diastolic blood pressure (mmHg) - second reading, if missing, first reading is used - at age 60-64 years	topsheet field
dbp109	Diastolic blood pressure (mmHg) - first reading - at age 60-64 years	topsheet field
dbp209	Diastolic blood pressure (mmHg) - second reading - at age 60-64 years	topsheet field
dbp289f	Diastolic blood pressure (mmHg) - second reading - at age 43 years	topsheet field
dbp82	Diastolic blood pressure (mmHg) - second reading, if missing, first reading is used - at age 36 years	topsheet field
dbp89	Diastolic blood pressure (mmHg) - second reading, if missing, first reading is used - at age 43 years	topsheet field
dbp99	Diastolic blood pressure (mmHg) - second reading, if missing, first reading is used - at age 53 years	topsheet field
dbp991	Diastolic blood pressure (mmHg) - first reading - at age 53 years	topsheet field
dbp992	Diastolic blood pressure (mmHg) - second reading - at age 53 years	topsheet field
dbpf89f	Diastolic blood pressure (mmHg) - first reading - at age 43 years	topsheet field
dbpff	Diastolic blood pressure (mmHg) - first reading - at age 36 years	topsheet field
dbpfxx	Diastolic blood pressure (mmHg) - second reading - at age 36 years	topsheet field

Variable	Label	How it was found
hypert09	Hypertension (BP>=140/90) - second reading or first if no second reading - at age 60-64 years	topsheet field
hypert109	Hypertension (BP>=140/90) - first reading - at age 60-64 years	topsheet field
hypert209	Hypertension (BP>=140/90) - second reading - at age 60-64 years	topsheet field
map09	Mean Arterial Pressure (mmHg) - second reading or first if no second reading - at age 60-64 years	topsheet field
map109	Mean Arterial Pressure (mmHg) - first reading - at age 60-64 years	topsheet field
map209	Mean Arterial Pressure (mmHg) - second reading - at age 60-64 years	topsheet field
omron09	Omron machine number - at age 60-64 years	topsheet field
pp09	Pulse Pressure (systolic -diastolic) - second reading or first if no second reading (mmHg) - at age 60-64 years	topsheet field
pp109	Pulse Pressure (systolic -diastolic) - first reading (mmHg) - at age 60-64 years	topsheet field
pp209	Pulse Pressure (systolic -diastolic) - second reading (mmHg) - at age 60-64 years	topsheet field
pulse09	Pulse rate (beats/min) - second reading or first if no second reading - at age 60-64 years	topsheet field
pulse109	Pulse rate (beats/min) - first reading - at age 60-64 years	topsheet field
pulse209	Pulse rate (beats/min) - second reading - at age 60-64 years	topsheet field
rtemp09	Ambient room temperature when taking blood pressure (celsius) - at age 60-64 years	topsheet field
sbp09	Systolic blood pressure (mmHg) - second reading, if missing, first reading is used - at age 60-64 years	topsheet field
sbp109	Systolic blood pressure (mmHg) - first reading - at age 60-64 years	topsheet field
sbp209	Systolic blood pressure (mmHg) - second reading - at age 60-64 years	topsheet field
sbp289f	Systolic blood pressure (mmHg) - second reading - at age 43 years	topsheet field
sbp82	Systolic blood pressure (mmHg) - second reading, if missing, first reading is used - at age 36 years	topsheet field
sbp89	Systolic blood pressure (mmHg) - second reading, if missing, first reading is used - at age 43 years	topsheet field
sbp99	Systolic blood pressure (mmHg) - second reading, if missing, first reading is used - at age 53 years	topsheet field
sbp991	Systolic blood pressure (mmHg) - first reading - at age 53 years	topsheet field
sbp992	Systolic blood pressure (mmHg) - second reading - at age 53 years	topsheet field
sbpf89f	Systolic blood pressure (mmHg) - first reading - at age 43 years	topsheet field
sbpff	Systolic blood pressure (mmHg) - first reading - at age 36 years	topsheet field
Questionnaire data [55] › Health and medical history [510] › Medical conditions [5101] › Other medical conditions [51011]		
blood	Have you had anaemia in the last 10 years - at age 43 years	bold token

30 medium-confidence matches

Variable	Label	How it was found
Biological samples [52] › Blood assays [201] › Blood biochemistry [2011]		
chol99n	Cholesterol (mmol/l) - at age 53 years	prose scan
hba99n	Glycohaemoglobin - HbA1c (%) - at age 53 years	prose scan

Variable	Label	How it was found
hbabin99	High level of glycated haemoglobin (No/Yes). Using > 5.8% cut-off for both men and women - at age 53 years	prose scan
hbabin99m	High level of glycated haemoglobin (No/Yes). Using > 5.8% cut-off for both men and women or medication for diabetes - at age 53 years	prose scan
hdl99n	High-density lipoprotein - HDL (mmol/L) at age 53 years	prose scan
hdlbin99	Low level of high density lipoprotein (No/Yes). HDL cholesterol level cut-off was < 1.036 mmol/L for men or <1.295 mmol/L for women - at age 53 years	prose scan
ldl99n	Low-density lipoproteins - LDL (mmol/L) at age 53 years	prose scan
metabol99	Metabolic syndrome (with TRIGBIN) - at age 53 years	prose scan
metabol99x	Metabolic syndrome (with TRIGBINX) - at age 53 years	prose scan
msscore99	Number of metabolic syndrome symptoms (with TRIGBIN) - at age 53 years	prose scan
msscore99x	Number of metabolic syndrome symptoms (with TRIGBINX) - at age 53 years	prose scan
trig99n	Triglcyeride (mmol/l) - at age 53 years	prose scan
trigbin99	High level of triglyceride (No/Yes). Using 1.7 mmol/L as a cut-off (according ATPIII) - at age 53 years	prose scan
trigbin99x	High level of triglyceride (No/Yes). Using ≥ 3.0 mmol/L for men and ≥ 2.2 for women as a cut-off (quartile). - at age 53 years	prose scan
Clinical data [51] › Physical measures [110] › Anthropometry [1102] › Body size measures [11021]		
bmi99u	Body mass index (BMI) in kg/(m2) at 53 years	prose scan
wcbin99	High waist circumference (No/Yes). High waist circumference is defined as: > 102 cm for men or > 88 cm for women - at age 53 years	prose scan
Clinical data [51] › Physical measures [110] › Blood pressure [1103]		
dhyp992m	High diastolic blood pressure (No/Yes). High DBP: DBP ≥85mmHg or antihypertensive medication use - at age 53 years	prose scan
omron	Omron machine number - at age 53 years	prose scan
shyp992m	High systolic blood pressure (No/Yes) High SBP: SBP ≥ 130 or antihypertensive medications use. - at age 53 years	prose scan
Clinical data [51] › Physical measures [110] › Hand examination [1106]		
problems	Any problems identifed with the hands - Hands Examinations 1999	prose scan
Questionnaire data [55] › Health and medical history [510] › Medical conditions [5101] › Endocrine and metabolic conditions [51015]		
diabms	Diabetes status (No/Yes) - at age 53 years	prose scan
diabty	Type of diabetes - up to age 53 years	prose scan
Questionnaire data [55] › Medications [505] › Regular medication [5052] › Regular medication - Derived variables [50522] › Medication derivations at data collection level (cross-sectional) [505221]		
b02299a	Antihypertensive medication (diuretics) - at age 53 years	prose scan
b02499a	Antihypertensive medication (beta blockers) - at age 53 years	prose scan
b02599a	Antihypertensive medication (RA system drugs and others) - at age 53 years	prose scan
b026299a	Antihypertensive medication (calcium channel blockers) - at age 53 years	prose scan
b06199a	Derived: Regular medication - BNFs 061xxx - drugs used in diabetes - BNF 6.1 at age 53 years	prose scan
b212099a	Derived: Regular medication - BNFs 2120xx - lipid-regulating drugs (BNF 40) - lipid-lowering drugs (BNF 27) - BNF 2.12 at age 53 years	prose scan
hyp992m	Hypertension or antihypertensive medication use (No/Yes) - at age 53 years	prose scan

Variable	Label	How it was found
medbp99	Does participant take any antihypertensive medication at age 53 years	prose scan

2 low-confidence matches

Variable	Label	How it was found
Clinical data [51] › Physical measures [110] › Anthropometry [1102] › Body size measures [11021]		
ruac	Left arm circumference (cm) - at age 53 years	prose scan
Questionnaire data [55] › Health and medical history [510] › Physical capability [5108]		
arm	Do you have difficulty because of long term health problems using either arm to reach up high above your head or to reach behind to tuck a shirt in or do up a zip?- at age 53 years	prose scan