Epilepsy variables at ages 36 and 53 years

Contents

Epilepsy variables at ages 36 and 53 years **2**

1982/84 epilepsy sub-study 2

1999 Epilepsy data 2

Note: 3

Variables in this document **3**

Epilepsy variables at ages 36 and 53 years

1982/84 epilepsy sub-study

epgrp82	Complicated = 1 Uncomplicated = 2 No epilepsy = 3
epdpnset82	Year of onsent 47 to 82 No epilepsy = 99
epmed82	Not medicating = 0 Medicating (anticonvulsants) = 1 No control = 7 Dead = 8 No epilepsy = 9
epcontrol82	1st control = 1 2nd control = 2 No control = 9
epeons82	<1962 early onset = 1 >=1962 late onset = 2 No epilepsy = 3
ep82	No epilepsy 1982 = 0 Epilepsy 82 = 1 Don't Know = 9 No 1982 contact = 99

1999 Epilepsy data

epibt99	**Batch number** 1-8
epirp99	**Seizures / fits ever reported up to 1999 interview** No = 0 Yes = 1 Uncertain – some evidence of seizure = 6
epirc99	**Is cause of seizures/fit recorded up to 1999 interview?** No including none reported = 0 Yes = 1 Uncertain = 6 N/A – No current seizures reported = 8
epice99	If Yes to EPIRC99 **ICD10 codes of cause** ICD10 codes converted to 6 digits * N/A – No cause of seizures recorded and / or no current seizures = 888888 Unknown cause = 999999 *Conversion of ICD 10 codes to 6 digit form Replace letter by 2 digit position of letter in alphabet If decimal point, drop decimal point and append '0' If no decimal point, append '99' Eg G40.4 -> 0740.4 -> 074040 Eg G40 -> 0740 -> 074099
epim99	**Currently on anti-epileptic medication at 1999 interview** No (not expected or unknown) = 0 Yes = 1 Expected but not recorded = 6 No CAPI questionnaire = 7

epilv99	**Liverpool lifetime epilepsy score up to 1999 interview** No evidence of epilepsy = 0 Uncomplicated epilepsy = 1 Complicated epilepsy = 2 Acute symptomatic = 3 Epilepsy but not classified = 5 Not classified as having epilepsy, but some evidence (eg seizure); includes uncertain = 6
epiaf99	**Age at first seizure/fit up to 1999 interview** Age in years = 3 digit (000 = under 1 year) Unknown age at first seizure/fit = 4444 No seizures/fit reported but some evidence = 555 No seizures/fit reported and no evidence = 666

Note:

2005 –Information on epilepsy till 1999 was sent to Liverpool for Prof David Chadwick to review and classify the cases.

Variables in this document

10 medium-confidence matches

Variable	Label	How it was found
Questionnaire data [55] › Health and medical history [510] › Medical conditions [5101] › Nervous system conditions [51018]		
epcontrol82	First and second Controls for each epilepsy case from 1972 to 1982	prose scan
epeons82	Early or late onset of epilepsy from 1972 to 1982?	prose scan
epgrp82	Complicated epilepsy i.e. with predisposing illness or concomitant neurological condition from 1972 to 1982?	prose scan
epiaf99	Age at first seizure/fit up to 1999 interview - till age 53 years	prose scan
epice99	ICD10 Code of cause? (Epilepsy 1999) - till age 53 years	prose scan
epilv99	Liverpool lifetime epilepsy score up to 1999 interview (epilepsy) - till age 53 years	prose scan
epim99	Currently on anti-epileptic medication at 1999 interview (epilepsy) - till age 53 years	prose scan
epirc99	Is cause of seizures/fits recorded up to 1999 interview (epilepsy) - till age 53 years	prose scan
epirp99	Seizures/fits ever reported up to 1999 interview (epilepsy) - till age 53 years	prose scan
epmed82	Taking medication for epilepsy from 1972 to 1982?	prose scan

3 low-confidence matches

Variable	Label	How it was found
Questionnaire data [55] › Health and medical history [510] › Medical conditions [5101] › Nervous system conditions [51018]		
ep82	Do you have epilepsy all or most of the time - at age 36 years	prose scan
fit	Have you ever had any fits or epilepsy in the last ten years - at age 53 years	prose scan
Specialist questionnaire data [56] › Womens health questionnaire [700] › Hysterectomy [7006]		

Variable	Label	How it was found
sent	Was the participant sent a hysterectomy questionnaire in 2005? - at age 59 years	prose scan