Latent class variables for depression in adulthood

Marcus Richards, Ian Colman | February 2014

Contents

Document details 2

Summary 2

Reference 2

Variables in this document 2

Document details

Categories of variables	Cognitive Function
Summary of work undertaken	Derived latent class variables
Names of source variables	memab89, memac89, membp89, memcc89, memht89, memlg89, mempr89, memwt89, memot89, pgl189, pgl289, pgl389, pgl489, pgl589, pgr189, pgr289, pgr389, pgr489, pgr589, pic189a, pic289a, pic389a, pic489a, pic589a, vscl189, vscl289, vscl389, vsms189, vsms289, vsms389, vsrw189, vsrw289, vsrw389, wlcd89, wlin189, wlin289, wlin389a, wlt189, wlt289, wlt389a, tstmem89, wlt89, wlin89, picmem89, cansp189, cansp289, cansp389, canspa89, peg89
Output variables	cmd6clas, cmd13lt, cmd15lt, cmd36lt, cmd43lt, cmd53lt, cmd13or4, cmd15or4, cmd36or4, cmd43or4, cmd53or4
Papers using these variables	'A Longitudinal Typology of Symptoms of Depression and Anxiety Over the Life Course' Colman I, Ploubidis GB, Wadsworth ME, Jones PB, Croudace TJ. Biol Psychiatry 2007;62:1265–1271

Summary

Comprises of six distinct lifetime symptom profiles:

1. **Absence of symptoms** (~45% of the sample) — minimal symptoms at every assessment.
2. **Repeated moderate symptoms** (~34%) — mild-to-moderate symptoms recurring across several time points.
3. **Adult-onset moderate symptoms** (~11%) — low symptoms in adolescence, moderate symptoms emerging in adulthood.
4. **Adolescent symptoms with good adult outcome** — symptoms present at 13/15 but resolving by adulthood.
5. **Adult-onset severe symptoms** — little trouble in youth, but severe symptoms appearing later in life.
6. **Repeated severe symptoms over the life course** — the smallest, most impaired group, with high symptom burden recurring from adolescence into later adulthood.

Reference

'A Longitudinal Typology of Symptoms of Depression and Anxiety Over the Life Course' Colman I, Ploubidis GB, Wadsworth ME, Jones PB, Croudace TJ. Biol Psychiatry 2007;62:1265–1271

Variables in this document

11 high-confidence matches

Variable	Label	How it was found
Questionnaire data [55] › Mental health [520] › Longitudinal latent class analysis for mental health [5210]		
cmd13lt	Internalising latent trait - age 13 years	topsheet field
cmd13or4	Common mental health ordinal 4 groups - age 13 years	topsheet field
cmd15lt	Internalising latent trait - age 15 years	topsheet field
cmd15or4	Common mental health ordinal 4 groups - age 15 years	topsheet field
cmd36lt	Present state examination (PSE) latent trait - age 36 years	topsheet field

Variable	Label	How it was found
cmd36or4	Present state examination (PSE) ordinal 4 groups - age 36 years	topsheet field
cmd43lt	Psychiatric symptom frequency inventory (PSF) latent trait - age 43 years	topsheet field
cmd43or4	Psychiatric symptom frequency inventory (PSF) ordinal 4 groups - age 43 years	topsheet field
cmd53lt	General health questionnaire (GHQ) latent trait - age 53 years	topsheet field
cmd53or4	General health questionnaire (GHQ) ordinal 4 groups - age 53 years	topsheet field
cmd6clas	Latent class 6 groups	topsheet field

42 medium-confidence matches

Variable	Label	How it was found
Clinical data [51] › Cognitive function [101] › Adulthood cognition [1012] › Memory (word list memory test) [10124]		
wlcd89	Version of Word list - at age 43 years	prose scan
wlin189	Wordlist 1 - Number of intrusions (words not in the list) - at age 43 years	prose scan
wlin289	Wordlist 2 - Number of intrusions (words not in the list) - at age 43 years	prose scan
wlin89	Word list memory test: Total number of intrusions (Words not on the list) - at age 43 years	prose scan
wlt189	Number of words recalled in trial 1 at 43 years (max score 15) - at age 43 years	prose scan
wlt289	Number of words recalled in trial 2 at 43 years (max score 15) - at age 43 years	prose scan
wlt89	Word list memory test: Sum of 3 tests (max 45) - at age 43 years	prose scan
Clinical data [51] › Cognitive function [101] › Adulthood cognition [1012] › Memory test [10135]		
memab89	Remembered that abdominal circumference was measured at 1982 interview - at age 43 years	prose scan
memac89	Remembered that arm circumference was measured at 1982 interview - at age 43 years	prose scan
membp89	Remembered that blood pressure was measured at 1982 interview - at age 43 years	prose scan
memcc89	Remembered that chest circumference was measured at 1982 interview - at age 43 years	prose scan
memht89	Remembered that height was measured at 1982 interview - at age 43 years	prose scan
memlg89	Remembered that lung function was measured at 1982 interview - at age 43 years	prose scan
memot89	Remembered other measurements taken at 1982 interview - at age 43 years	prose scan
mempr89	Remembered that pulse rate was measured at 1982 interview - at age 43 years	prose scan
memwt89	Remembered that weight was measured at 1982 interview - at age 43 years	prose scan
tstmem89	Summary measure of memory for examination measures taken in 1982 when interviewed in 1989 - at age 43 years	prose scan
Clinical data [51] › Cognitive function [101] › Adulthood cognition [1012] › Peg placement [10122]		
peg89	Mean peg placement (both hands) - at age 43 years	prose scan
pgl189	Peg-board test - first attempt - left hand (secs) - at age 43 years	prose scan
pgl289	Peg-board test - second attempt - left hand (secs) - at age 43 years	prose scan
pgl389	Peg-board test - third attempt - left hand (secs) - at age 43 years	prose scan

Variable	Label	How it was found
pgl489	Peg-board test -fourth attempt - left hand (secs) - at age 43 years	prose scan
pgl589	Peg-board test - 5th attempt - left hand (secs) - at age 43 years	prose scan
pgr189	Peg-board test - first attempt - right hand (secs) - at age 43 years	prose scan
pgr289	Peg-board test - second attempt - right hand (secs) - at age 43 years	prose scan
pgr389	Peg-board test - third attempt - right hand (secs) - at age 43 years	prose scan
pgr489	Peg-board test -fourth attempt - right hand (secs) - at age 43 years	prose scan
pgr589	Peg-board test - 5th attempt - right hand (secs) - at age 43 years	prose scan
Clinical data [51] › Cognitive function [101] › Adulthood cognition [1012] › Processing speed [10125]		
cansp189	Visual letter search: Speed (trial 1) - at age 43 years	prose scan
cansp289	Visual letter search: Speed (trial 2) - at age 43 years	prose scan
cansp389	Visual letter search: Speed (trial 3) - at age 43 years	prose scan
canspa89	Visual letter search: Speed (average of 3 trials) - at age 43 years	prose scan
vscl189	Visual search test - Number of columns (first test) - at age 43 years	prose scan
vscl289	Visual search test - Number of columns (second test) - at age 43 years	prose scan
vscl389	Visual search test - Number of columns (third test) - at age 43 years	prose scan
vsms189	Visual search test - Number of misses (first test) - at age 43 years	prose scan
vsms289	Visual search test - Number of misses (second test) - at age 43 years	prose scan
vsms389	Visual search test - Number of misses (third test) - at age 43 years	prose scan
vsrw189	Visual Search test - Number of rows (first test) - at age 43 years	prose scan
vsrw289	Visual Search test - Number of rows (second test) - at age 43 years	prose scan
vsrw389	Visual Search test - Number of rows (third test) - at age 43 years	prose scan
Clinical data [51] › Cognitive function [101] › Adulthood cognition [1012] › Visual memory [10123]		
picmem89	Picture recall - at age 43 years	prose scan