Body size measures till age 60-64 years (2006-2010)

Contents

Anthropometry – till 60-64 years **2**

Summary 2

HTyyU 2

WTyyU 2

BMIyyU 2

MBWTU 3

Variables in this document **3**

Anthropometry – till 60-64 years

Summary

Heights and weights were measured at 2, 4, 6, 7, 11, 15, 36, 43, 53 and 60-64 years. They were self-reported at 20 and 26 years. The recommended variables have been cleaned (up until age 26 years by Stark et al 1981) [Stark, O., Atkins, E., Wolff, O.H., and Douglas, J.W.B. (1981) A longitudinal study of obesity in the National Survey of Health and Development. British Medical Journal, 283, 13-17.] and converted to metric units where necessary. Body mass index (BMI) was calculated as weight (kg)/height2(m) at each age.

At ages 36, 43, 53 and 60-64 years weight was measured to the nearest 0.1 kg with participants wearing light indoor clothing and no shoes. Height was measured to the nearest 0.5 cm, using a portable stadiometer with participants standing without shoes and with heels against the wall as tall as possible with the head in the Frankfort plane.

At ages 2, 4, 6, 7, 11, 15 years weight was measured to the nearest quarter of a pound and height was measured to the nearest inch. Measurements were taken by school doctors or nurses with children only wearing their underclothes. Due to these measurements taking up to a year to collect, date of measurement (in months) for all but age 2 years are also recorded.

At 20 and 26 height and weight were self-reported in feet and inches and stones and pounds respectively.

Birth weight (to the nearest quarter of a pound) was extracted from birth records within a few weeks of delivery. Birth weight has been converted to kgs.

Relative measures are also available. Childhood relative weights were calculated based on the exact date of measurement and sex. They are derived such that relative weight is independent of height (see Cole TJ. A method for assessing age-standardised weight-for-height in children seen cross-sectionally. Ann Hum Biol 1979; 6:249-268

Other body size variables available include waist and hip circumference (including derived waist to hip ratio), chest and expanded chest circumference, sitting height and parental height and weight.

HTyyU

Purpose: Standing Height of survey member in 19yy/20yy in cm **Year**: (yy) 1948, 1950, 1952, 1953, 1957, 1961, 1966, 1972, 1982, 1989, 1999, 2006-10 (09)

1. Definition

Real plus following Missing Values 7777 No interview/questionnaire 9997 Discarded in checking 9998 Refused to be measured 9999 interview but missing data

2. Specification

COMPUTE HT48U=MH48/10 *variable MH48 recorded in mm

WTyyU

Purpose: Weight of survey member in 19yy/20yy in kg **Year**: (yy) 1948, 1950, 1952, 1953, 1957, 1961, 1966, 1972, 1982, 1989, 1999, 2006-10 (09)

1. Definition

Real plus following Missing Values 7777 No interview/questionnaire 9997 Discarded in checking 9999 interview but missing data

2. Specification

COMPUTE WT48U=MW48/10 * variable MW48 recorded in (Kg x 10 units)

BMIyyU

Purpose: BMI of survey member in 19yy/20yy in kg/(m2) **Year**: (yy) 1948, 1950, 1952, 1953, 1957, 1961, 1966, 1972, 1982, 1989, 1999, 2006-10 (09)

1. Definition

Real plus following Missing Values 7777 No interview/questionnaire 9999 interview but missing data

2. Specification

COMPUTE BMI48U=(WT48U)/(HT48U/100)**2

*Using derived Weight (kg) and Height (cm) variables BMI=Weight in Kg/Height in m2

MBWTU

Purpose: Birth Weight in Metric unit gms **Year**: 1946

1. Definition

Real plus following Missing Values 9999 interview but missing data

2. Specification

The original variable was recorded in pounds and ounces. Codes 0-4 were used to code the weights of large babies. Weights were coded to the nearest quarter pound as follows. 0=10 lbs; 1=10.25 lbs; 3=10.75 lbs; 4=All weights over 11 lbs.

The conversion calculation used was:

RECODE BWT46 (convert) into MBWT Recode MBWT (0=10.0) (1=10.25) (2=10.50) (3=10.75) (4=11.00) (13=1.75) (21=2.25) …. (93=9.75) INTO MBWT. COMPUTE MBWT=RND(MBWT/2.2*1000) IF (BWT46='--') MBWT=9999.

Variables in this document

33 high-confidence matches

Variable	Label	How it was found
Clinical data [51] › Physical measures [110] › Anthropometry [1102] › Body size measures [11021]		
bmi48u	Body mass index (BMI) in kg/(m2) at 2 years	template BMIyyU→48
bmi50u	Body mass index (BMI) in kg/(m2) at 4 years	template BMIyyU→50
bmi52u	Body mass index (BMI) in kg/(m2) at 6 years	template BMIyyU→52
bmi53u	Body mass index (BMI) in kg/(m2) at 7 years	template BMIyyU→53
bmi57u	Body mass index (BMI) in kg/(m2) at 11 years	template BMIyyU→57
bmi61u	Body mass index (BMI) in kg/(m2) at 15 years	template BMIyyU→61
bmi66u	Body mass index (BMI) in kg/(m2) at 20 years	template BMIyyU→66
bmi72u	Body mass index (BMI) in kg/(m2) at 26 years	template BMIyyU→72
bmi82u	Body mass index (BMI) in kg/(m2) at 36 years	template BMIyyU→82
bmi89u	Body mass index (BMI) in kg/(m2) at 43 years	template BMIyyU→89

Variable	Label	How it was found
bmi99u	Body mass index (BMI) in kg/(m2) at 53 years	template BMIyyU→99
ht48u	Standing Height in cm - at age 2 years	template HTyyU→48
ht50u	Standing Height in cm - at age 4 years	template HTyyU→50
ht52u	Standing Height in cm - at age 6 years	template HTyyU→52
ht53u	Standing Height in cm - at age 7 years	template HTyyU→53
ht57u	Standing Height in cm - at age 11 years	template HTyyU→57
ht61u	Standing Height in cm - at age 15 years	template HTyyU→61
ht66u	Standing Height in cm - at age 20 years	template HTyyU→66
ht72u	Standing Height in cm - at age 26 years	template HTyyU→72
ht82u	Standing Height in cm - at age 36 years	template HTyyU→82
ht89u	Standing Height in cm - at age 43 years	template HTyyU→89
ht99u	Standing Height in cm - at age 53 years	template HTyyU→99
wt48u	Weight in kg - at age 2 years	template WTyyU→48
wt50u	Weight in kg - at age 4 years	template WTyyU→50
wt52u	Weight in kg - at age 6 years	template WTyyU→52
wt53u	Weight in kg - at age 7 years	template WTyyU→53
wt57u	Weight in kg - at age 11 years	template WTyyU→57
wt61u	Weight in kg - at age 15 years	template WTyyU→61
wt66u	Weight in kg - at age 20 years	template WTyyU→66
wt72u	Weight in kg - at age 26 years	template WTyyU→72
wt82u	Weight in kg - at age 36 years	template WTyyU→82
wt89u	Weight in kg - at age 43 years	template WTyyU→89
wt99u	Weight in kg - at age 53 years	template WTyyU→99

2 low-confidence matches

Variable	Label	How it was found
Population characteristics [54] › Baseline characteristics [401]		
sex	Sex of the participant	prose scan
Questionnaire data [55] › Sociodemographics [515] › Economic circumstances [5151]		
inch	Which of the letters on the showcard represents your total net household income (after deduction for income tax and national insurance), any state benefits and any other sources - at age 53 years	prose scan