Instrumented 10metre Gait assessment - Insight46 phase 1

Will Coath | 18/09/19

Contents

Document details 2

Summary 2

Variables in this document 3

Document details

Categories of variables	Regional brain volumes from T1 MRI
Summary of work undertaken	Volumetric T1 MRI scans for participants from Insight 46 were parcellated using Geodesic Information Flows (GIF) version 3 and volumes of regions outputted to a csv file which was then transferred to a stata file.The parcellation has been further cleaned by using the whole brain delineations performed by the DRC trials team. See: Cardoso, M. J., Modat, M., Wolz, R., Melbourne, A., Cash, D., Rueckert, D., & Ourselin, S. (2015). Geodesic information flows: spatially-variant graphs and their application to segmentation and fusion. IEEE transactions on medical imaging, 34(9), 1976-1988.
Names of source variables	variables, the, individual, volumes, of, brain, regions, from, GIFv3
Output variables	thirdven_i46p1, fourthven_i46p1, rightaccumbens_i46p1, leftaccumbens_i46p1, rightamygdala_i46p1, leftamygdala_i46p1, pons_i46p1, brainstem_i46p1, rightcaudate_i46p1, leftcaudate_i46p1, rightcerebext_i46p1, leftcerebext_i46p1, rightcerebwm_i46p1, leftcerebwm_i46p1, thirdvenpost_i46p1, righthippo_i46p1, lefthippo_i46p1, rightinflatven_i46p1, leftinflatven_i46p1, rightlatven_i46p1, leftlatven_i46p1, rightpallidum_i46p1, leftpallidum_i46p1, rightputamen_i46p1, leftputamen_i46p1, rightthalprop_i46p1, leftthalprop_i46p1, rightvenraldc_i46p1, leftvenraldc_i46p1, rightventlinin_i46p1, leftventlining_i46p1, cerevermlob15_i46p1, cerevermlob67_i46p1, cerevermlob810_i46p1, leftbasalfbr_i46p1, rightbasalfbr_i46p1, righttempwm_i46p1, rightinsulawm_i46p1, rightcingwm_i46p1, rightfrontalwm_i46p1, rightoccwm_i46p1, rightparwm_i46p1, corpuscallosum_i46p1, lefttempwm_i46p1, leftinsulawm_i46p1, leftcingwm_i46p1, leftfrontalwm_i46p1, leftoccwm_i46p1, leftparwm_i46p1, rightclaustrum_i46p1, leftclaustrum_i46p1, rightantcinggy_i46p1, leftantcinggy_i46p1, rightainsula_i46p1, leftainsula_i46p1, rightantorbgy_i46p1, leftantorbgy_i46p1, rightangyrus_i46p1, leftangyrus_i46p1, rightcalc_i46p1, leftcalc_i46p1, rightco_i46p1, leftco_i46p1, rightcun_i46p1, leftcun_i46p1, rightent_i46p1, leftent_i46p1, rightfo_i46p1, leftfo_i46p1, rightfrp_i46p1, leftfrp_i46p1, rightfug_i46p1, leftfug_i46p1, rightgre_i46p1, leftgre_i46p1, rightiog_i46p1, leftiog_i46p1, rightitg_i46p1, leftitg_i46p1, rightlig_i46p1, leftlig_i46p1, rightlorg_i46p1, leftlorg_i46p1, rightmcgg_i46p1, leftmcgg_i46p1, rightmfc_i46p1, leftmfc_i46p1, rightmfg_i46p1, leftmfg_i46p1, rightmog_i46p1, leftmog_i46p1, rightmorg_i46p1, leftmorg_i46p1, rightmpog_i46p1, leftmpog_i46p1, rightmprg_i46p1, leftmprg_i46p1, rightmsfg_i46p1, leftmsfg_i46p1, rightmtg_i46p1, leftmtg_i46p1, rightocp_i46p1, leftocp_i46p1, rightofug_i46p1, leftofug_i46p1, rightopifg_i46p1, leftopifg_i46p1, rightorifg_i46p1, leftorifg_i46p1, rightpcgg_i46p1, leftpcgg_i46p1, rightpcu_i46p1, leftpcu_i46p1, rightphg_i46p1, leftphg_i46p1, rightpins_i46p1, leftpins_i46p1, rightpo_i46p1, leftpo_i46p1, rightpog_i46p1, leftpog_i46p1, rightporg_i46p1, leftporg_i46p1, rightpp_i46p1, leftpp_i46p1, rightprg_i46p1, leftprg_i46p1, rightpt_i46p1, leftpt_i46p1, rightsca_i46p1, leftsca_i46p1, rightsfg_i46p1, leftsfg_i46p1, rightsmc_i46p1, leftsmc_i46p1, rightsmg_i46p1, leftsmg_i46p1, rightsog_i46p1, leftsog_i46p1, rightspl_i46p1, leftspl_i46p1, rightstg_i46p1, leftstg_i46p1, righttmp_i46p1, lefttmp_i46p1, righttrifg_i46p1, lefttrifg_i46p1, righttttg_i46p1, leftttg_i46p1
Papers using these variables	n/a

Summary

Volumetric T1 MRI scans for participants from Insight 46 were parcellated using Geodesic Information Flows (GIF) version 3 and volumes of regions outputted to a csv file which was then transferred to a stata file.The parcellation has been further cleaned by using the whole brain delineations performed by the DRC trials team.

Variables in this document

149 high-confidence matches

This list is very large (149 variables) and is not reproduced in this PDF. Please visit the OWL website to see the full list.