

Rose Angina for ages 36, 43 and 53 years (1982, 1989, 1999).

Document details

Output variables	ang182, ang282, ang82, ang189, ang289, ang89, ang199, ang299, ang99
------------------	---

Rose Angina for ages 36, 43 and 53 years (1982, 1989, 1999).

Rose angina derived variables are available for three data collection sweeps, 1982, 1989 and 1999.

Rose Angina 1982

There are 3 scales for Rose Angina: stage 1, stage 2 and a combined variable.

Stage 1 Rose Angina

If Study member has ever had any pain or discomfort in their chest (ANGINA82 =1)

- The all of the following conditions must be met:
- The pain must be in the Sternum (upper and middle) or Sternum (lower), left anterior chest or the left arm; (CHPRL82 <=4)
- They must get the pain when walking uphill or in a hurry but not when walking at an ordinary pace on the level; (CHPRU82 = 1 AND CHPRO82 = 2)
- That pain is relieved in 10 minutes or less when they stand still. (CHPRS82 = 1 AND CHPRT82 = 1).

Stage 2 Angina

If Study member has ever had any pain or discomfort in their chest (ANGINA82 =1)

The all of the following conditions must be met:

- The pain must be in the Sternum (upper and middle) or Sternum (lower), left anterior chest or the left arm; (CHPRL82 <=4)
- They must get the pain when walking at an ordinary pace on the level; (CHPRO82 = 1)
- That pain is relieved in 10 minutes or less when they stand still. (CHPRS82 = 1 AND CHPRT82 = 1).

Overall Rose Angina

This is the sum of stage 1 and 2.

- Study members who did not answer the routing question (ever had any pain or discomfort in their chest) were coded as unknown unless they answered the rest of the battery of questions.
- Study members who did not answer the walking uphill AND walking on the flat were also coded as 'unknown'.
- Otherwise respondents who answered most but not all of the questions were coded as 'no'.

Frequencies

ANG182 Rose Angina (1) dv					
	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	0 No	3272	61.0	61.0	61.0
1 Yes	23	.4	.4	61.5	
7 No questionnaire	2040	38.0	38.0	99.5	

9 Unknown	27	.5	.5	100.0	
Total	5362	100.0	100.0		

ANG282 Rose Angina (2) dv					
	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	0 No	3291	61.4	61.4	61.4
1 Yes	4	.1	.1	61.5	
7 No questionnaire	2040	38.0	38.0	99.5	
9 Unknown	27	.5	.5	100.0	
Total	5362	100.0	100.0		

ANG82 Rose Angina 1 and 2					
	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	0 No	3268	60.9	60.9	60.9
1 Yes	27	.5	.5	61.5	
7 No questionnaire	2040	38.0	38.0	99.5	
9 Unknown	27	.5	.5	100.0	
Total	5362	100.0	100.0		

Rose Angina 1989

There are 3 scales for Rose Angina: stage 1, stage 2 and a combined variable.

Stage 1 Rose Angina

If Study member has ever had any pain or discomfort in their chest (ANGIN89 =1)

The all of the following conditions must be met:

- The pain must be in the Sternum (upper and middle) or Sternum (lower), left anterior chest or the left arm; (CHPRL89 <=4)
- They must get the pain when walking uphill or in a hurry but not when walking at an ordinary pace on the level; (CHPRU89 = 1 AND CHPRN89 = 0)
- That pain is relieved in 10 minutes or less when they stand still. (CHPRS89 = 1 AND CHPRT89 = 1).

Stage 2 Angina

If Study member has ever had any pain or discomfort in their chest (ANGIN89 =1)

The all of the following conditions must be met:

- The pain must be in the Sternum (upper and middle) or Sternum (lower), left anterior chest or the left arm; (CHPRL89 <=4)
- They must get the pain when walking at an ordinary pace on the level; (CHPRN89 = 1)
- That pain is relieved in 10 minutes or less when they stand still. (CHPRS89 = 1 AND CHPRT89 = 1).

Overall Rose Angina

This is the sum of stage 1 and 2.

- Study members who did not answer the routing question (ever had any pain or discomfort in their chest) were coded as unknown unless they answered the rest of the battery of questions.
- Study members who did not answer the walking uphill AND walking on the flat were also coded as 'unknown'.
- Otherwise respondents who answered most but not all of the questions were coded as 'no'.

Frequencies ANG189 Rose Angina (1) dv

	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	0 No	3186	59.4	59.4	59.4
1 Yes	33	.6	.6	60.0	
7 No questionnaire	2100	39.2	39.2	99.2	
9 Unknown	43	.8	.8	100.0	
Total	5362	100.0	100.0		

ANG289 Rose Angina (2) dv

	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	0 No	3202	59.7	59.7	59.7
1 Yes	17	.3	.3	60.0	
7 No questionnaire	2100	39.2	39.2	99.2	
9 Unknown	43	.8	.8	100.0	
Total	5362	100.0	100.0		

ANG89 Rose Angina 1 and 2

	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	0 No	3169	59.1	59.1	59.1
1 Yes	50	.9	.9	60.0	
7 No questionnaire	2100	39.2	39.2	99.2	
9 Unknown	43	.8	.8	100.0	
Total	5362	100.0	100.0		

Rose Angina 1999

There are 3 scales for Rose Angina: stage 1, stage 2 and a combined variable.

In 1999 there was an earlier question which asked if the study member had ever been told by a doctor that that had had angina. Ninety people replied yes and these people were not asked the Rose Angina questions. These study members have been separated from the derived rose angina variables below.

Stage 1 Rose Angina

If Study member has ever had any pain or discomfort in their chest (ANGIN =1)

The all of the following conditions must be met:

- The pain must be in the Sternum (upper and middle) or Sternum (lower), left anterior chest or the left arm; (CHPRL1 thru CHPRL5 at least one <=4)

- They must get the pain when walking uphill or in a hurry but not when walking at an ordinary pace on the level; (CHPRU = 1 AND CHPRN = 2)
- That pain is relieved in 10 minutes or less when they stand still. (CHPRS = 1 AND CHPRT = 1).

Stage 2 Angina

If Study member has ever had any pain or discomfort in their chest (ANGIN =1)

The all of the following conditions must be met:

- The pain must be in the Sternum (upper and middle) or Sternum (lower), left anterior chest or the left arm; (CHPRL1 thru CHPRL5 at least one <=4)
- They must get the pain when walking at an ordinary pace on the level; (CHPRN = 1)
- That pain is relieved in 10 minutes or less when they stand still. (CHPRS = 1 AND CHPRT = 1).

Overall Rose Angina

This is the sum of stage 1 and 2.

Study members who did not answer the routing question (ever had any pain or discomfort in their chest) were coded as unknown unless they answered the rest of the battery of questions.

Study members who did not answer the walking uphill AND walking on the flat were also coded as 'unknown'.

Otherwise respondents who answered most but not all of the questions were coded as 'no'.

ANG199 Rose Angina (1) dv

	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	0 No	2852	53.2	53.2	53.2
1 Yes	43	.8	.8	54.0	
7 No questionnaire	2374	44.3	44.3	98.3	
9 Unknown	3	.1	.1	98.3	
10 Self reported Doctor diagnosed angina	90	1.7	1.7	100.0	
Total	5362	100.0	100.0		

ANG299 Rose Angina (2) dv

	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	0 No	2881	53.7	53.7	53.7
1 Yes	14	.3	.3	54.0	
7 No questionnaire	2374	44.3	44.3	98.3	
9 Unknown	3	.1	.1	98.3	
10 Self reported Doctor diagnosed angina	90	1.7	1.7	100.0	
Total	5362	100.0	100.0		

ANG99 Rose Angina 1 and 2 (1999)

	Frequency	Percent	Valid Percent	Cumulative Percent	
--	-----------	---------	---------------	--------------------	--

Valid	0 No	2838	52.9	52.9	52.9
1 Yes	57	1.1	1.1	54.0	
7 No questionnaire	2374	44.3	44.3	98.3	
9 Unknown	3	.1	.1	98.3	
10 Self reported Doctor diagnosed angina	90	1.7	1.7	100.0	
Total	5362	100.0	100.0		

Variables in this document

9 high-confidence matches

Variable	Label	How it was found
Questionnaire data [55] › Health and medical history [510] › Medical conditions [5101] › Heart and circulatory conditions [51014]		
ang182	Rose Angina stage 1 at age 36 years	topsheet field
ang189	Rose Angina stage 1 at age 43 years	topsheet field
ang199	Rose Angina stage 1 at age 53 years	topsheet field
ang282	Rose Angina stage 2 at age 36 years	topsheet field
ang289	Rose Angina stage 2 at age 43 years	topsheet field
ang299	Rose Angina stage 2 at age 53 years	topsheet field
ang82	Rose Angina stage 1 and 2 at age 36 years	topsheet field
ang89	Rose Angina stage 1 and 2 at age 43 years	topsheet field
ang99	Rose Angina stage 1 and 2 at age 53 years	topsheet field

20 medium-confidence matches

Variable	Label	How it was found
Clinical data [51] › Physical measures [110] › Anthropometry [1102] › Body size measures [11021]		
scales	Serial number of scales - at age 53 years	prose scan
Questionnaire data [55] › Health and medical history [510] › Medical conditions [5101] › Heart and circulatory conditions [51014]		
angin	Have you ever had any pain or discomfort in your chest at age 53 years	prose scan
angin89	Have you ever had any pain or discomfort in your chest at age 43 years	prose scan
angina82	Have you ever had any pain or discomfort in your chest at age 36 years	prose scan
chprl1	Where you get this [1st] pain or discomfort in chest in the chest at age 53 years	prose scan
chprl5	Where you get this [5th] pain or discomfort in chest in the chest at age 53 years	prose scan
chprl82	Show where the pain or discomfort in chest was at age 36 years	prose scan
chprl89	Show where the pain or discomfort in chest was at age 43 years	prose scan
chprn	Do you get it (pain or discomfort in chest) when you walk at an ordinary pace on the level at age 53 years	prose scan

Variable	Label	How it was found
chprn89	Do you get it (pain or discomfort in chest) when you walk at an ordinary pace on the level at age 43 years	prose scan
chpro82	Do you get it (pain or discomfort in chest) when you walk at an ordinary pace on the level at age 36 years	prose scan
chprs	If you stand still what happens to it (pain or discomfort in chest) at age 53 years	prose scan
chprs82	If you stand still what happens to it (pain or discomfort in chest) at age 36 years	prose scan
chprs89	If you stand still what happens to it (pain or discomfort in chest) at age 43 years	prose scan
chprt	How soon is it (pain or discomfort in chest) relieved by standing still at age 53 years	prose scan
chprt82	How soon is it (pain or discomfort in chest) relieved by standing still at age 36 years	prose scan
chprt89	How soon is it (pain or discomfort in chest) relieved by standing still at age 43 years	prose scan
chpru	Do you get it (pain or discomfort in chest) when you walk uphill or hurry at age 53 years	prose scan
chpru82	Do you get it (pain or discomfort in chest) when you walk uphill or hurry at age 36 years	prose scan
chpru89	Do you get it (pain or discomfort in chest) when you walk uphill or hurry at age 43 years	prose scan

1 low-confidence match

Variable	Label	How it was found
Questionnaire data [55] › Health and medical history [510] › Physical capability [5108]		
arm	Do you have difficulty because of long term health problems using either arm to reach up high above your head or to reach behind to tuck a shirt in or do up a zip?- at age 53 years	prose scan