

APOE status - Insight46 Phase 1

Chris Lane | May 2019

Contents

Document details	2
APOE status (Phase 1 Insight 46) (2019-CL)	2
Variable	2
Summary statistics	2
Variables in this document	2

Document details

Categories of variables	Genetic
Summary of work undertaken	APOE status derived for participants in Insight 46 merging data from the 60-64 year data collection with genetic data extracted at the Phase 1 Insight 46 visit, when missing at the earlier time point.
Names of source variables	ins_apoe
Output variables	ins_apoe_i46p1

APOE status (Phase 1 Insight 46) (2019-CL)

APOE genotype was determined using the two SNPs, rs439358 and rs7412, using genetic data derived from a blood sample at age 53,1 or if missing, a blood sample at age 69-71 years. Individuals were coded according to the presence of e2, e3 and e4 alleles. Two Insight 46 participants did not have available data at age 53 or 69-71 years.

Variable

ins_apoe_i46p1– APOE genotype

Value	Label
0	genotype missing
1	e2/e2
2	e2/e3
3	e2/e4
4	e3/e3
5	e3/e4
6	e4/e4

Summary statistics

APOE allele status	Frequency	Percent
e2/e3 (2)	72	14.34
e2/e4 (3)	11	2.19
e3/e3 (4)	280	55.78
e3/e4 (5)	124	24.70
e4/e4 (6)	13	2.59

Variables in this document

1 high-confidence match

Variable	Label	How it was found
Sub-Studies [57] › Insight46 [699] › Genomics [6038] › Genotype [60381]		
ins_apoe_i46p1	ApoE allele status from 60-64, or Insight 46 [69-71yrs] if not known at earlier - Insight46 phase 1	topsheet field

2 medium-confidence matches

Variable	Label	How it was found
Omic [53] › Genomics [303]		
rs7412	APOE rs7412 on chromosome 19 - at age 53 years	prose scan
Questionnaire data [55] › Health and medical history [510] › Medical conditions [5101] › Other medical conditions [51011]		
blood	Have you had anaemia in the last 10 years - at age 43 years	prose scan