

Challenge #6: HTML Styles - CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>Simple Recipes</title>
<link rel="shortcut icon" href="favicone.ico" type="image/x-icon"/>
<link
    rel="stylesheet"
    href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.14.0/css/
all.min.css">

    <link rel="stylesheet" href="main2.css" />
</head>
<body>

<header>
    <h2>Simple Recipes</h2>
</header>

<section>
    <nav>
        <ul>
            <li><a href="#">Home</a></li>
            <li><a href="#">About</a></li>
            <li><a href="#">Tags</a></li>
            <li><a href="#">Recipes</a></li>
            <li><a href="#">Blogs</a></li>
        </ul>
    </nav>

    <article>
        <h1>Simple Recipes</h1>
        <p>"Cooking Is A Symphony Of Flavors, And Recipes Are The Sheet Music That
Guides Us Through The Art Of Creating A Masterpiece For The Senses."</p>

        
    </article>
</section>

<footer>
    <p>Footer</p>
</footer>
```

```
<script src="app.js"></script>
</body>
</html>
```

```
* {
  box-sizing: border-box;
}

body {
  font-family: Arial, Helvetica, sans-serif;
}

header {
  background-color: #558feb;
  padding: 30px;
  text-align: center;
  font-size: 35px;
  color: white;
}

nav {
  float: left;
  width: 30%;
  height: 500px;
  background: #c55555;
  padding: 10px;
}

nav ul {
  list-style-type: none;
  padding: 0;
}

article {
  float: left;
  padding: 20px;
  width: 70%;
  background-color: #f1f1f1;
  height: 300px;
}

section::after {
```

```

content: "";
display: table;
clear: both;
}

footer {
background-color: #434be5;
padding: 10px;
text-align: center;
color: rgb(205, 111, 111);
}

@media (max-width: 600px) {
nav, article {
width: 100%;
height: auto;
}
}
}

```

