


1. `console.log` the values of `newPerson` so the output looks like the following:

```
First Name: Albert, Last Name: Einstein, Birthday: Wed May
14 1879 00:00:00 GMT-0700 (MST)
```



The screenshot shows the VS Code interface with a TypeScript file `index.ts` open. The file defines a `Person` interface and a `newPerson` object. The terminal output shows the result of running `npm start` and `tsc && node index.js`, displaying the formatted string for `newPerson`.

```
TS index.ts > ...
 9  firstName: string;
10  lastName: string;
11  birthday: Date;
12
13  constructor (firstName: string, lastName: string, birthday: Date){
14    this.firstName = firstName;
15    this.lastName = lastName;
16    this.birthday = birthday;
17  }
18
19
20
21  newPerson = new Person ("Albert", "Einstein", new Date("5/14/1879"));
22  console.log("firstName:" + newPerson.firstName + " lastName:" + newPerson.lastName + " birthday:" + newPerson.birthday);
```

```
PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL JUPYTER
L02HandsOn git:(main) x npm start
> lesson-two-handson@1.0.0 start
> tsc && node index.js

firstName:Albert lastName:Einstein birthday:Wed May 14 1879 00:00:00 GMT-0456 (Eastern Daylight Time)
```

Add two `console.log`s:

- One should `console.log` the array before it is sorted
- One should `console.log` the array after it has been sorted

