

Start off by deleting the entire collection `cars`.

```
}
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.drop();
true
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> █
```

Next, run the following query to recreate the `cars` collection.

Create an index on the price field.

```
}
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.createIndex({price:1});
price_1
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> █
```

Create an index on the used field for the `cars` collection.

```
}
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.createIndex({used:1});
used_1
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.find().
```

Find and delete all documents with a year before 2012.

```
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.find({year:{$lt: 2012}})
[
  {
    _id: ObjectId("62e6a143afa3008eab6ecbae"),
    make: 'Hyundai',
    model: 'Santa Fe',
    price: 8000,
    year: 2003,
    used: true,
    color: 'Black'
  },
  {
    _id: ObjectId("62e6a143afa3008eab6ecbb4"),
    make: 'Ford',
    model: 'Escape',
    price: 7480,
    year: 2011,
    used: true,
    color: 'Sterling Grey Metallic'
  }
]
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.deleteMany({year:{$lt: 2012}})
{ acknowledged: true, deletedCount: 2 }
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> █
```

Delete the first document that is a BMW.

```

Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.deleteOne({ make: { $eq : 'BMW' } })
{ acknowledged: true, deletedCount: 1 }
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.find()
[
  {
    _id: ObjectId("62e6a143afa3008eab6ecbb0"),
    make: 'Subaru',
    model: 'Crosstrek 2.0i Premium',
    price: 22595,
    year: 2014,
    used: true,
    color: 'Sunshine Orange'
  },
  {
    _id: ObjectId("62e6a143afa3008eab6ecbb1"),
    make: 'Ford',
    model: 'F-350 XL',
    price: 33705,
    year: 2017,
    used: false
  }
]

```

**Drop the index created on the non-used cars created above.**

```

Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.dropIndex({used:1});
{
  nIndexesWas: 3,
  ok: 1,
  '$clusterTime': {
    clusterTime: Timestamp({ t: 1659288020, i: 104 }),
    signature: {
      hash: Binary(Buffer.from("f7441c2f7b69f0baf7e35e169b3ecd06488d3aeb", "hex"), 0),
      keyId: Long("7060175555945037839")
    }
  },
  operationTime: Timestamp({ t: 1659288020, i: 103 })
}
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> █

```

Recently, they made the searching efficient using the price of the car, but that is no longer needed since they will now be using the make of the vehicles. Please reflect that in the database.

```

Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.createIndex({make:1})
make_1
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.getIndexes()
[
  { v: 2, key: { _id: 1 }, name: '_id_1' },
  { v: 2, key: { price: 1 }, name: 'price_1' },
  { v: 2, key: { make: 1 }, name: 'make_1' }
]
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> █

```

the company has decided to no longer sell Volkswagens and has already sold the last Volkswagen on the lot so they would like you to reflect that in the database as well.

```

Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.deleteOne({ make: { $eq : 'Volkswagen' } })
{ acknowledged: true, deletedCount: 1 }
Atlas atlas-dgyanu-shard-0 [primary] myFirstDatabase> db.cars.find();
[
  {
    _id: ObjectId("62e6a143afa3008eab6ecbb0"),
    make: 'Subaru',
    model: 'Crosstrek 2.0i Premium',
    price: 22595,
    year: 2014,
    used: true,
    color: 'Sunshine Orange'
  },
  {
    _id: ObjectId("62e6a143afa3008eab6ecbb1"),
    make: 'Ford'
  }
]

```