

handsOn3

The screenshot shows the SQL Server Enterprise Manager interface. The top bar indicates the connection to 'Local instance 3306 (sakila)'. The left pane shows the 'SCHEMAS' tree with 'language' expanded. The central pane displays a query window with the following SQL code:

```
1 -- insert into sakila.actor (first_name, last_name)
2 -- values ("Rob", "Morales");
3
4 • select * from sakila.actor
5 where last_name = "Rock";
6
7 • update actor
```

Below the query, the 'Result Grid' shows a single row of data:

actor_id	first_name	last_name	last_update
215	Emma	Rock	2022-07-25 17:23:58

The right pane contains a 'SELECT Syntax' help section. It explains that **SELECT** is used to retrieve rows and lists common clauses: **select_expr**, **table_references**, and **PARTITION**.

SELECT Syntax:

SELECT is used to retrieve rows selected from one or more tables, and can include **UNION** statements and subqueries. See [union](#), and [subqueries](#). A **SELECT** statement can start with a **WITH** clause to define common table expressions accessible within the **SELECT**. See [with](#).

The most commonly used clauses of **SELECT** statements are these:

- Each **select_expr** indicates a column that you want to retrieve. There must be at least one **select_expr**.
- table_references** indicates the table or tables from which to retrieve rows. Its syntax is described in [join](#).
- SELECT** supports explicit partition selection using the **PARTITION** with a list of partitions or subpartitions (or both) following the name of the table in a **table_reference** (see [join](#)). In this case, rows are selected only from the partition listed, and any other partitions the table are ignored. For more information and examples, see [partitioning-selection](#).

Local instance 3306Local instance 3306 (sakila)

Administration

Schemas

Query 1

Administration - Server Status

sakila-schema

sakila-data*

>>

Context Help

Snippets

SCHEMAS

Filter objects

category

city

country

customer

film

film_actor

film_category

film_text

inventory

language

Columns

language_id

name

last_update

Object Info

Session

No object selected

Limit to 1000 rows

6

7 -- update actor

8 -- set last_name = "Rock"

9 -- where actor_id = 215;

10

11 • select * from staff

12 where password is null;

100%

23:12

Result Grid

Filter Rows: Search

Edit: Export/Import

picture email store_id active username password last_update

NULL Jon.Stephens@sakilastaff.com 2 1 Jon NULL 2006-02-15 03:57:16

NULL NULL NULL NULL NULL NULL

staff 87

Apply

Action Output

Time / Response

Duration / Fetch Time

49 17:29:54 s1 1 row(s) returned 0.00049 sec / 0.000...

Query Completed

SELECT Syntax:

SELECT is used to retrieve rows selected from one or more tables, and can include UNION statements and subqueries. See union, and subqueries. A SELECT statement can start with a WITH clause to define common table expressions accessible within the SELECT. See with.

The most commonly used clauses of SELECT statements are these:

- Each select_expr indicates a column that you want to retrieve. There must be at least one select_expr.
- table_references indicates the table or tables from which to retrieve rows. Its syntax is described in join.
- SELECT supports explicit partition selection using the PARTITION with a list of partitions or subpartitions (or both) following the name of the table in a table_reference (see join). In this case, rows are selected only from the partitions listed, and any other partitions of the table are ignored. For more information and examples, see partitioning-selection. SELECT ... PARTITION from tables using storage engines

film_text

inventory

language

Columns

language_id

name

last_update

Object Info

Session

No object selected

```

14 -- select * from staff
15 -- where first_name is not null and store_id is not null;
16
17
18 • UPDATE address
19 SET address2 = "Canada"
20 WHERE district = "Alberta"
21
22 UPDATE address
23 SET address2 = "Australia"
24 WHERE district = "QLD"
25
26
27
100% 23:24 1 error found

```

Action Output

	Time	Response	Duration / Fetch Time
67	17:51:41	U Error Code: 1175. You are using safe update mode an...	0.00045 sec

Query interrupted

Local instance 3306

Local instance 3306 (sakila)

Administration

Schemas

Query 1

Administration - Server Status

sakila-schema

sakila-data*

Context Help

Snippets

CHEMAS

Filter objects

category

city

country

customer

film

film_actor

film_category

film_text

inventory

language

Columns

language_id

name

last_update

Object Info

Session

No object selected

Limit to 1000 rows

SELECT

```

1 -- insert into sakila.actor (first_name, last_name)
2 -- values ("Rob", "Morales");
3
4 • select * from sakila.actor
5 where last_name = "Morales";

```

100% 27:5

Result Grid

Filter Rows:

Search

Edit

Export/Import

actor_id	first_name	last_name	last_update
214	Rob	Morales	2022-07-25 17:14:02
215	Rob	Morales	2022-07-25 17:14:04
NULL	NULL	NULL	NULL

actor 83

Apply

Action Output

	Time	Response	Duration / Fetch Time
--	------	----------	-----------------------

Result Grid

Form Editor

Field Types

SELECT Syntax:

[SELECT](#) is used to retrieve rows selected from one or more tables, and can include [UNION](#) statements and subqueries. See [union](#), and [subqueries](#). A [SELECT](#) statement can start with a [WITH](#) clause to define common table expressions accessible within the [SELECT](#). See [with](#).

The most commonly used clauses of [SELECT](#) statements are these:

- Each *select_expr* indicates a column that you want to retrieve. There must be at least one *select_expr*.
- table_references* indicates the table or tables from which to retrieve rows. Its syntax is described in [join](#).
- [SELECT](#) supports explicit partition selection using the [PARTITION](#) with a list of partitions or subpartitions (or both) following the name of the table in a *table_reference* (see [join](#)). In this case, rows are selected only from the partitions listed, and any other partitions of the table are ignored. For more information and examples, see [partitioning-selection](#).