

Glossary of Terms

Product, engineering, security and operations terminology.



Summary

This document explains the subject in straightforward professional English, then adds the engineering detail needed to build, operate, troubleshoot or review it. Claims are based on the repository evidence snapshot; missing source details are called out instead of guessed.

Document details

Edition 2.0 | Evidence date: 14 August 2026 | Repository:
rmorampudi09-arch/Craves-Build-platform | Product evidence snapshot: main @
3225f7fa531a6b07185fb5e034f7930f8bd8b571

Summary and how to use this document

Product, engineering, security and operations terminology. The purpose is to make the system understandable to a new team member while still giving engineers enough detail to trace ownership, data flow, deployment impact and failure handling.

Current implementation

Direct code, README, migration, pipeline or commit evidence exists on the reviewed main snapshot.

Foundation / partial

Useful groundwork exists, but the repository does not prove a complete production runtime for every part.

Legacy / reference

Older implementation is retained for history or compatibility and is not treated as the preferred runtime.

Needs source confirmation

A referenced artifact or exact value could not be verified and is therefore not invented.

Reading order

- Start with the summary to understand the responsibility in normal language.
- Use process diagrams to follow requests across client, APIM, services, data and providers.
- Use the troubleshooting sections to diagnose by evidence rather than by retrying blindly.
- Use deployment and validation sections before or after changing a component.
- Use evidence status to separate proven behavior from gaps and future work.

Terms and practical meaning

BFF

Backend-for-Frontend: server-side routes tailored to one UI.

Craves context: The primary customer-facing web implementation is apps/customer-web-next, a Next.js 14 App Router application containing customer, chef and newer admin/support modules.

APIM

Azure API Management: policy and routing gateway.

Craves context: Azure API Management is the intended policy and routing front door between clients/BFFs and backend services.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

JWT

Signed token carrying identity and authorization claims.

Craves context: Authentication proves who the caller is; authorization decides what that caller may do. Craves uses phone OTP for the current web and JWT-based authorization in backend services, with Entra External ID/PKCE documented for the mobile milestone.

RBAC

Role-Based Access Control.

Craves context: Security is layered: identity proof, token validation, role/ownership checks, secret isolation, provider-signature checks and deployment gates address different failure modes.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

OTP

One-Time Password.

Craves context: Authentication proves who the caller is; authorization decides what that caller may do. Craves uses phone OTP for the current web and JWT-based authorization in backend services, with Entra External ID/PKCE documented for the mobile milestone.

PKCE

OAuth proof binding authorization to the app that started it.

Craves context: Native mobile is proven mainly through milestone identity/API/CI contracts rather than a clearly complete runnable app on the reviewed main snapshot.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

MFA

Multi-Factor Authentication.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

HTTP-only cookie

Cookie ordinary browser JavaScript cannot read directly.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Access token

Short-lived API credential.

Craves context: Authentication proves who the caller is; authorization decides what that caller may do. Craves uses phone OTP for the current web and JWT-based authorization in backend services, with Entra External ID/PKCE documented for the mobile milestone.

Refresh token

Credential used to obtain a new access token.

Craves context: Authentication proves who the caller is; authorization decides what that caller may do. Craves uses phone OTP for the current web and JWT-based authorization in backend services, with Entra External ID/PKCE documented for the mobile milestone.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Keychain

Apple secure credential storage.

Craves context: Native mobile is proven mainly through milestone identity/API/CI contracts rather than a clearly complete runnable app on the reviewed main snapshot.

Android Keystore

Android secure key/credential facility.

Craves context: Native mobile is proven mainly through milestone identity/API/CI contracts rather than a clearly complete runnable app on the reviewed main snapshot.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Spring Boot

Java framework used by active Craves services.

Craves context: The active backend target is seven Spring Boot services: auth, user-chef, catalog, order, subscription, integration and notification.

Microservice

Separately deployable focused service.

Craves context: The active backend target is seven Spring Boot services: auth, user-chef, catalog, order, subscription, integration and notification.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Flyway

Database schema-migration tool.

Craves context: The repository has broad CI/CD references across backend, frontend, mobile, APIM, data, privacy, security, smoke and release controls.

Actuator

Spring Boot health/operational endpoints.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Catalog

Meal, cuisine and availability domain.

Craves context: Catalog is the source of browseable meal and cuisine information used by discovery and commerce validation.

Quote

Backend-authoritative checkout calculation.

Craves context: Checkout turns a basket into a validated purchase attempt and combines address, authoritative quote, order creation and hosted payment.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Idempotency

Protection against unintended duplicate effects.

Craves context: Order management is the transactional spine of Craves: create, retrieve, status, cancellation/refund, delivery state, ETA/shortage, proof and administrative controls.

Problem Details

Structured HTTP error format.

Craves context: Order management is the transactional spine of Craves: create, retrieve, status, cancellation/refund, delivery state, ETA/shortage, proof and administrative controls.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

requestId

Failure-correlation identifier.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Correlation ID

Identifier propagated across distributed components.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Reconciliation

Background synchronization of ambiguous states.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

MSSQL

Microsoft SQL Server.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

PostgreSQL

Relational database supported by order-service profiles.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Cashfree

Hosted-payment provider used by the current web.

Craves context: Payments are separated from raw card handling so the Craves UI can use provider-hosted entry while the backend protects order/payment state.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Razorpay

Provider documented for backend callbacks/payment links.

Craves context: Payments are separated from raw card handling so the Craves UI can use provider-hosted entry while the backend protects order/payment state.

Webhook

Inbound provider callback.

Craves context: Payments are separated from raw card handling so the Craves UI can use provider-hosted entry while the backend protects order/payment state.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

HMAC

Keyed message-authentication signature.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Hosted payment

Provider-owned payment-entry flow.

Craves context: Payments are separated from raw card handling so the Craves UI can use provider-hosted entry while the backend protects order/payment state.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Refund

Eligible return-of-funds operation.

Craves context: Payments are separated from raw card handling so the Craves UI can use provider-hosted entry while the backend protects order/payment state.

ETA

Estimated Time of Arrival.

Craves context: Order management is the transactional spine of Craves: create, retrieve, status, cancellation/refund, delivery state, ETA/shortage, proof and administrative controls.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Completion proof

Evidence associated with fulfillment completion.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Blob storage

Object/file storage.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Domain whitelist

Approved domains accepted as trusted media.

Craves context: Craves includes a governed semantic meal concierge for assisted discovery rather than an authority that can bypass commerce rules.

Subscription

Repeat-service relationship between customer and plan.

Craves context: Subscriptions support repeat service and entitlements on top of one-off ordering.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Entitlement

Server-evaluated right to a gated capability.

Craves context: Subscriptions support repeat service and entitlements on top of one-off ordering.

Usage counter

Persisted entitlement-consumption measure.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Notification preference

User communication choice.

Craves context: Notifications centralize email, SMS and push so domain services do not each implement vendor logic.

Device token

Push-provider routing identifier.

Craves context: Authentication proves who the caller is; authorization decides what that caller may do. Craves uses phone OTP for the current web and JWT-based authorization in backend services, with Entra External ID/PKCE documented for the mobile milestone.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

FCM

Firebase Cloud Messaging.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Azure Communication Services

Azure email/SMS provider used by notification-service.

Craves context: The active backend target is seven Spring Boot services: auth, user-chef, catalog, order, subscription, integration and notification.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Service Bus

Azure messaging service.

Craves context: Notifications centralize email, SMS and push so domain services do not each implement vendor logic.

Domain event

Message describing a meaningful business event.

Craves context: Craves includes a governed semantic meal concierge for assisted discovery rather than an authority that can bypass commerce rules.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Provider adapter

Module translating Craves operations to a provider API.

Craves context: integration-service is the provider boundary so third-party APIs do not leak provider-specific rules into every domain.

Stub provider

Deterministic non-live adapter disabled by default.

Craves context: integration-service is the provider boundary so third-party APIs do not leak provider-specific rules into every domain.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Geocoding

Conversion between addresses and coordinates.

Craves context: Location/address features help a customer provide a deliverable address while retaining manual fallback when device permission or geocoding fails.

Consent center

User preferences UI wired to backend enforcement.

Craves context: Privacy capability includes consent preferences plus recent customer data export/deletion implementation on main.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Data export

Authorized request for supported customer data.

Craves context: Privacy capability includes consent preferences plus recent customer data export/deletion implementation on main.

Account deletion

Authorized customer deletion workflow.

Craves context: Privacy capability includes consent preferences plus recent customer data export/deletion implementation on main.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Semantic concierge

AI-assisted meal discovery.

Craves context: Craves includes a governed semantic meal concierge for assisted discovery rather than an authority that can bypass commerce rules.

SignalR

Real-time transport used by documented AI concierge.

Craves context: Craves includes a governed semantic meal concierge for assisted discovery rather than an authority that can bypass commerce rules.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Container image

Packaged immutable runtime.

Craves context: Craves includes a governed semantic meal concierge for assisted discovery rather than an authority that can bypass commerce rules.

ACR

Azure Container Registry.

Craves context: The repository has broad CI/CD references across backend, frontend, mobile, APIM, data, privacy, security, smoke and release controls.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Container App

Azure host documented for newer customer web.

Craves context: Craves includes a governed semantic meal concierge for assisted discovery rather than an authority that can bypass commerce rules.

Revision

Versioned Container App deployment.

Craves context: The repository has broad CI/CD references across backend, frontend, mobile, APIM, data, privacy, security, smoke and release controls.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Readiness check

Probe validating safe traffic readiness.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Rollback

Return to a known-good state.

Craves context: The repository has broad CI/CD references across backend, frontend, mobile, APIM, data, privacy, security, smoke and release controls.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

CI/CD

Automated integration/test/delivery workflow.

Craves context: The repository has broad CI/CD references across backend, frontend, mobile, APIM, data, privacy, security, smoke and release controls.

Release gate

Condition before promotion continues.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Smoke test

Small critical-path validation.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Key Vault

Azure secret/certificate store.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Named value

APIM policy configuration value.

Craves context: Azure API Management is the intended policy and routing front door between clients/BFFs and backend services.

OpenAPI

Machine-readable API description.

Craves context: Azure API Management is the intended policy and routing front door between clients/BFFs and backend services.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Legacy/reference

Older source not assumed to be preferred runtime.

Craves context: Older web/admin/Node API paths remain useful for migration history but are not automatically treated as the preferred current architecture.

Milestone foundation

Handover/contract/CI groundwork without complete-runtime proof.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Repository gap

Referenced artifact/value not verified.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

PII

Personally Identifiable Information.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Least privilege

Only the access required for the task.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Audit trail

Evidence of a sensitive action and change.

Craves context: Craves includes a governed semantic meal concierge for assisted discovery rather than an authority that can bypass commerce rules.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Observability

Understanding runtime state from health/logs/metrics/traces.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Runbook

Repeatable operational procedure.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Backout plan

Method to return to a safe state after failed change.

Craves context: Subscriptions support repeat service and entitlements on top of one-off ordering.

Schema migration

Versioned database change.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Checksum

Digest detecting unexpected artifact changes.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

SHA-256

Cryptographic hash algorithm.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Latency

Time an operation takes.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Timeout

Maximum wait before treating work as failed.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Retry

Controlled repetition of a failed operation.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Backoff

Increasing delay between retries.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Failover

Switch to alternate healthy resource.

Craves context: Craves includes a governed semantic meal concierge for assisted discovery rather than an authority that can bypass commerce rules.

Serviceability

Whether a location/order can be fulfilled.

Craves context: The active backend target is seven Spring Boot services: auth, user-chef, catalog, order, subscription, integration and notification.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Evidence packet

Safe ticket evidence including time and request IDs.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Root cause

Underlying incident condition.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Mitigation

Action reducing impact before permanent fix.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Residual risk

Risk remaining after controls.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Technical debt

Known engineering compromise requiring remediation.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Diligence

Evidence review used to verify product/technology claims.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

BFF

Backend-for-Frontend: server-side routes tailored to one UI.

Craves context: The primary customer-facing web implementation is apps/customer-web-next, a Next.js 14 App Router application containing customer, chef and newer admin/support modules.

APIM

Azure API Management: policy and routing gateway.

Craves context: Azure API Management is the intended policy and routing front door between clients/BFFs and backend services.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

JWT

Signed token carrying identity and authorization claims.

Craves context: Authentication proves who the caller is; authorization decides what that caller may do. Craves uses phone OTP for the current web and JWT-based authorization in backend services, with Entra External ID/PKCE documented for the mobile milestone.

RBAC

Role-Based Access Control.

Craves context: Security is layered: identity proof, token validation, role/ownership checks, secret isolation, provider-signature checks and deployment gates address different failure modes.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

OTP

One-Time Password.

Craves context: Authentication proves who the caller is; authorization decides what that caller may do. Craves uses phone OTP for the current web and JWT-based authorization in backend services, with Entra External ID/PKCE documented for the mobile milestone.

PKCE

OAuth proof binding authorization to the app that started it.

Craves context: Native mobile is proven mainly through milestone identity/API/CI contracts rather than a clearly complete runnable app on the reviewed main snapshot.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

MFA

Multi-Factor Authentication.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

HTTP-only cookie

Cookie ordinary browser JavaScript cannot read directly.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Access token

Short-lived API credential.

Craves context: Authentication proves who the caller is; authorization decides what that caller may do. Craves uses phone OTP for the current web and JWT-based authorization in backend services, with Entra External ID/PKCE documented for the mobile milestone.

Refresh token

Credential used to obtain a new access token.

Craves context: Authentication proves who the caller is; authorization decides what that caller may do. Craves uses phone OTP for the current web and JWT-based authorization in backend services, with Entra External ID/PKCE documented for the mobile milestone.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Keychain

Apple secure credential storage.

Craves context: Native mobile is proven mainly through milestone identity/API/CI contracts rather than a clearly complete runnable app on the reviewed main snapshot.

Android Keystore

Android secure key/credential facility.

Craves context: Native mobile is proven mainly through milestone identity/API/CI contracts rather than a clearly complete runnable app on the reviewed main snapshot.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Spring Boot

Java framework used by active Craves services.

Craves context: The active backend target is seven Spring Boot services: auth, user-chef, catalog, order, subscription, integration and notification.

Microservice

Separately deployable focused service.

Craves context: The active backend target is seven Spring Boot services: auth, user-chef, catalog, order, subscription, integration and notification.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Flyway

Database schema-migration tool.

Craves context: The repository has broad CI/CD references across backend, frontend, mobile, APIM, data, privacy, security, smoke and release controls.

Actuator

Spring Boot health/operational endpoints.

Craves context: Craves is a two-sided food marketplace connecting customers with home-chef supply. The repository contains a newer Next.js customer/chef web application, seven Spring Boot services, APIM guidance, legacy web/admin/API paths, infrastructure assets and milestone handovers.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Terms and practical meaning

Catalog

Meal, cuisine and availability domain.

Craves context: Catalog is the source of browseable meal and cuisine information used by discovery and commerce validation.

Quote

Backend-authoritative checkout calculation.

Craves context: Checkout turns a basket into a validated purchase attempt and combines address, authoritative quote, order creation and hosted payment.

Why this term matters

Use the term consistently in tickets, code reviews, deployment notes and support handoffs. When the repository defines a narrower meaning, the repository contract takes priority over this general definition.

Operational checklist and documented gaps

Before making a change

- Confirm the intended actor and environment.
- Confirm the current authoritative state before changing anything.
- Capture HTTP status, stable error code and request/correlation ID without secrets.
- Validate the owning component health and required dependency/configuration.
- After the action, reload the state from the backend and confirm the expected result.

Repository gaps that must stay visible

- APIM README cites `infra/apim/craves-openapi.yaml`, but that literal artifact was not resolvable on main during this evidence snapshot.
- `customer-web-next` README names `azure-pipelines-customer-web-next.yml`, but that literal root path was not resolvable; deployment behavior described by the README is retained while trigger/variable details are not invented.
- Native mobile has strong milestone identity/API/CI evidence, but a clearly complete runnable React Native application was not established on the reviewed main snapshot.
- Legacy preview URLs prove historical deployment references rather than current production routing.
- Commercial values such as commissions, payout percentages, subscription pricing, catering thresholds and SLAs are not fabricated where source is silent.

Definition of done

A change is complete only when the intended behavior works, authorization still fails closed, authoritative data is correct, health/readiness are good, monitoring or correlation evidence is available, the rollback path remains valid, and the documentation has been updated if the contract or operating procedure changed.