

Knowledge Base - Admin Panel

Plain-language admin/support procedures.



Summary

This document explains the subject in straightforward professional English, then adds the engineering detail needed to build, operate, troubleshoot or review it. Claims are based on the repository evidence snapshot; missing source details are called out instead of guessed.

Document details

Edition 2.0 | Evidence date: 14 August 2026 | Repository:
rmorampudi09-arch/Craves-Build-platform | Product evidence snapshot: main @
3225f7fa531a6b07185fb5e034f7930f8bd8b571

Summary and how to use this document

Plain-language admin/support procedures. The purpose is to make the system understandable to a new team member while still giving engineers enough detail to trace ownership, data flow, deployment impact and failure handling.

Current implementation

Direct code, README, migration, pipeline or commit evidence exists on the reviewed main snapshot.

Foundation / partial

Useful groundwork exists, but the repository does not prove a complete production runtime for every part.

Legacy / reference

Older implementation is retained for history or compatibility and is not treated as the preferred runtime.

Needs source confirmation

A referenced artifact or exact value could not be verified and is therefore not invented.

Reading order

- Start with the summary to understand the responsibility in normal language.
- Use process diagrams to follow requests across client, APIM, services, data and providers.
- Use the troubleshooting sections to diagnose by evidence rather than by retrying blindly.
- Use deployment and validation sections before or after changing a component.
- Use evidence status to separate proven behavior from gaps and future work.

Admin sign-in and access


Summary

This article explains what to do when you need help with admin sign-in and access. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Admin sign-in and access

Summary

This article explains what to do when you need help with admin sign-in and access. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Chef review queue


Summary

This article explains what to do when you need help with chef review queue. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

User sees stale state. This usually means: Client cache/local state differs from backend. What to do: Reload from the owning service.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Chef review queue

Summary

This article explains what to do when you need help with chef review queue. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [services/user-chef-service/README.md](#); [apps/customer-web-next/src/components/chef/](#); [apps/customer-web-next/src/components/chef-mode/](#).

Open a chef application


Summary

This article explains what to do when you need help with open a chef application. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

User sees stale state. This usually means: Client cache/local state differs from backend. What to do: Reload from the owning service.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Open a chef application

Summary

This article explains what to do when you need help with open a chef application. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [services/user-chef-service/README.md](#); [apps/customer-web-next/src/components/chef/](#); [apps/customer-web-next/src/components/chef-mode/](#).

Approve a chef


Summary

This article explains what to do when you need help with approve a chef. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

User sees stale state. This usually means: Client cache/local state differs from backend. What to do: Reload from the owning service.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Approve a chef

Summary

This article explains what to do when you need help with approve a chef. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [services/user-chef-service/README.md](#); [apps/customer-web-next/src/components/chef/](#); [apps/customer-web-next/src/components/chef-mode/](#).

Reject a chef


Summary

This article explains what to do when you need help with reject a chef. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

User sees stale state. This usually means: Client cache/local state differs from backend. What to do: Reload from the owning service.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Reject a chef

Summary

This article explains what to do when you need help with reject a chef. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [services/user-chef-service/README.md](#); [apps/customer-web-next/src/components/chef/](#); [apps/customer-web-next/src/components/chef-mode/](#).

Catalog administration


Summary

This article explains what to do when you need help with catalog administration. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Nearby results empty. This usually means: No active geocoded kitchen with sellable items in query radius. What to do: Confirm kitchen coordinates, active menu items and caller radius.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Catalog administration

Summary

This article explains what to do when you need help with catalog administration. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [services/catalog-service/README.md](#); [apps/customer-web-next/src/components/discovery/](#); [apps/customer-web-next/src/components/meals/](#); [infra/apim/README.md](#).

Pause an item


Summary

This article explains what to do when you need help with pause an item. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Pause an item

Summary

This article explains what to do when you need help with pause an item. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Bulk catalog operation


Summary

This article explains what to do when you need help with bulk catalog operation. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Nearby results empty. This usually means: No active geocoded kitchen with sellable items in query radius. What to do: Confirm kitchen coordinates, active menu items and caller radius.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Bulk catalog operation

Summary

This article explains what to do when you need help with bulk catalog operation. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [services/catalog-service/README.md](#); [apps/customer-web-next/src/components/discovery/](#); [apps/customer-web-next/src/components/meals/](#); [infra/apim/README.md](#).

Order support


Summary

This article explains what to do when you need help with order support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Order not found. This usually means: Wrong ID or ownership mismatch. What to do: Verify ID and caller context; never expose another user's order.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Order support

Summary

This article explains what to do when you need help with order support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [services/order-service/README.md](#); [apps/customer-web-next/src/components/order-history/](#); [apps/customer-web-next/src/components/order-tracking/](#).

Refund support


Summary

This article explains what to do when you need help with refund support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Payment result is unclear. This usually means: Provider status/callback is delayed or ambiguous. What to do: Verify through the backend/provider reconciliation path before retrying.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Refund support

Summary

This article explains what to do when you need help with refund support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/customer-web-next/README.md](#); [apps/customer-web-next/src/lib/cashfree/](#); [services/order-service/README.md](#); [services/integration-service/README.md](#).

Subscription administration


Summary

This article explains what to do when you need help with subscription administration. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Lifecycle action rejected. This usually means: Current subscription state does not allow it. What to do: Reload current state and use a supported transition.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Subscription administration

Summary

This article explains what to do when you need help with subscription administration. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [services/subscription-service/README.md](#); [apps/customer-web-next/src/components/plans/](#); [apps/customer-web-next/src/components/subscriptions/](#); commit 3225f7fa.

Staff access


Summary

This article explains what to do when you need help with staff access. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Staff access

Summary

This article explains what to do when you need help with staff access. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Promotions


Summary

This article explains what to do when you need help with promotions. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Promotions

Summary

This article explains what to do when you need help with promotions. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Community Credit


Summary

This article explains what to do when you need help with community credit. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Community Credit

Summary

This article explains what to do when you need help with community credit. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Consent support


Summary

This article explains what to do when you need help with consent support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

User sees stale state. This usually means: Client cache/local state differs from backend. What to do: Reload from the owning service.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Consent support

Summary

This article explains what to do when you need help with consent support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: commit 188385e; commit 93ebfa4; commit 5dd7971; apps/customer-web-next/.

Customer data export


Summary

This article explains what to do when you need help with customer data export. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

User sees stale state. This usually means: Client cache/local state differs from backend. What to do: Reload from the owning service.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Customer data export

Summary

This article explains what to do when you need help with customer data export. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: commit 188385e; commit 93ebfa4; commit 5dd7971; apps/customer-web-next/.

Account deletion support


Summary

This article explains what to do when you need help with account deletion support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

User sees stale state. This usually means: Client cache/local state differs from backend. What to do: Reload from the owning service.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Account deletion support

Summary

This article explains what to do when you need help with account deletion support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: commit 188385e; commit 93ebfa4; commit 5dd7971; apps/customer-web-next/.

Catering support


Summary

This article explains what to do when you need help with catering support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Catering support

Summary

This article explains what to do when you need help with catering support. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

APIM access problem


Summary

This article explains what to do when you need help with apim access problem. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

401 at gateway. This usually means: JWT validation failed. What to do: Verify token source, issuer/audience and APIM policy.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

APIM access problem

Summary

This article explains what to do when you need help with apim access problem. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [infra/apim/README.md](#).

Admin 401


Summary

This article explains what to do when you need help with admin 401. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Admin 401

Summary

This article explains what to do when you need help with admin 401. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Admin 403


Summary

This article explains what to do when you need help with admin 403. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Admin 403

Summary

This article explains what to do when you need help with admin 403. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Unexpected service error


Summary

This article explains what to do when you need help with unexpected service error. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

401 Unauthorized. This usually means: Authentication is missing/expired/invalid. What to do: Use supported identity/refresh flow and capture request ID.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Unexpected service error

Summary

This article explains what to do when you need help with unexpected service error. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [services/order-service/README.md](#); [services/notification-service/README.md](#); [apps/customer-web-next/README.md](#).

Deployment-related admin issue


Summary

This article explains what to do when you need help with deployment-related admin issue. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission. What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Deployment-related admin issue

Summary

This article explains what to do when you need help with deployment-related admin issue. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Audit evidence


Summary

This article explains what to do when you need help with audit evidence. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Audit evidence

Summary

This article explains what to do when you need help with audit evidence. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Handling customer data safely


Summary

This article explains what to do when you need help with handling customer data safely. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission. What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Handling customer data safely

Summary

This article explains what to do when you need help with handling customer data safely. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Escalation to engineering


Summary

This article explains what to do when you need help with escalation to engineering. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Escalation to engineering

Summary

This article explains what to do when you need help with escalation to engineering. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Closing a support case


Summary

This article explains what to do when you need help with closing a support case. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

What to do

- Read the message on screen and note the time.
- Retry the supported action once after refreshing the current page/state.
- Confirm the expected account, address, order or subscription is selected.
- If the problem remains, capture the safe support details listed below.
- Support checks the owning service/gateway state and gives the user the next valid action.

Step-by-step flow



Common problem

Admin action denied. This usually means: Caller lacks admin role/product permission.
What to do: Use approved staff access process and least privilege.

Safety

Never send an OTP, password, access token, refresh token, full card number, CVV, UPI PIN, banking password or provider secret to support. Support can diagnose with time, safe IDs, the screen/message and a request/reference ID when available.

Closing a support case

Summary

This article explains what to do when you need help with closing a support case. It uses simple steps first. The system checks happen behind the scenes, so the user should not need to understand API names or internal services to follow the guidance.

If it still does not work

- Check that the user is on the correct account and environment.
- Check the current record from the backend rather than trusting a stale screen.
- Use the request/reference ID and time to inspect the correct service or gateway.
- Check recent deployment/configuration changes only after user/state causes are ruled out.
- Escalate with facts: expected result, actual result, safe identifiers, time and request/correlation evidence.

How to confirm the fix

- Repeat the original user action from a refreshed screen.
- Confirm the expected state persists after reload.
- Confirm the same issue does not affect an equivalent test record when appropriate.
- Close the case only after the user-facing result and backend state agree.

Support note

The technical evidence for this area is maintained in the engineering documents. Source: [apps/admin/README.md](#); [apps/customer-web-next/src/features/admin/](#); [apps/customer-web-next/src/features/chef-review/](#); [infra/apim/README.md](#).

Operational checklist and documented gaps

Before making a change

- Confirm the intended actor and environment.
- Confirm the current authoritative state before changing anything.
- Capture HTTP status, stable error code and request/correlation ID without secrets.
- Validate the owning component health and required dependency/configuration.
- After the action, reload the state from the backend and confirm the expected result.
- Confirm least privilege and audit evidence for the sensitive action.

Repository gaps that must stay visible

- APIM README cites `infra/apim/craves-openapi.yaml`, but that literal artifact was not resolvable on main during this evidence snapshot.
- `customer-web-next` README names `azure-pipelines-customer-web-next.yml`, but that literal root path was not resolvable; deployment behavior described by the README is retained while trigger/variable details are not invented.
- Native mobile has strong milestone identity/API/CI evidence, but a clearly complete runnable React Native application was not established on the reviewed main snapshot.
- Legacy preview URLs prove historical deployment references rather than current production routing.
- Commercial values such as commissions, payout percentages, subscription pricing, catering thresholds and SLAs are not fabricated where source is silent.

Definition of done

A change is complete only when the intended behavior works, authorization still fails closed, authoritative data is correct, health/readiness are good, monitoring or correlation evidence is available, the rollback path remains valid, and the documentation has been updated if the contract or operating procedure changed.