Wave: 202007231166 Pack Condition: 07/27/2020 10:24:30 AMFRD — Carton Contents Page: 1 Cust: ASTRAZENECA PZ Location F00072370900100DOM SKU 292805 Ref: 2012037785 Haz: Route: XFRDFDXGS0 LOT 2195709 즉 Slot: 0 OTY Part # 167053 RRD 05/14

285

Line 1 1.Please ship in one shipment only





Certificate of Analysis

Difco™ TC Yeastolate UF

Catalog Number: 292805

Lot Number: 2195709

Manufacturing Date:

2020-May-11

Expiration Date:

2024-May-31

Bulk Lot Number:

2225810

TEST	SPECIFICATION	RESULT	UNITS
Appearance (2% Solution)	Pass	Pass	
Light to dark, yellow to tan, clear to slightly hazy	with no significant precipitate.		
Dehydrated Appearance	Pass	Pass	
Beige, free-flowing, homogenous fine powder,			
Endotoxin (EU/g)	0 - 500	34	EU/g
Loss on Drying	0 - 5	2	%
pH at 25°C	5.4 - 7.2	6.8	
Solubility (2% solution)	Pass	Pass	
Soluble in distilled or deionized water.			

The Batch Number on this certificate is synonymous with Lot Number shown on the product label.

This product is animal free: There are no animal sourced ingredients used in the manufacture of this product. Advanced Bioprocessing is an ISO 9001:2015 registered facility. This product met Advanced Bioprocessing stringent quality standards at time of batch/lot release. Any test results reported on this certificate were obtained at time of release. This material is not for human or animal consumption.

Following Quality Control release, the COA is created and published for Catalog products at http://www.thermofisher.com/coasearch. Advanced Bioprocessing will notify customers of record for any changes to the COA.

Senior Quality Manager

Life Technologies Corporation 50 NW 176TH ST Miami, FL 33169-5043 US