
Alabama number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
10
20
30


Alaska number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
2.5
−20
−10
0
10


Arizona number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
0
1
2
10
20
30
mean


Arkansas number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
0
10
20
30


California number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
0.0
0.5
1.0
1.5
2.0
2.5
10
20
mean


Colorado number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
0.0
0.5
1.0
1.5
2.0
−10
0
10
20
mean


Connecticut number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
0
10
20


Delaware number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
0
10
20


District of Columbia number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
0
10
20


Florida number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
15
20
25


Georgia number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
10
20


Hawaii number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
22
24
26


Idaho number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
−10
0
10
20


Illinois number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
−10
0
10
20


Indiana number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
0
10
20


Iowa number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
0
1
2
−10
0
10
20
mean


Kansas number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
−10
0
10
20
30


Kentucky number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
0
10
20


Louisiana number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
0
1
2
10
20
30
mean


Maine number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
4
−10
0
10
20


Maryland number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
0
10
20


Massachusetts number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
4
0
10
20


Michigan number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
0.0
0.5
1.0
1.5
2.0
−10
0
10
20
mean


Minnesota number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
−20
−10
0
10
20


Mississippi number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
10
20
30


Missouri number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
−10
0
10
20
30


Montana number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
−10
0
10
20


Nebraska number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
−10
0
10
20
30


Nevada number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
2.5
0
10
20
30


New Hampshire number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
4
−10
0
10
20


New Jersey number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
0
10
20


New Mexico number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
0
10
20


New York number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
−10
0
10
20


North Carolina number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
2.5
0
10
20


North Dakota number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
0
1
2
−20
−10
0
10
20
mean


Ohio number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
2.5
−10
0
10
20


Oklahoma number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
0
10
20
30


Oregon number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
−5
0
5
10
15
20


Pennsylvania number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
2.5
0
10
20


Rhode Island number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
0
10
20


South Carolina number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
0.0
0.5
1.0
1.5
2.0
10
20
mean


South Dakota number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
−10
0
10
20


Tennessee number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
2.5
0
10
20


Texas number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
0.0
0.5
1.0
1.5
2.0
10
20
30
mean


Utah number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
2.5
−10
0
10
20


Vermont number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
3
−10
0
10
20


Virginia number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
0
10
20


Washington number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
2.5
0
10
20


West Virginia number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
2.5
0
10
20


Wisconsin number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0
1
2
−10
0
10
20


Wyoming number_of_min_3_day_below_nonnormal_90_downwaves_2 against mean with R^2=0.01
1
2
3
4
5
6
7
8
9
10
11
12
number_of_min_3_day_below_nonnormal_90_downwaves_2
mean
0.0
0.5
1.0
1.5
2.0
−10
0
10
20