




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25



- 0.2

Jan

Feb

M

Apr

May

—●— Jun

Jul

Aug


• **Con**

• **Cost**


Nov

Dec


Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25




The figure is a scatter plot titled "Toyama". The x-axis is labeled "t2m number_of_min_3_day_below_5_downwaves" and has major tick marks at 0, 1, 2, 3, 4, and 5. The y-axis is unlabeled. The plot contains a large number of data points, which are colored in red, blue, and purple. There are also several fitted lines: a red line, a blue line, and a purple line. The red line starts at a high y-value at x=0 and decreases as x increases. The blue line starts at a low y-value at x=0 and increases as x increases. The purple line starts at a medium y-value at x=0 and decreases as x increases. The data points are most densely clustered at x=0 and become more sparse as x increases.


- 0.2

Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 25

