




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




The figure is a scatter plot titled "Texas". The x-axis is labeled "t2m days_above_30" and ranges from 0 to 20 with major grid lines every 10 units. The y-axis is unlabeled but has a grid. The plot contains many data points, mostly concentrated near the y-axis (x=0), with colors ranging from red to blue. Several dark red lines represent linear regression fits for different subsets of the data, all showing a negative correlation between the x and y variables.


- 0.2

Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5

